Author Index
Volumes 180 and 181

AJR articles are also included in the cumulative index published online by the Radiological Society of North America and in PubMed, published online by the National Library of Medicine

A

Aaroz PA, **180:**438
Abascal F, **181:**551
Abbara S, **180:**78, **181:**403
Abbott MB, **181:**857
Abd El Bagi ME, **180:**665
Abdelmoumene Y, **180:**1093
Abe N, **180:**173
Abemayor E, **180:**1171
Abrahamse PH, **181:**1653
Abramson AF, **180:**333, 901, **181:**519, 619
Aburano T, **180:**1265
Abusedera M, **181:**708
Acikel U, **181:**1079
Acosta KB, **181:**1615
Adamczyk DL, **180:**352
Adkins MC, **180:**633
Adler RS, **180:**1117, 1437
Agrawal CS, **181:**1379
Ahn IM, **180:**1723
Ahuja A, **180:**1736
Ahuja AT, **181:**11, 19, 25
Aibe H, **181:**1037
Aida N, **181:**1145
Aikele P, **181:**261
Aiken A, **181:**885
Akahane M, **180:**490
Akasaka Y, **181:**1387
Akinci D, **181:**498
Akira M, **180:**827, **181:**163
Akkoclu A, **181:**1079
Albanese CT, **180:**433
Alcala JN, **180:**1727
Allan SM, **180:**799
Alle J-L, **180:**864
Allego MM, **180:**816
Alley MT, **180:**357
Al-Nakshabandi NA, **180:**1247
Alobaidi M, **180:**201
Aloisio V, **181:**479
Alrahji AA, **180:**565
Altun E, **180:**76
Amano Y, **180:**1181
Amaral J, **180:**1393, **181:**867
Ambiru S, **181:**1021
Anderson SE, **180:**659, **181:**199
Ando E, **181:**1327
Andrews GT, **180:**847
Andrews JC, **181:**775
Andrews RT, **181:**996
Ang ES, **181:**441
Antoine J-M, **180:**1288
Antolak SJ Jr, **181:**561
Antonio G, **180:**1736
Antonio GE, **180:**1095, 1103, 1423, **181:**11, 19
Aoki S, **180:**1481
Aoki T, **180:**694, 1689
Aoun G, **181:**431
Apter S, **180:**729
Arai K, **181:**115
Araki T, **180:**1481
Araki Takuji, **180:**716
Araki Tsutomu, **180:**716
Araoz FA, **181:**1473
Araoz PA, **180:**659
Archimandritis AJ, **181:**282
Aref H, **180:**1399
Arellano RS, **180:**1079
Arnold BW, **181:**280
Arrivé L, **180:**159, **181:**1717
Ascher SM, **181:**851
Ashdown BC, **180:**1727
Asher DB, **181:**973
Ashikaga R, **181:**679
Ashizawa K, **181:**79
Ashley JB, **181:**451
Astion D, **181:**1551
Atomi Y, **180:**173
Attarian DE, **180:**1443
Auer A, **180:**55
Augui J, **181:**987
August C, **181:**527
Avansino J, **180:**1670
Aviram G, **180:**1135, 1203
Axelrod DA, **181:**1653

B

Babb J, **180:**177
Bach AM, **180:**497
Bacher K, **181:**923
Bae IY, **181:**467
Baek SY, **181:**1055
Bailly J-M, **181:**939
Baker JA, **180:**941, **181:**1083, 1275, 1295
Baker SR, **180:**27, **181:**654, 1195
Balaji R, **181:**170
Baldisserotto M, **180:**425
Balériaux D, **181:**235
Balliu E, **180:**545
Ballmer FT, **181:**199
Ballon DJ, **181:**619
Baltacioglu F, **180:**76
Balthazar E, **180:**177
Bancroft LW, **180:**621, 1449, **181:**694, 1251
Banks KP, **181:**1157
Banks MC, **180:**377
Barbato M, **180:**191
Bargalló X, **181:**1641
Barghouth G, **180:**1093
Barkovich AJ, **180:**31
Barluenga E, **180:**545
Barnett PG, **181:**359
Barnewolt CE, **180:**1731
Baron J, **180:**1180
Baron RL, **180:**1007
Barrie JR, **180:**1180
Barry K, **181:**1071
Bartolozzi C, **181:**663
Bartram CI, **181:**913
Bass A, **180:**729
Bass NM, **181:**1629
Bassett P, **181:**913
Bau JL, **181:**742, 960
Baudin E, **180:**121
Bauer J, **181:**147
Baum J, **181:**687
Baum R, **180:**227
Baumgarten KL, **181:**591
Baur A, **180:**1365
Bazot M, **180:**1288, 1291
Bazzocchi M, **180:**1339
Beall DP, **180:**633, 1442, 1695, **181:**203, 742, 960, 1216
Bean JA, **180:**993
Beard LN Jr, **180:**17
Beauchamp N, **180:**544
Beaulieu C, **181:**1564
Bechtold RE, **181:**282
Beggs I, **180:**395, **181:**1590
Belden CJ, **180:**1469
Bell C, **180:**31
Bellucci AD, **181:**1433
Bencardino J, **181:**1551
Benfayed W, **181:**886
Benfayed WH, **181:**1430
Bentley RC, **181:**1275
Ben-Yehuda D, **181:**1025
Benzmiller PG, **180:**544
Berg WA, **180:**1225, 1477, **181:**1427
Berger M, **181:**359
Bergman G, **181:**1235
Berkowitz D, **181:**599
Berlière M, **180:**1675
Berlin J, **181:**(3)A5
Berlin L, **180:**37, 317, 323, 591, 764, 911, 1229, 1477, 1515, **181:**29, 283, 375, 649, 945, 1181, 1481, 1716
Berridge DM, **181:**495
Bessoud B, **180:**527
Betts MT, **181:**1349
Bhargavan M, **181:**1235
Bhartia B, **180:**577
Bhuta S, **180:**1171
Bianchi L, **181:**831
Biliciler-Denktas G, **180:**1135
Billing A, **180:**1365
Bisker J, **180:**1238
Biswas S, **180:**799
Blackmon GB, **180:**1659
Blackmore CC, **180:**1243
Blackwell KL, **181:**1275
Blake MA, **181:**1663
Blake ME, **181:**335
Blankenbaker DG, **181:**1255
Blaum M, **180:**1639
Bley TA, **181:**1487
Blome S, **180:**935, **181:**1423, 1424
Bloom AI, **181:**1025
Bluemke DA, **180:**771, 779, 1738, **181:**139, 303, 309, 708
Blundell K, **181:**1615
Blute ML, **181:**1315
Boano R, **180:**597
Boardman J, **180:**748
Bodner G, **181:**771
Boerner S, **180:**765
Boetes C, **181:**663
Bogaert J, **180:**981
Boige V, **180:**121
Boiselle PM, **180:**1203, **181:**1495, 1505
Boland GW, **180:**1079, **181:**267, 387, 1663

Author Index
Volumes 180 and 181

AJR articles are also included in the cumulative index published online by the Radiological Society of North America and in PubMed, published online by the National Library of Medicine

A

Aaroz PA, **180:**438
Abascal F, **181:**551
Abbara S, **180:**78, **181:**403
Abbott MB, **181:**857
Abd El Bagi ME, **180:**665
Abdelmoumene Y, **180:**1093
Abe N, **180:**173
Abemayor E, **180:**1171
Abrahamse PH, **181:**1653
Abramson AF, **180:**333, 901, **181:**519, 619
Aburano T, **180:**1265
Abusedera M, **181:**708
Acikel U, **181:**1079
Acosta KB, **181:**1615
Adamczyk DL, **180:**352
Adkins MC, **180:**633
Adler RS, **180:**1117, 1437
Agrawal CS, **181:**1379
Ahn IM, **180:**1723
Ahuja A, **180:**1736
Ahuja AT, **181:**11, 19, 25
Aibe H, **181:**1037
Aida N, **181:**1145
Aikele P, **181:**261
Aiken A, **181:**885
Akahane M, **180:**490
Akasaka Y, **181:**1387
Akinci D, **181:**498
Akira M, **180:**827, **181:**163
Akkoclu A, **181:**1079
Albanese CT, **180:**433
Alcala JN, **180:**1727
Allan SM, **180:**799
Alle J-L, **180:**864
Allego MM, **180:**816
Alley MT, **180:**357
Al-Nakshabandi NA, **180:**1247
Alobaidi M, **180:**201
Aloisio V, **181:**479
Alrahji AA, **180:**565
Altun E, **180:**76
Amano Y, **180:**1181
Amaral J, **180:**1393, **181:**867
Ambiru S, **181:**1021
Anderson SE, **180:**659, **181:**199
Ando E, **181:**1327
Andrews GT, **180:**847
Andrews JC, **181:**775
Andrews RT, **181:**996
Ang ES, **181:**441
Antoine J-M, **180:**1288
Antolak SJ Jr, **181:**561
Antonio G, **180:**1736
Antonio GE, **180:**1095, 1103, 1423, **181:**11, 19
Aoki S, **180:**1481
Aoki T, **180:**694, 1689
Aoun G, **181:**431
Apter S, **180:**729
Arai K, **181:**115
Araki T, **180:**1481
Araki Takuji, **180:**716
Araki Tsutomu, **180:**716
Araoz FA, **181:**1473
Araoz PA, **180:**659
Archimandritis AJ, **181:**282
Aref H, **180:**1399
Arellano RS, **180:**1079
Arnold BW, **181:**280
Arrivé L, **180:**159, **181:**1717
Ascher SM, **181:**851
Ashdown BC, **180:**1727
Asher DB, **181:**973
Ashikaga R, **181:**679
Ashizawa K, **181:**79
Ashley JB, **181:**451
Astion D, **181:**1551
Atomi Y, **180:**173
Attarian DE, **180:**1443
Auer A, **180:**55
Augui J, **181:**987
August C, **181:**527
Avansino J, **180:**1670
Aviram G, **180:**1135, 1203
Axelrod DA, **181:**1653

B

Babb J, **180:**177
Bach AM, **180:**497
Bacher K, **181:**923
Bae IY, **181:**467
Baek SY, **181:**1055
Bailly J-M, **181:**939
Baker JA, **180:**941, **181:**1083, 1275, 1295
Baker SR, **180:**27, **181:**654, 1195
Balaji R, **181:**170
Baldisserotto M, **180:**425
Balériaux D, **181:**235
Balliu E, **180:**545
Ballmer FT, **181:**199
Ballon DJ, **181:**619
Baltacioglu F, **180:**76
Balthazar E, **180:**177
Bancroft LW, **180:**621, 1449, **181:**694, 1251
Banks KP, **181:**1157
Banks MC, **180:**377
Barbato M, **180:**191
Bargalló X, **181:**1641
Barghouth G, **180:**1093
Barkovich AJ, **180:**31
Barluenga E, **180:**545
Barnett PG, **181:**359
Barnewolt CE, **180:**1731
Baron J, **180:**1180
Baron RL, **180:**1007
Barrie JR, **180:**1180
Barry K, **181:**1071
Bartolozzi C, **181:**663
Bartram CI, **181:**913
Bass A, **180:**729
Bass NM, **181:**1629
Bassett P, **181:**913
Bau JL, **181:**742, 960
Baudin E, **180:**121
Bauer J, **181:**147
Baum J, **181:**687
Baum R, **180:**227
Baumgarten KL, **181:**591
Baur A, **180:**1365
Bazot M, **180:**1288, 1291
Bazzocchi M, **180:**1339
Beall DP, **180:**633, 1442, 1695, **181:**203, 742, 960, 1216
Bean JA, **180:**993
Beard LN Jr, **180:**17
Beauchamp N, **180:**544
Beaulieu C, **181:**1564
Bechtold RE, **181:**282
Beggs I, **180:**395, **181:**1590
Belden CJ, **180:**1469
Bell C, **180:**31
Bellucci AD, **181:**1433
Bencardino J, **181:**1551
Benfayed W, **181:**886
Benfayed WH, **181:**1430
Bentley RC, **181:**1275
Ben-Yehuda D, **181:**1025
Benzmiller PG, **180:**544
Berg WA, **180:**1225, 1477, **181:**1427
Berger M, **181:**359
Bergman G, **181:**1235
Berkowitz D, **181:**599
Berlière M, **180:**1675
Berlin J, **181:**(3)A5
Berlin L, **180:**37, 317, 323, 591, 764, 911, 1229, 1477, 1515, **181:**29, 283, 375, 649, 945, 1181, 1481, 1716
Berridge DM, **181:**495
Bessoud B, **180:**527
Betts MT, **181:**1349
Bhargavan M, **181:**1235
Bhartia B, **180:**577
Bhuta S, **180:**1171
Bianchi L, **181:**831
Biliciler-Denktas G, **180:**1135
Billing A, **180:**1365
Bisker J, **180:**1238
Biswas S, **180:**799
Blackmon GB, **180:**1659
Blackmore CC, **180:**1243
Blackwell KL, **181:**1275
Blake MA, **181:**1663
Blake ME, **181:**335
Blankenbaker DG, **181:**1255
Blaum M, **180:**1639
Bley TA, **181:**1487
Blome S, **180:**935, **181:**1423, 1424
Bloom AI, **181:**1025
Bluemke DA, **180:**771, 779, 1738, **181:**139, 303, 309, 708
Blundell K, **181:**1615
Blute ML, **181:**1315
Boano R, **180:**597
Boardman J, **180:**748
Bodner G, **181:**771
Boerner S, **180:**765
Boetes C, **181:**663
Bogaert J, **180:**981
Boige V, **180:**121
Boiselle PM, **180:**1203, **181:**1495, 1505
Boland GW, **180:**1079, **181:**267, 387, 1663

Boll DT, **180:**1557
Bonaccorsi A, **181:**253
Bongaerts AHH, **180:**223
Bongartz G, **180:**725, **181:**1499
Bonnarens K, **181:**923
Bonomo L, **181:**663
Bordalo-Rodrigues M, **180:**669
Borgstede JP, **180:**31
Borio L, **181:**1071
Borsa JJ, **180:**810
Borstad GC, **181:**742
Borszuk P, **181:**1401
Borup LH, **181:**1155
Bosch J, **181:**1641
Bosniak MA, **181:**627, 1425
Bosshard C, **181:**199
Bossuyt PM, **181:**51
Boudghène F, **180:**1291
Boulogianni G, **181:**1673
Bourne MW, **181:**663
Boutin RD, **180:**641
Boxt LM, **180:**206
Boylan CE, **181:**317
Bradley WG, **180:**31
Braendli M, **180:**725
Braga L, **181:**809
Brancatelli G, **180:**1007, **181:**455
Brant-Zawadzki M, **180:**540
Brau C, **181:**1197
Braun SD, **180:**281
Braun W, **181:**931
Braverman RM, **180:**1147
Brecher CW, **180:**1203
Breen DJ, **180:**1055
Breen JF, **181:**1259
Breidahl W, **181:**1397
Breitenseher M, **180:**805
Brem H, **180:**1469
Brem RF, **181:**687
Bremerich J, **181:**1499
Brenner RJ, **181:**275, 594
Brieger J, **180:**163
Brinkman W, **180:**1476
Brown JA, **180:**1278
Browne RFJ, **180:**285
Brü C, **181:**831, 1641
Brucker-Davis F, **181:**577
Brun V, **180:**969
Brunelle F, **180:**1399
Bruns DE, **181:**51
Bryce TJ, **181:**1629
Brys P, **181:**891
Bucci K, **181:**1691
Buckley AR, **180:**1359
Buckwalter KA, **181:**951
Bude RO, **180:**885
Buechler U, **180:**659
Buetow MP, **180:**284
Bui-Mansfield LT, **180:**748
Buitrago-Téllez CH, **181:**1499
Bull M, **181:**88
Buñesch L, **181:**831
Bureau NJ, **181:**526
Burrows PE, **180:**1125, **181:**1041, 1691
Busch JM, **181:**187
Bush CH, **180:**109
Byun JY, **180:**523, 1577, **181:**1369

C

Caillet H, **180:**121
Caire JT, **180:**1155, **181:**1381
Callahan K, **180:**263
Callahan MJ, **181:**1391
Callstrom MR, **180:**1509, **181:**1315
Calò S, **181:**253
Camby I, **181:**235
Campbell F, **180:**475
Campbell R, **180:**659
Canga A, **181:**551
Canon CL, **181:**1607
Cantisani V, **181:**395, 1621
Cantù G, **181:**253
Caoili EM, **181:**1573
Cappeliez O, **180:**864
Carbone I, **180:**191
Cardarelli GA, **181:**711
Caridi JG, **180:**1375
Carlos RC, **180:**673, 893, **181:**1653
Carlson CL, **180:**1442
Carmody RF, **180:**1727
Carney E, **181:**367
Carrafiello G, **180:**1479
Carrino JA, **180:**81, **181:**890, 1245
Carroll BA, **181:**1695
Carroll FE, **181:**1197
Carson N, **180:**241
Cartes-Zumelzu F, **180:**709
Carucci LR, **180:**501, 749
Casas JD, **180:**545
Caseiro-Alves F, **181:**861
Cast JEI, **180:**1055
Castillo M, **181:**1058, 1432
Catalano C, **180:**191, 1271
Catalyurek H, **181:**1079
Cauteren MV, **181:**278
Cavallino RP, **181:**527
Cayer T, **180:**1576
Cejna M, **180:**709, 1379
Cerezal L, **181:**551
Ceruti C, **181:**1473
Cesarani F, **180:**597, 1556
Chacko SA, **181:**170
Chait PG, **180:**1393, **181:**867
Chan CC, **181:**1525
Chan JCS, **181:**1525
Chan JHM, **181:**242
Chan KM, **180:**1423
Chan LP, **180:**115, 1701, **181:**955
Chan PL, **181:**19, 25
Chan PT, **180:**1455
Chan TY, **180:**771, 779, **181:**139
Chan WP, **180:**381, **181:**539, 545
Chandarana H, **180:**177
Chang C-Y, **180:**493, **181:**545
Chang CY, **180:**860
Chang HY, **180:**860
Chang TS, **180:**257
Chang Y, **180:**419
Chang Y-C, **181:**545
Chang Y-H, **180:**257
Chanin MP, **180:**697
Chapman BE, **180:**257
Charboneau JW, **181:**1315
Charboneau WJ, **180:**1509
Charnsangavej C, **180:**441, 1311, 1621
Chasen MH, **181:**157, 1109
Chau CLF, **180:**1455
Chaussade S, **181:**987
Chemelli A, **180:**55, **181:**99
Chen A, **180:**1003
Chen B, **180:**1571
Chen C-Y, **180:**381, 1165, 1715, **181:**539, 545
Chen L, **181:**435
Chen MY, **180:**999, **181:**93, 907
Chen MYM, **181:**282
Chen P-H, **181:**1647
Chen P-L, **181:**1676
Chen Q, **181:**701
Chen R-C, **181:**1647
Chen S, **181:**781
Chen W-T, **181:**1647
Chen X, **181:**183
Cheng AFB, **181:**19, 25
Cheng AYH, **181:**25
Cheng C, **180:**363
Cheng HC, **180:**860
Cheng SG, **180:**810
Cheng Z, **180:**1547
Chengazi V, **181:**191
Chepuri NB, **180:**429
Cheung HS, **181:**1267
Chevallier P, **180:**1093
Chiang J-H, **180:**493
Chicks DS, **181:**495
Chien AJ, **181:**219
Chin S-C, **180:**1165, 1715
Ching ASC, **181:**25
Chintapalli KN, **180:**697
Chiriboga C, **181:**1071
Chivers FS, **181:**1565
Chng SM, **181:**441
Cho DHY, **181:**1525
Cho JH, **180:**1103
Cho K, **180:**1375
Cho KH, **181:**37
Cho KJ, **181:**717
Cho K-S, **180:**1037
Cho SM, **181:**1369
Choe KA, **181:**1676
Choe KO, **180:**1251
Choi B-G, **180:**93
Choi BG, **180:**523, 1577
Choi CG, **180:**1723, **181:**583
Choi J-A, **180:**539
Choi J-HR, **181:**799
Choi K-H, **180:**93
Choi P, **181:**25
Choi SH, **181:**889, 1544
Choi YW, **180:**539, 862
Chong CL, **181:**1156
Chong-Han CH, **181:**1711
Choo MS, **180:**1037
Chopra S, **180:**697
Chourmouzi D, **181:**1673
Chow GK, **180:**1509
Chrisman HB, **181:**89
Christakis M, **180:**627
Chu CM, **181:**1525
Chu L-S, **180:**493
Chu WC-W, **181:**284
Chu WCW, **181:**1267
Chun HJ, **180:**523, 1577
Chung CB, **180:**1103, **181:**1449
Chung H, **180:**703, **181:**57
Chung H-J, **180:**151
Chung J-J, **180:**1347
Chung JW, **181:**889
Chung SSC, **181:**11
Chung SW, **180:**1359
Chung T, **180:**1125, **181:**317, 1539
Chung WS, **180:**862
Ciancibello L, **180:**973
Cibas ES, **180:**1281
Claridge RJ, **181:**1565
Clark JA, **181:**1422
Clause D, **180:**669
Claussen CD, **180:**163, 1567
Clement de Givry S, **180:**1291
Coakley FV, **180:**327, 433, 481, 1179, **181:**435, 1422, 1629
Coche E, **181:**1720
Cohade C, **181:**1239
Cohan RH, **180:**1217
Cohen BL, **181:**279
Cohen W, **180:**1476
Colby TV, **180:**1419
Cole WC, **181:**278
Como G, **180:**1339
Connell DA, **181:**1511
Connolly BL, **180:**1393, **181:**867
Connor L, **180:**1125, **181:**1691
Cooksey G, **180:**1055
Cooper C, **181:**851
Cooper SG, **180:**1063
Cooperberg PL, **180:**1278
Cope C, **181:**1017
Copeland JF, **181:**1495
Coppens E, **180:**1335
Coppola C, **181:**479
Corl FM, **181:**303, 309
Correas J-M, **181:**143
Corréas J-M, **181:**1049
Corso R, **180:**1479
Cortez A, **180:**1288
Cortez SC, **181:**1711
Coskun M, **180:**1617
Cosset M-F, **180:**527
Costa CR, **181:**890, 1245
Costa L, **181:**253
Cothran RL, **180:**1443
Couvelard A, **181:**1049
Covey AM, **181:**351
Crain MR, **180:**1385
Crippa F, **181:**253
Cronan JJ, **180:**1503
Cross GH Jr, **180:**884
Cross M, **180:**401
Cruz A, **181:**551
Crystal P, **181:**177
Cullinan JA, **180:**860
Cummings P, **180:**1243
Cupisti K, **181:**95
Curran MA, **181:**1401
Cypel YS, **181:**341, 643
Czermak B, **180:**233
Czermak BV, **181:**99

D

Daffner RH, **180:**1688, **181:**47
Dahan H, **180:**159
Dal Pan GJ, **180:**1469
Dalinka M, **180:**659
Damascelli B, **181:**253
Danel C, **180:**969
Daneman A, **180:**1143
Danet I-M, **181:**809
Daniels MD, **181:**171
Daniels SR, **180:**993
Danti M, **180:**1271
Darai E, **180:**1288, 1291
Dardzinski BJ, **180:**993, **181:**857
Dash N, **180:**400
Davie R, **181:**1590
Davis JE, **180:**1359
Dayanır Y, **180:**863
de Baere T, **180:**121, 527
de Baère T, **181:**695
Debatin J, **180:**227
Debatin JF, **180:**1305, **181:**729

Decaesteckere C, **181:**235
DeCarvalho V, **181:**367
Dee KE, **181:**183
de Feyter PJ, **180:**223
DeFranco B, **181:**1071
DeGreiff A, **180:**1305
De Hauwere A, **181:**923
Dekan G, **180:**805
De Lama E, **181:**761
Delcour C, **181:**939
Del Frate C, **180:**1339
Delpierre I, **180:**305
De Maertelaer V, **181:**331, 939
de Maertelaer V, **180:**305
DeMartini JR, **181:**1565
De Meerleer KG, **181:**1093
De Monaco D, **180:**659
Demos TC, **181:**886
Denk D-M, **180:**987
Denny SR, **181:**1685
Denys A, **180:**1093
Dershaw DD, **180:**333, 901, **181:**519, 619, 1283
De Smet AA, **181:**1255
Desruennes E, **180:**527
Desser TS, **180:**1583
Dessl A, **180:**55
de Stefano G, **181:**479
Desuter G, **181:**1720
de Vet HCW, **181:**51
Dewhirst MW, **181:**1275
Dhingsa R, **180:**433
d'Hoore W, **180:**1675
Diette GB, **180:**585
Diez JG, **181:**1473
DiGrazio WJ, **180:**241
DiMarco DS, **180:**1509
Dinan D, **181:**807
DiPetrillo TA, **181:**711
DiPietro MA, **180:**1147
Dirisamer A, **180:**533
Dito L, **180:**191
Di Tolla G, **181:**253
Ditsios KT, **181:**1232
Dixon LB, **181:**1583
Dobson MJ, **181:**428
Dodd GD III, **180:**697
Doenz F, **180:**1093
Dogan BE, **181:**186
Dogra V, **180:**1176
Doherty J, **180:**1067
Dohi K, **181:**997
Donadoni AM, **180:**597
Dong B, **180:**1547, **181:**1319
Dong Q, **181:**1573
Donnelly LF, **180:**13, 407, 576, 993, 1129, **181:**857, 885
Doppman JL, **181:**577
Dora MD, **180:**425
Dorio PJ, **180:**929
Dotzenrath C, **181:**95
Dousset B, **181:**987
Doyle A, **180:**543
Doyle DL, **180:**1085
Dozaiku T, **181:**725
Drane W, **180:**1177
Dreeskamp A, **181:**739
Drescher P, **180:**1385
Dresel S, **181:**1115
Drevelengas A, **181:**1673
Drnovsek VH, **180:**751
Dromain C, **180:**121, **181:**569, 695
Dryden MJ, **180:**795
DuBrow RA, **181:**785
Ducreux M, **180:**121
Duda SH, **180:**163, 1567
Duerinckx AJ, **180:**227
Duerk JL, **180:**1557, **181:**485
Duez V, **180:**864
Dumbleton SA, **180:**1067, 1072
Duncan IC, **180:**16, 281
Dunnick NR, **180:**925
Dunning PS, **180:**1731
Dunnington JS, **181:**157, 785
Dupuy DE, **180:**1503, **181:**711, 1491
Durham HL, **181:**591
Duvillard P, **180:**121
Dymarkowski S, **180:**981

E

Eastwood JD, **180:**3
Eberhardt S, **180:**481
Ebner F, **180:**227
Eby PR, **181:**183
Eckersberger F, **180:**805
Ecklund K, **180:**283
Edelstein S, **180:**1165
Edge SB, **181:**1679
Ehara S, **180:**281, 284, 541
Ehlgen A, **181:**598
Eidsness WR, **180:**544
Eifel PJ, **180:**1621
Eisenhuber E, **181:**1415
Ekholm SE, **181:**1705
Ekinci G, **180:**76
El Din MG, **181:**695
Elfar A, **181:**1217
Elias D, **181:**695
Elias DA, **180:**627
El-Khoury GY, **181:**335
Ellemunter H, **181:**1133, 1139
Ellenbogen PH, **181:**728
Ellis J, **180:**1701
Ellis JH, **181:**1653
Elmaci I, **180:**76
El-Naggar AK, **180:**972
El Nakadi I, **180:**1335
Elster AD, **181:**907
Elvey SP, **180:**1403
Emby DJ, **181:**279, 431
Emery RL, **180:**633
Eng J, **181:**708
Engel A, **180:**719
Engen DE, **181:**1315
Engert U, **181:**1519
Enria D, **180:**565
Enterline DS, **181:**560
Epelman M, **180:**719
Erasmus JJ, **181:**1109
Erbay N, **181:**109
Erly WK, **180:**1727
Ernst S, **181:**95
Erzen C, **180:**76
Escobedo EM, **180:**1243
Esserman L, **180:**263
Eustace S, **180:**247, **181:**1547
Evans DB, **180:**1311
Ewalt DH, **181:**1381

F

Fajardo LL, **181:**1715
Falk A, **181:**308, 1082
Fan CM, **181:**736
Fan WC, **181:**1525
Farber JM, **181:**951
Farella N, **181:**479
Farooki S, **181:**1721
Farrell MA, **180:**1509, **181:**561, 1315
Fartoux L, **180:**159
Fatterpekar G, **180:**1715
Fayad LM, **181:**1239
Federle MP, **181:**455
Feger C, **180:**1675
Feigenbaum F, **180:**78
Feins RH, **180:**1403
Felber S, **180:**55
Felix R, **181:**1519
Fell SC, **181:**1607
Felmlee JP, **180:**31
Femino JE, **180:**99
Fendrick AM, **180:**893, **181:**1653
Ferraioli G, **181:**479
Ferrante D, **181:**1607
Ferraris A, **180:**597
Ferris JV, **180:**472, **181:**839
Ferrucci JT, **181:**795
Fessell D, **180:**542
Fessell DP, **180:**99, **181:**215, 1573
Fidler JL, **181:**775
Fielding JR, **180:**1281
Filly RA, **180:**433
Fine J, **181:**1255
Fine SA, **180:**1563
Finlay DBL, **180:**655
Fisch D, **181:**1487
Fischbach F, **181:**1519
Fischer D, **180:**719
Fischer U, **181:**663
Fischman AJ, **180:**519, **181:**387
Fisher AJ, **180:**1033, 1605
Fisher AM, **181:**598
Fishman EK, **180:**585, 1633, **181:**303, 309, 1065, 1239
Fishman JE, **180:**1135, **181:**1495
Fishman SJ, **181:**1041
Flak B, **180:**1085
Fleishman MJ, **180:**1605
Flemming DJ, **180:**1449, **181:**965
Fletcher JG, **181:**775
Flohr TG, **181:**533
Forkheim KE, **180:**847
Forman HP, **181:**(1)A7, (2)A5, (4)A15, (5)A10, (6)A10, 351
Fortman BJ, **180:**65
Foster GS, **180:**1620, **181:**382
Fourie PA, **180:**281
Fournier LS, **180:**969
Fowler D, **181:**1071
Fox MG, **180:**1449
Fox VL, **181:**1041
Fraioli F, **180:**1271
Francica G, **181:**479
Francis CW, **180:**241
Francis IR, **180:**673, 893, 1217, **181:**283
Frank G, **181:**701
Franquet T, **181:**1059
Freed LH, **181:**1565
Freund MC, **180:**233, **181:**1133, 1139
Freund T, **181:**1519
Fricke BL, **180:**13, 407
Friedland JA, **180:**1033
Friedman PD, **180:**275
Frigerio LF, **181:**253
Frija G, **180:**969
Friloux L III, **181:**1428
Fritz J, **180:**1567
Froelich JW, **180:**31
Froment D, **181:**1029
Frost A, **181:**599
Frush DP, **180:**401, 407, 1129
Fry PD, **180:**1085
Fuchsjaeger MH, **180:**1707
Fuchsjäger MH, **181:**421, 1415
Fujimoto K, **180:**827
Fujimoto N, **181:**1669
Fujinaga Y, **180:**1183
Fujita K, **181:**1145
Fujita N, **180:**467
Fujiyoshi F, **180:**1649, **181:**993
Fukuda T, **181:**79
Fukuda Y, **181:**997
Fukukura Y, **180:**1649, **181:**993
Fukumori K, **181:**1327
Fuller GN, **180:**70
Fullington BK, **181:**1381
Fultz PJ, **180:**241, 1403, **181:**1101
Funaki B, **180:**702
Fung C-W, **180:**413
Fung KSC, **181:**19, 25
Funovics M, **180:**709
Funovics MA, **180:**533, 1707, **181:**1415
Fürst G, **181:**95

G

Gabius H-J, **181:**235
Gabriel H, **181:**125
Gaede JT, **180:**1029
Gagnon DA, **181:**1691
Gailloud P, **180:**544
Galant C, **180:**669, 1675
Galdino GM, **180:**1332
Galline J, **180:**121
Gan YU, **181:**1156
Gandhi D, **180:**342
Gandini G, **180:**597
Ganott MA, **180:**253, 343
Ganten M, **181:**171
Garbagnati F, **181:**253
Garcia C, **180:**1143
Garcia-Criado A, **181:**831
Garcia-Morales F, **181:**191
García-Pagán JC, **181:**1641
García-Valdecasas JC, **181:**831
García-Valtuille R, **181:**551
Garra B, **180:**1461
Garrison DS, **181:**1189
Garvey CJ, **180:**475
Gassner E, **181:**99
Gassner I, **181:**231, 1133, 1139
Gatsonis CA, **181:**51
Gauger BS, **180:**1177
Gayer G, **180:**729
Gebremariam A, **180:**1217
Gee R, **180:**115, 1701, **181:**955
Gefter WB, **180:**1613
Gehbauer G, **180:**281
Gehl H-B, **181:**663
Gelbart MS, **180:**1411
Geller B, **180:**1461
Geller DA, **181:**455
Geller SC, **181:**736
Genant HK, **180:**282, **181:**275, 280
Genega EM, **180:**501
Gennari RC, **180:**253
Geoghegan T, **181:**886
Georgia JD, **181:**886
Geradts J, **181:**1679
Gerend JM, **181:**282

Gerich U, 180:659
Gerson ES, 180:1477, 181:1715
Gervais DA, 180:755, 1079, 181:267, 1426
Gervasini AA, 181:1401
Geschwind J-F, 181:708
Geusens E, 181:891
Gevenois PA, 180:305, 181:331, 939
Ghai S, 181:1719
Ghanem NA, 181:1487
Ghekiere O, 181:1720
Ghouadni M, 181:1049
Giess CS, 180:497
Gil-Agostinho P[aulo], 181:861
Gil-Agostinho P[edro], 181:861
Gilabert R, 181:831, 1641
Gilkeson RC, 180:973
Gillespy T III, 180:98
Gilsbach JM, 181:739
Gilula LA, 180:87, 543, 1411, 181:1232
Gimenez EI, 181:1083
Ginsberg MS, 180:1737
Giorgio A, 181:479
Girndt M, 180:759
Giroux M-F, 181:1029
Gladin CR, 181:253
Gladish GW, 181:157, 1109, 1504
Glasziou PP, 181:51
Glazebrook K, 180:949
Glickerman DJ, 180:810
Glickman J, 181:119
Glickman JN, 181:395, 1621
Gnjidić Ž, 180:1480
Godwin JD, 180:98
Gogate A, 181:1621
Goh JSK, 181:441
Goh WHS, 180:413
Gok C, 180:863
Golay X, 180:65
Gold BM, 181:285
Gold GE, 180:357
Goldberg MF, 181:1305
Goldberg SN, 180:1537
Goldman S, 181:235
Goldstein M, 180:981
Goldstein R, 180:433
Gollub MJ, 181:1361
Golzarian J, 180:981
Gombos EC, 181:275
Goo JM, 181:1544
Good WF, 180:257
Goodhartz LA, 181:125
Gooding C, 181:885
Gordon AR, 181:807
Goretzki PE, 181:95
Gossios K, 181:285
Gottlieb RH, 180:241, 1403
Gotway MB, 180:1661
Gould MK, 181:359
Gourgiotis L, 181:577
Gouya H, 181:987
Goyal M, 180:342
Goyen M, 181:729
Grabenwoeger F, 180:1707
Grabenwöger M, 180:709
Graeb DA, 180:847
Graham M, 180:253
Grahovac SZ, 181:1149
Grampp S, 180:1111
Grant CS, 181:775
Greenfield A, 181:736
Grenier N, 181:143
Griffin WM, 181:1235
Griffith J, 180:1736
Griffith JF, 180:1423, 1455, 181:25
Grilletto R, 180:597
Grossman A, 181:843
Gryzenia PC, 180:1079
Guasch I, 180:545
Guenin MA, 180:1175
Guermazi A, 180:282, 181:275
Guertin MC, 181:1029
Guinebretière JM, 181:569
Gunderman RB, 180:1239, 181:951, 1428
Gundry CR, 180:641
Günther RW, 180:1639, 181:533
Gupta S, 180:737
Gur D, 180:253, 343, 181:593, 594, 595
Gustorff B, 180:1537
Guthrie JA, 180:577
Gutierrez AL, 181:781

H

Ha HK, 180:1325, 1593, 181:467
Haage P, 180:1639
Haase GM, 181:278
Habdank K, 180:1393
Hachiya J, 180:173
Hackstein N, 181:147
Haddad MC, 181:885
Hagiwara H, 181:1143
Hahn D, 180:227
Hahn HJ, 181:717
Hahn K, 181:1115
Hahn P, 180:755
Hahn PF, 181:1663
Hahn ST, 181:717
Haider M, 180:1015
Haider MA, 180:765
Haims AH, 180:647, 181:1217
Hakim CA, 180:343
Hall FM, 180:1178, 181:594, 595, 1424
Hall MC, 181:93
Hall-Craggs MA, 181:663
Hallett JW Jr, 181:1259
Halligan S, 181:913
Hamada H, 181:993
Hamada S, 180:827
Hamamoto T, 181:1718
Hamilton S, 181:1430
Hamm B, 181:663
Hamm R, 180:263
Hammel P, 181:1049
Hamming JF, 181:1355
Hammoud DA, 180:65, 1469
Han D, 181:491, 501, 513
Han RS, 181:1491
Hanbidge A, 180:1015
Hanbidge AE, 180:1601
Hann LE, 180:497
Hans FJ, 181:739
Hansmann J, 181:171
Haradome H, 180:173
Hardesty LA, 180:257, 343
Hargaden G, 180:247
Harisinghani M, 181:1663
Harisinghani MG, 180:755, 181:781, 1426
Harris AC, 180:1359
Harris AT, 180:284
Harrow AR, 180:1403
Hart B, 180:565
Harvey SC, 180:1461
Hasegawa I, 181:1505
Hasegawa K, 180:694
Hasegawa M, 180:817, 955, 1255
Hasegawa T, 180:1671, 181:879
Hashimoto H, 180:1689
Hatabu H, 180:1665, 181:1495, 1505
Hatfield M, 180:541
Hauck EW, 181:147
Haupt G, 181:931
Hawgood S, 180:438
Hawkins IF Jr, 180:1375
Hayakawa K, 180:129
Hayashi K, 181:79
Hayashi T, 180:1181
Hayes CW, 180:99, 181:215, 219
Hearn A, 181:428
Hecht HL, 181:88
Heck D, 180:544
Hedge A, 181:37
Heerdt A, 181:619
Heitkamp DE, 180:1239, 181:1428
Helbich TH, 180:805
Hélénon O, 181:143
Helmberger T, 180:1365
Helms CA, 180:17, 1443
Henderson RW, 181:350
Heneghan MA, 180:167
Henk CB, 180:1111
Henn AR, 181:1005
Henry P, 180:282
Henseler KP, 180:929
Hentel KD, 181:1361
Herborn CU, 180:1305, 181:729
Herbst F, 181:421
Herman SJ, 181:317
Hernandez A, 181:498
Herneth AM, 180:1707
Herrmann JS, 180:343
Herskovits EH, 180:65, 1469
Hertz M, 180:729
Hertzberg BS, 181:1695
Hesselmann V, 181:931
Heuck A, 181:195
Hewell G, 181:1227
Higashino T, 180:1665
Higgins CB, 180:438
Hildebolt C, 181:1125
Hildebolt CF, 180:389
Hilt DC, 180:1469
Hirano M, 181:1669
Hiroka T, 181:725
Hirota H, 180:1265
Hisaoka M, 180:1689
Hiwatashi A, 181:1705
Hlawatsch A, 181:655
Ho AC, 180:1469
Ho LM, 180:1563
Ho SGF, 180:1359
Ho SSY, 181:19, 25
Hodler J, 180:1431, 181:635, 755, 1232
Hoffer FA, 180:1125
Hoffman A, 180:719
Hoffmeister J, 181:687
Hohl C, 180:1639
Holbert BL, 180:343
Holland SK, 180:993
Hollcraft C, 180:748
Hollingsworth C, 180:401
Holtmann G, 180:1305
Holzknecht N, 180:1365
Homolka P, 181:1415
Honda H, 181:1037
Honda O, 180:827
Honda T, 180:817
Honnef D, 180:1639
Hooley RJ, 180:347
Hori M, 180:455, 461, 1481, 181:1335
Hori Y, 181:71
Horihata K, 181:725
Horton KM, 180:1633
Hoshi H, 180:461
Hou DD, 180:369
Hough DM, 181:561
Houssami N, 180:935, 181:1423, 1424
Howard WJ III, 181:37
Howlett DC, 180:799
Hruza DS, 180:1033
Hsiang YN, 180:1085
Hsu C-W, 180:151
Hsu WC, 180:745
Huang G-S, 180:381, 181:539, 545
Huber A, 180:1365
Huch R, 180:1159
Hughes K, 180:263
Hughes ML, 180:475
Hui DSC, 181:11
Hui JYH, 181:1525
Hulett RL, 181:1472
Humke U, 180:759
Hunter JC, 180:1243
Huo EJ, 181:1349
Hüpfl M, 180:1537
Hussain FH, 181:37
Hussain HK, 180:673, 893
Hutcheon MA, 181:1539
Hutschala D, 180:709
Hüttenbrink K-B, 181:261
Hwang B, 181:1564
Hwang CM, 181:125
Hwang G, 180:1571
Hwang GL, 180:1182
Hwang JC, 181:131
Hwang SS, 181:1369
Hylton NM, 181:677
Hynan LS, 180:1155

I

Ichikado K, 180:827
Iida S, 180:811, 181:1011
Iinuma G, 180:1671
Ikushima H, 180:185
Ilaslan H, 180:1681
Im J-G, 181:1544
Imada T, 181:65
Imagawa M, 181:997
Imam K, 180:771
Imamura H, 180:694
Imaoka I, 181:851
Imhof H, 180:1111
Inaoka T, 180:1265
Inoue M, 181:679
Inoue Y, 181:163
Intotero M, 180:1479
Irie H, 181:1037
Irwig L, 180:935, 181:1423, 1424
Irwig LM, 181:51
Ishigame K, 180:1481
Ishikawa M, 181:1669
Isidori AM, 181:843
Işık S, 181:1341
Isozaki T, 180:143
Israel DM, 180:1211
Israel G, 180:195, 1023
Israel GM, 181:627
Ito A, 180:143
Ito H, 181:1021
Ito T, 180:185

Itoh M, 180:467
Itoh R, 180:65
Iwanaga S, 181:79
Iwata K, 180:1265
Iyer RB, 180:1621, 181:785

J

Jackman RJ, 180:785
Jacobs IJ, 180:1297
Jacobs JE, 180:733
Jacobs RP, 181:1685
Jacobson JA, 180:99, 181:215, 219, 277, 1573
Jacobson K, 180:1211
Jadvar H, 181:302, 1092
Jahed A, 180:1571
Jain SK, 181:711
Jairam U, 181:170
Jamadar DA, 181:215, 219, 1573
James T, 181:1511
Jamieson DH, 180:1211
Janes G, 181:1397
Jang H-J, 180:135
Januario JA, 180:641
Jaramillo D, 180:283, 419, 1731
Jaschke WR, 180:55, 233, 181:99, 1133, 1139
Jayaraman MV, 181:1491
Jeanes A, 180:284
Jee W-H, 180:93
Jeffrey RB, 180:1583
Jelinek JJ, 181:965
Jenkins CB, 181:906, 907
Jensen EA, 180:352
Jeon SC, 180:862
Jeong YK, 181:131
Jesberger JA, 181:485
Jha RC, 181:851
Jhamb A, 181:1511
Jhaveri K, 180:755
Johkoh T, 180:827
John P, 181:867
Johnson CM, 181:1259
Johnston B, 180:504
Johnstone DW, 180:1403
Jokl P, 181:1217
Jones BC, 181:1607
Jones L, 180:475
Jones TP, 180:633
Jones TR, 180:505
Joseph L, 180:917
Jun D-J, 180:93
Jung C, 180:862
Jung DH, 180:213
Jung DJ, 181:467
Jung H-Y, 180:1325
Jung SE, 181:1369
Jurkovich GJ, 180:1243

K

Kabeto M, 181:215
Kachura JR, 180:1015
Kadell BM, 181:1635
Kadoya M, 180:817, 837, 955, 1183, 1255
Kaftan H, 181:261
Kaira K, 180:1740
Kakadellis J, 181:285
Kakihara D, 181:1037
Kalan MMH, 181:403
Kalantari BN, 181:1621
Kalbhen CL, 181:1326
Kalisher L, 180:275
Kalra MK, 181:387, 596
Kamaya A, 180:215
Kamel IR, 180:771, 779, 181:109, 139, 708
Kaminski EW, 180:31
Kaminski J, 181:1716
Kamm KF, 181:931
Kampschulte A, 181:171
Kanal E, 180:31
Kanegawa K, 181:1387
Kanematsu M, 180:461, 181:809
Kang E-Y, 180:539
Kanne JP, 180:212, 1661
Kaplan G, 181:527
Kaplan JB, 180:333
Kaplan KJ, 180:748
Kaplan S, 181:687
Kapoor V, 181:455, 839, 1149
Karaiskou E, 180:843
Karakousis K, 180:843
Karaman C, 180:863
Karantanas AH, 180:843, 1739
Karavelis A, 180:1739
Karcaaltincaba M, 181:1375
Kargi A, 181:1079
Karki DB, 181:1379
Karlicki F, 180:312
Karlik SJ, 180:47
Karlik SJ, 180:607
Karli-Oguz K, 180:65
Karmy-Jones R, 180:810, 1670
Karram T, 180:719
Kassarjian A, 181:1041
Kathuria M, 181:498
Kato A, 181:1021
Kato T, 180:811, 181:1011
Katsumori T, 181:1309
Kattaan KR, 180:1358
Kattapuram SV, 180:1121
Katyal S, 181:455
Katz DS, 180:313, 1202, 181:285, 1422
Katz LD, 180:647, 181:1217
Katzka DA, 180:737, 1613
Kauffmann GW, 181:171
Kaufman K, 181:1155
Kaufman L, 181:743, 1685
Kaur H, 180:1621
Kavanagh E, 180:247
Kawai K, 181:115
Kawai N, 181:1627
Kawamoto S, 180:1633
Kawamura K, 181:1669
Kawasaki T, 180:703, 181:57
Kawata S, 180:455, 181:1335
Kayahan EM, 180:1617
Kee S, 180:533
Keeler EK, 180:31
Keller RL, 180:438
Keller TM, 180:1159
Kemper J, 181:95
Kempf J, 181:367
Kende AI, 181:981
Kenney PJ, 181:1607
Kenrich RE, 181:1565
Keogh C, 180:1701, 181:955
Keogh CF, 180:115, 847, 1278
Kernagis LY, 180:733
Kessler M, 181:663
Ketai L, 180:565
Kettenbach J, 180:1537
Khalili K, 180:687, 765, 1601
Khong P-L, 180:413
Khong PL, 181:3
Khurana B, 181:119
Kiba T, 180:143
Kiechl-Kohlendorfer U, 181:231
Kile TA, 181:1565
Kılıç T, 180:76
Kim AY, 180:1325, 1593
Kim B, 181:600
Kim BS, 181:467
Kim CM, 180:333
Kim DY, 181:1055
Kim H-C, 181:1544
Kim HC, 180:1593
Kim HG, 180:1482
Kim HH, 180:523
Kim H-J, 180:1482
Kim HJ, 180:1593
Kim HM, 180:893
Kim HS, 181:1305
Kim HY, 180:135
Kim JH, 180:1325, 1347, 1723, 181:467
Kim JK, 180:1037
Kim J-M, 180:93
Kim KH, 180:1482
Kim M-J, 180:1347
Kim PN, 180:1325, 1593, 181:467
Kim S, 181:501
Kim SJ, 180:1251
Kim T, 180:455, 461, 181:1335
Kim TK, 180:135, 1325, 1593, 181:467
Kim TS, 180:1251, 181:491, 501, 513
Kim Y, 181:1055
Kim YJ, 180:1037
Kimura F, 181:1021
Kimura M, 181:1627
Kimura S, 181:997
King AD, 181:25
King BF, 181:561
King JL, 180:253
Kinoshita T, 181:1705
Kipfer HD, 180:1239, 181:1428
Kirby BS, 180:543
Kirchin MA, 181:663
Kirshenbaum KJ, 181:527
Kirshenbaum MD, 181:527
Kishi K, 181:1627
Kishimoto K, 181:997
Kiss R, 181:235
Kitamoto M, 181:997
Kitamura E, 181:1387
Kitano M, 180:703, 181:57
Kittner T, 181:261
Kiyosue H, 181:71
Klaman HM, 180:253
Kliewer MA, 181:1695
Klioze SD, 180:1375
Klym AH, 180:253
Knopp MV, 181:663
Ko J, 180:519
Ko JSC, 180:860
Kobayashi S, 180:837
Koch CA, 181:577
Koda M, 180:1561
Kodama F, 181:1101
Kodama M, 181:997
Koehler RE, 181:1607
Koenig C, 180:163
Koenigsrainer A, 181:99, 1133, 1139
Koh W-J, 181:513
Kohda W, 181:115
Kokawa A, 181:65
Komatsu E, 181:71
Komus N, 181:1079
Kondo H, 180:461
Konen E, 181:1539
König CW, 180:1567
König V, 180:1159
Konishi T, 180:716
Kontogiannis D, 181:285
Koomen M, 180:1740
Koos R, 181:533
Kopans DB, 180:21, 860, 181:593, 1423, 1426, 1429
Koral K, 180:1171, 181:283
Korangy SJ, 181:851
Korat A, 180:729
Koretz MJ, 181:177
Korf B, 180:419
Kornguth PJ, 181:187
Korobkin M, 180:1217
Koseoglu K, 180:863
Köstler W, 180:1537
Kotter E, 181:1487
Koyama M, 180:827
Kozuka T, 180:827
Kramann B, 180:759
Krämer H-J, 181:147
Kransdorf MJ, 180:621, 1449, 181:965, 1251
Kreczy A, 181:771
Krejza J, 181:245
Krenn CG, 180:709
Kresta CR, 180:1111
Kretschmer G, 180:709
Krief O, 181:277
Krings T, 181:739
Krinsky GA, 180:1023
Krishnamoorthy SK, 181:1663
Krishnan KRR, 181:571
Kröger K, 181:729
Krug B, 181:931
Kruskal JB, 181:109, 1593
Kubik-Huch RA, 180:1159
Kubota K, 180:694
Kubota T, 180:143
Kudo M, 180:703, 181:57
Kudo S, 181:1409, 1718
Kumano S, 180:185, 455, 181:1335
Kumazaki T, 180:1181
Kundra V, 180:1045
Kung FYL, 181:1267
Kuoch V, 180:527, 181:695
Kurihara Y, 181:278
Kushwaha AC, 180:795
Kusumoto M, 180:1671
Kuzmiak CM, 180:1740
Kwak S, 180:1095
Kwon OJ, 181:513

L

Lackner K, 181:931
Ladurner R, 181:1133, 1139
LaGatta LM, 180:1442
Laghi A, 180:191, 1271
Lal N, 181:828
Lammer J, 180:533, 709, 1379, 1537
Lämmle M, 180:1178
Lan FP, 180:1601
Lang EV, 180:92

Lang P, **180:**363
Langer M, **180:**1075, **181:**1487, 1611
Langham MR Jr, **180:**1375
Laniado M, **181:**261
La Noce A, **181:**663
Lanocita R, **181:**253
Laplanche A, **180:**121
Larsson E-M, **180:**227
Laskin R, **180:**1437
Lassau N, **180:**527
Lasser P, **180:**121
Latchaw RE, **181:**1149
Lauenstein TC, **180:**1305, **181:**729
Laufer I, **180:**207, 737, 1613, **181:**1175
Lavin PT, **181:**1593
Law BKB, **181:**1267
Lawler LP, **180:**1633
Lawson GM, **181:**1590
Lazarus D, **180:**195
Leal AMO, **181:**1433
Lebensart P, **181:**1025
Le Blanche AF, **180:**1291
Leborgne F[elix], **181:**1089
Leborgne F[rancisco], **181:**1089
Lechner G, **180:**1707
Lechner GL, **181:**421
Lechner M, **181:**687
Leclercq F, **180:**864
Leconte I, **180:**675, 1675
Ledwidge ME, **180:**1176
Lee C-H, **180:**381, **181:**539
Lee CH, **180:**347
Lee EY, **181:**1125
Lee FT Jr, **180:**929, 1176, **181:**495, 701
Lee HG, **181:**1369
Lee HK, **180:**1723, **181:**583
Lee HS, **181:**889
Lee J-H, **180:**135
Lee JH, **180:**1723, **181:**131, 583
Lee JM, **181:**1369
Lee JT, **180:**1347
Lee K-H, **180:**1482
Lee KHY, **180:**1015
Lee KS, **180:**1251, **181:**491, 501, 513, 1059
Lee M-G, **180:**1325, 1593, **181:**467
Lee N, **181:**11
Lee RA, **180:**1509
Lee R-C, **180:**493
Lee SG, **181:**467
Lee SH, **181:**717
Lee SL, **181:**1369
Lee SS, **180:**1325
Lee S-U, **180:**363
Lee W, **181:**781
Lee Y-J, **180:**93
Legmann P, **181:**987
Lehman CD, **181:**183
Lehr HA, **181:**655
Leinsinger G, **181:**1115
Leonardou P, **181:**809
Lesavre A, **181:**143
Lester JW, **180:**31
Letoublon C, **181:**695
Leung AN, **180:**805, 987, 1182
Lev MH, **180:**3
Levatter R, **181:**1191
Léveillé M, **181:**1029
Levine D, **180:**284
Levine EA, **181:**1005
Levine EG, **181:**1679
Levine MS, **180:**207, 733, 737, 745, 749, 1613, **181:**415, 807, 1175, 1365
Levy A, **181:**395
Levy AD, **180:**1607, **181:**981
Lewicki AM, **181:**403
Lewin JS, **180:**1557, **181:**485
Lewin M, **180:**159
Lewis BD, **180:**1509
Lewko J, **181:**245
Leyman PP, **181:**1093
Li AE, **181:**1065
Li CK, **181:**19, 25
Li F, **180:**955, 1255
Li Y-H, **181:**1647
Liang P, **180:**1547, **181:**1319
Liao L-Y, **181:**1647
Liberman L, **180:**327, 333, 901, 1175, **181:**519, 619, 1283
Libson E, **181:**1025
Lieberman S, **181:**1025
Liebeskind DS, **181:**1422
Liess C, **181:**280
Lifshitz OH, **180:**332
Lijmer JG, **181:**51
Lim HK, **180:**135, **181:**491
Lim JH, **181:**819
Lima JAC, **180:**1738
Limanond P, **181:**1635
Lin C-J, **180:**151
Lin J, **181:**215
Lin MBK, **181:**441
Lin S-M, **180:**151
Lin W-C, **180:**493
Lingam RK, **181:**843
Lininger R, **180:**1740
Link DP, **180:**2
Linn S, **180:**719
Linnau KF, **180:**986, 1111, 1243
Linton OW, **181:**321
Liorre G, **181:**479
Litmanovich D, **180:**719
Liu PT, **180:**1419, **181:**1565
Liu R-S, **180:**493
Liu W, **181:**701
Lo JY, **181:**1083
Lo KKL, **181:**1525
Lockhart ME, **181:**1607
Loewe C, **180:**1379
Lohle PNM, **181:**1355
Lohrmann C, **180:**1075, **181:**1611
Loke TKL, **181:**1525
Lomoschitz FM, **180:**1111, 1243
Londero V, **180:**1339
Lonneux M, **180:**669
Louis DS, **181:**219
Louvel A, **181:**987
Lu DSK, **181:**1635
Lu T, **181:**721
Lu Y, **181:**1629
Lubetsky A, **180:**729
Luboshitz J, **180:**729
Lucaya J, **180:**401, 407, 1129
Lucchesi FR, **181:**1433
Lucio RW II, **180:**1727
Ludwig M, **181:**147
Lufkin R, **180:**1171
Lui TH, **180:**1455
Lusk JD, **181:**742
Ly JQ, **180:**633, 1442, 1695, **181:**203, 544, 742, 806, 960, 1064, 1216
Lyburn ID, **180:**1359
Lynch JK, **181:**1217
Lyon DJ, **181:**19, 25

M

Macari M, **180:**177, 195
Macedo TA, **181:**1259
MacFall JR, **181:**571
Machan LS, **180:**1085
Machida J, **181:**1145
Macura KJ, **181:**303, 309
Madewell JE, **181:**1109
Madsen MT, **181:**335
Maeda M, **181:**1203
Maeda N, **180:**1561
Maeda T, **181:**71
Maekawa K, **180:**703, **181:**57
Maes RM, **181:**485
Maffazzoni DR, **180:**425
Magee KP, **180:**1155, **181:**1381
Magee T, **181:**961, 1211, 1227
Maher MM, **180:**755, **181:**267, 387, 596, 1426
Mahfouz A-E, **180:**865
Mahnken AH, **180:**281, **181:**533
Maidment ADA, **180:**1124
Maier AG, **181:**421
Maier SE, **181:**1203
Major NM, **180:**17, 377, 1443
Maker V, **181:**527
Makuuchi M, **180:**694
Maldague B, **180:**1675
Mallouhi A, **180:**55, 233, **181:**99
Malone M, **180:**284
Maly B, **181:**1025
Mani V, **181:**1071
Mann FA, **180:**986, 1707, **181:**770
Manning T, **180:**1476
Marchianò A, **181:**253
Marchinkow LO, **180:**115, 1701
Margolin FR, **181:**1685
Mariak Z, **181:**245
Mariani L, **181:**253
Marincek B, **180:**1159
Mariniello N, **181:**479
Mark E, **180:**519
Markmiller M, **180:**1075
Marochetti EF, **180:**597
Marom EM, **180:**541, **181:**1109
Marsh JW, **181:**455
Marsh W, **180:**1007
Marshall AJ, **181:**749
Martin ML, **180:**1085
Martina MC, **180:**597
Martuza RL, **180:**78
Maruyama Y, **180:**817, 955, 1255
Marzoni FA Jr, **180:**785
Masaki T, **180:**173
Mason CH, **180:**799
Mason KP, **180:**1125, **181:**1691
Masri B, **180:**1701
Mastromatteo M, **181:**1301
Masur H, **181:**1071
Matsuda H, **180:**185
Matsuhashi N, **180:**490
Matsui O, **181:**115
Matsunaga N, **181:**79
Matsuo M, **180:**461
Matsuoka S, **180:**513
Matsuoka Y, **181:**79
Matsushita T, **180:**955
Matsuura M, **180:**1740
Mattavelli F, **181:**253
Maus TP, **181:**561
Maynard CD, **181:**1189
Mayo-Smith WW, **180:**1503, **181:**1491
Mazzulli T, **181:**317
McCauley TR, **180:**93, 540, **181:**1217
McCloskey J, **181:**183
McGovern F, **180:**755
McGuckin J, **180:**1385
McGuire PM, **180:**1443
McKessar M, **180:**935
McKinstry RC, **180:**851
McLaughlin CA, **181:**93
McNulty NJ, **180:**1217
McNulty W, **181:**1005
McQuoid DR, **181:**571
Medary I, **181:**495
Medvecky MJ, **180:**647
Meehan JJ, **181:**1155
Meetz A, **181:**739
Megibow A, **180:**195
Melhem AI, **180:**972
Melhem ER, **180:**65
Mendenhall MH, **181:**1197
Menell JH, **180:**333
Menendez C, **180:**275
Meng MV, **180:**481
Merchant N, **180:**627
Merkle EM, **180:**1557
Merran S, **181:**143
Merriman B, **180:**585
Metens T, **181:**235
Metser U, **180:**687, 765
Mettler F Jr, **180:**565
Mettler FA Jr, **181:**321
Metz V, **180:**805
Metz VM, **180:**1707
Michel SCA, **180:**1159
Middleton LP, **181:**186
Middleton WD, **180:**389
Miettinen M, **180:**1607
Mihara T, **181:**1309
Milburn JM, **181:**591
Miller FH, **181:**125, 1349
Miller JH, **180:**851
Miller L, **181:**1235
Miller TT, **181:**223
Miller W Jr, **180:**965
Millward SF, **181:**451
Min YI, **180:**1325
Minami Y, **180:**703, **181:**57
Mineta M, **180:**1265
Mirza SK, **181:**770
Mitchell JD, **180:**1182
Mittlböck M, **181:**421
Miyakawa K, **181:**879
Miyazaki M, **181:**1021
Mizuguchi Y, **181:**464
Modanloo S, **180:**1571
Moffatt SD, **180:**1182
Mohana-Borges AVR, **181:**1449
Mohanta A, **180:**1143
Moher D, **181:**51
Mohit AA, **181:**770
Mohr A, **180:**282, **181:**275, 280
Möller-Hartmann W, **181:**739
Mong A, **180:**207

Monnier-Cholley L, 180:159
Monson JP, 181:843
Montgomery RA, 180:1633
Monu JUV, 181:191
Moore A, 181:1217
Moore C, 180:544
Morgan DE, 181:1607
Morgan-Hughes GJ, 181:749
Mori H, 181:71
Mori T, 180:173
Morimoto M, 180:143, 181:65
Morimoto T, 180:129
Moritani T, 181:1705
Moriyama N, 180:461, 1671, 181:879
Morrin MM, 181:1593
Morris EA, 180:333, 901, 181:519, 619, 1283
Morrison PR, 181:475
Morrison WB, 181:890, 1245
Mortele K, 180:1339
Mortele KJ, 181:395
Mortelé KJ, 181:119, 1621
Moser FG, 180:846
Moser RP III, 181:886
Moskowitz M, 181:596
Movson JS, 181:1491
Mudigonda S, 180:71
Mueller GC, 180:673
Mueller MR, 180:987
Mueller PR, 180:755, 1079, 181:267, 781, 1426, 1663
Muglia VF, 181:1433
Mukaihara S, 180:129
Mukherjee P, 180:851
Mukherji SK, 181:286
Müller MR, 180:805
Müller NL, 180:827, 1247, 181:3, 507, 1059
Müller W, 180:1537
Müller-Schimpfle M, 181:663
Mulloy JP, 180:1695
Munden RF, 180:972, 181:1109, 1504
Munk PL, 180:115, 1701, 181:955
Munshi M, 180:381, 1095
Munter FM, 180:65
Muradali D, 180:1601
Muraji T, 181:1387
Murakami N, 180:1265
Murakami T, 180:455, 461, 181:1335
Muramatsu Y, 180:1671, 181:464
Muranaka T, 181:1037
Murawaki Y, 180:1561
Murphey MD, 180:621, 181:965, 1251
Murry KH, 181:215
Myung S-J, 180:1325

N

Nagaoki K, 181:79
Nagasawa K, 180:1265
Nagy L, 180:659, 181:755
Nagy N, 180:1335
Naik MH, 181:1379
Naito S, 181:1037
Nakahama T, 181:115
Nakajima A, 180:490
Nakajima K, 181:1309
Nakajo M, 180:1649, 181:993
Nakamura F, 181:993
Nakamura H, 180:455, 461, 827, 181:1335
Nakamura K, 180:1689
Nakamura T, 180:1689
Nakamura Y, 180:129
Nakata H, 180:1689
Nakayama T, 181:1037
Nakazono T, 181:1718
Namkoong S-E, 181:1369
Nantel S, 181:507
Napel S, 180:313
Napoli A, 180:1271
Nardis P, 180:1271
Narváez J, 181:761
Narváez JA, 181:761
Naul LG, 181:687
Navarro O, 180:1143
Neil JJ, 180:851
Nemcek AA Jr, 181:89
Neoptolemos JP, 180:475
Neumann G, 180:363
Newberg AH, 180:641
Newhouse JH, 181:1378
Newman AC, 180:751
Newman B, 181:1386
Newman JS, 180:641
Ng V, 180:1393
Ngai WK, 180:1455
Nghiem HV, 180:673, 893
Nicolaou S, 180:1247, 1701, 181:3
Nicolau C, 181:831, 1641
Nicolet V, 181:1029
Niedecker A, 180:659
Niederle B, 180:1379
Nikolaidis P, 181:888
Nikolic B, 180:78
Nishida T, 180:185
Nishie A, 181:1037
Nishijima E, 181:1387
Nishikawa K, 180:185
Nishimura G, 181:1145
Nishimura T, 180:811, 181:1011
Nishimura Y, 181:679
Nishino M, 180:129
Nishiyama S, 181:1387
Nitecki SS, 180:719
Noakes J, 180:935
Noguchi Y, 180:455, 181:1335
Noh TW, 180:271
Nojiri Y, 180:513
Noonan JB, 181:435
Nosher J, 181:367
Nour SG, 181:485
Novelline RA, 181:1401
Nozawa A, 181:65
Nugent CE, 181:286
Nukui Y, 181:1021
Numaguchi Y, 181:1705
Numata K, 180:143, 181:65

O

O'Boyle MK, 181:1558
O'Brien KJ, 180:993
O'Byrne J, 181:1547
O'Connell M, 180:247, 181:1547
O'Connor AR, 180:481
O'Connor MI, 181:1251
O'Connor SC, 181:37
Oda J, 180:681
Oda Y, 180:284
Ofer A, 180:719
Offergeld C, 181:261
Offner F, 181:99
Oh E, 181:277
Oh KK, 180:271
Ohbayashi C, 180:1665
Ohguri T, 180:1689
Ohisa T, 180:467
Ohno Y, 180:1665
Oikonomou A, 181:507
Oish S, 180:513
Okabe H, 181:1669
Okada A, 180:455, 181:1335
Okamoto Y, 181:997
Okimoto T, 181:79
Oktar SÖ, 181:1341
Okudaira S, 181:79
Okuzumi S, 181:1145
Oldfield EH, 181:577
Oldini C, 181:253
Oliva VL, 181:1029
Olmsted WW, 181:1422
Olsan AD, 181:591
Olson M, 181:886
Olson MC, 181:1615
Olsson C-G, 180:227
Omagari K, 181:79
O'Malley ME, 180:1015, 181:1719
Omar AJ, 181:125
Omary RA, 181:89
Onda H, 181:57
Ondategui S, 181:1621
Onik C, 181:495
Onik G, 181:495
Ono M, 181:1037, 1669
Ooi G-C, 180:413
Ooi GC, 181:3
Ooi H, 180:681
Oostvogel HJM, 181:1355
Opppenheimer RG, 180:1461
Oreopoulos DG, 180:1601
Orlacchio A, 181:663
Ortega R, 181:761
Orzel JA, 180:1477
Osada T, 180:716
Osuga K, 180:455
O'Toole M, 180:795
Otsuka M, 181:1021
Ott DJ, 180:999
Oudkerk M, 180:223, 181:663
Ouellette H, 181:1224
Overbeeke C, 181:527
Owens C, 180:284
Oya T, 181:1669
Ozaki T, 180:681
Ozawa Y, 180:143
Özdemir H, 181:1341
Ozelame V, 180:1129
Ozkan O, 181:498

P

Pacharn P, 181:1629
Pai SS, 181:1573
Pakhale S, 181:1539
Palazzi M, 181:253
Palazzo L, 181:987
Paletta GA Jr, 180:389
Paltiel HJ, 180:1129
Pamir MN, 180:76
Pang L-M, 181:1267
Panicek DM, 180:327
Pans S, 181:891
Pantanowitz L, 181:187
Paolantonio P, 180:191
Parikh PM, 180:1503
Parisky Y, 181:596
Parisky YR, 180:263
Park JK, 181:131, 583
Park KY, 180:271
Park SJ, 180:135
Parker L, 180:81
Parsons TW, 180:1695
Parsons WG III, 181:125
Partik BL, 180:805, 987
Passariello R, 180:191, 1271, 181:395
Passas G, 181:285
Patel P, 181:527
Patelli GL, 181:253
Paterakis K, 180:1739
Patil AD, 181:1157
Patil JA, 181:1157
Patronas NJ, 181:577
Paul N, 181:317
Paul NS, 181:1539
Paulson EK, 180:1563, 1659
Paushter DM, 180:1546
Pavlovich R Jr, 180:647
Pawlina W, 181:561
Payne ME, 181:571
Peabody TD, 181:1583
Peck DD, 180:1411
Pediconi F, 180:1271
Peer K, 180:1537
Peh WCG, 180:87, 1411, 181:242
Pelc NJ, 180:357
Pellengahr C, 181:195
Peng C-Y, 180:151
Pereda T, 181:551
Pereira PD, 180:163
Pereira PL, 180:1567
Pérez-Carro L, 181:551
Perks FJ, 181:1590
Perrotta A, 181:479
Peterson JJ, 180:621, 1449, 181:1251
Peterson MS, 180:1007
Petrillo G, 180:275
Petrovick L, 181:1401
Petrow P, 181:569
Pezzullo JA, 180:71, 1503
Pfirrmann CWA, 180:1431, 181:635, 755
Pfluger T, 181:1115
Pham H, 180:99
Phelps M, 181:186
Philip JV, 180:851
Philipp MO, 180:533, 1707
Phillips P, 180:1278
Philpotts LE, 180:347
Pickard RH, 181:272
Pickhardt PJ, 180:1033, 1605, 181:272, 799, 973, 1599
Pikus L, 180:1613
Pilot M, 180:929
Pinet M, 180:1461
Pirovano G, 181:663
Pisacano RM, 181:223
Pisano E, 180:1740
Pitman MB, 181:1663
Pitt M, 181:428
Platt JF, 180:885, 1217
Plavsic BM, 180:751
Plein S, 180:505
Poe SA, 180:407, 993
Pohlman TH, 180:212
Pokieser P, 180:987
Poller WR, 180:257, 343
Pomfret EA, 181:109
Pomper MG, 180:1469
Poortman P, 181:1355
Poppiti RJ Jr, 181:275
Porn U, 181:1115

Portier F, 180:1093
Posniak HV, 181:886
Poupon R, 180:159
Poussaint TY, 180:419
Powell T, 180:247, 181:1547
Pozniak MA, 180:929
Prasad KN, 181:278
Presson TL, 180:167
Pretorius ES, 180:501
Pretterklieber ML, 180:1095
Previgliano CH, 181:1473
Proctor LT, 181:495
Prokop M, 181:1415
Propeck T, 181:277
Proto AV, 181:1422
Provenzale JM, 180:3, 181:571
Provost Y, 181:317
Ptak T, 181:1401
Puig S, 180:1399
Puri S, 180:1055
Putnam JB Jr, 180:972
Putzhammer H, 180:163

Q

Qanadli SD, 180:1093, 181:1029
Qayyum A, 181:435, 1629
Qian Z, 181:721

R

Rachbauer F, 181:771
Radeleff B, 181:171
Ragupathi KI, 180:1217
Raikin SM, 181:890
Rajendiran S, 181:839
Rake A, 180:1159
Ramalheiro G, 181:861
Raman SS, 181:1635
Ramani SK, 181:1157
Ramnath RR, 181:961
Ramsey D, 181:708
Ramus RM, 180:1155, 181:1381
Rand T, 180:533
Ranson M, 181:867
Rao JS, 181:1379
Rao TNA, 181:317
Raptopoulos V, 181:109, 1505, 1593
Rau WS, 181:147
Rauniyar RK, 181:1379
Ravenel J, 180:596
Raymond GS, 180:1180
Raza S, 181:498
Razavi MK, 180:1571
Reading CC, 180:1509, 181:775, 1315
Redfern RO, 181:415
Redha E, 180:1135
Reeder SB, 180:357
Regenbogen V, 181:1004
Reichel TF, 180:1155
Reinhard J, 181:1473
Reinhold C, 180:917
Reiser M, 180:1365, 181:195
Reith JD, 180:109
Reitsma JB, 181:51
Remotti HE, 180:1607
Ren F, 181:721
Rennie D, 181:51
Rennie WJ, 180:655
Rensing BJWM, 180:223
Requardt M, 180:1365
Resch H, 180:1111
Resnick D, 180:381, 1095, 1103, 181:539, 1449
Restrepo R, 180:1393, 181:867
Reuther WL, 180:751
Revel MP, 180:969
Revenas K, 181:282
Rexroad JT, 181:886
Reynolds C, 180:949
Reznek RH, 180:1297, 181:843
Rha SE, 181:1369
Rhea JT, 181:1401
Ricci P, 181:395
Richard S, 181:1049
Richardson ML, 180:1243, 1523
Ricke J, 181:1519
Riddell L, 180:1461
Ridgway JP, 180:505
Rieger M, 180:233
Rikimaru T, 180:827
Rilling WS, 180:1385
Rimola A, 181:831
Ripple M, 181:1071
Risse O, 181:695
Roberts CC, 180:1419, 181:1565
Roberts HC, 181:317
Robinson PJ, 180:577
Robson M, 181:619
Roca Y, 181:761
Roche A, 180:527
Roche CJ, 180:475
Rockall AG, 181:843
Rodriguez ER, 180:1738
Rodriguez MM, 180:1135
Roemer FW, 181:235
Rofsky NM, 180:1351
Rogers LF, 180:1, 303, 563, 883, 1179, 1201, 1501, 181:1, 301, 617, 905, 1173, 1447
Rogg JM, 180:71
Rohren EM, 181:1695
Rohrer SE, 181:286
Rokito A, 181:1551
Rombeau JL, 181:807
Romero J, 180:1431, 181:635
Roobottom C, 181:749
Rooks VJ, 180:1125
Ros PR, 180:1339, 181:119, 395, 1621
Rosen EL, 180:941, 181:1083, 1275, 1295
Rosen MP, 181:1593
Rosenberg ZS, 181:1551
Rosmorduc O, 180:159
Ross SDK, 181:1559
Rothfus WE, 181:1149
Röttgen R, 181:1519
Rowland CM, 180:633
Roy-Choudhury SH, 180:1055
Rubens DJ, 180:241, 1403
Rubenstein JD, 180:627
Rubesin SE, 180:207, 737, 745, 749, 1613, 181:415, 807, 1365
Rubin DA, 180:389
Rubin G, 180:799
Rubin GD, 181:162
Rubin JM, 180:215
Rücklinger E, 180:1537
Rudralingam V, 181:428
Ruehm SG, 181:729
Ruess L, 181:37
Rumberger JA, 181:743
Rumboldt Z, 180:1480
Ruskauff T, 180:253
Russin LD, 181:1235
Rust S, 180:263
Rust SW, 181:596
Ruwe PA, 181:1217
Ryan JM, 180:167, 1067, 1072
Ryan M, 181:1547
Rybicki FJ, 180:1281
Ryu J, 181:600
Ryu RK, 181:89
Ryu YH, 180:1251

S

Sabloff B, 180:972
Sabloff BS, 181:1109, 1504
Sadeghi N, 181:235
Sagar P, 181:828
Sahdev A, 180:1297
Sahin AA, 180:332
Saini S, 181:387, 596
Saito R, 180:1740
Saito T, 181:65
Sakaguchi T, 180:143
Sakamoto I, 181:79
Sakamoto M, 181:464
Sakamoto Y, 180:694
Sakatani M, 181:163
Saketkhoo DD, 181:351
Sakuma H, 181:1203
Sakurada K, 181:1669
Salem C, 180:1288
Salem N, 180:363
Salerio I, 181:663
Salmerón JM, 181:831
Salmon I, 181:235
Samulski TV, 181:1275
Sanders LM, 180:275
Sanders TG, 180:1695, 181:203, 544
SanDiego JW, 181:544
Sandris V, 180:843
Sangle PD, 180:799
Sano T, 181:679
Santilli J, 181:736
Sardanelli F, 181:663
Sardi A, 180:263
Sarlis NJ, 181:577
Sata M, 181:1327
Sato C, 181:464
Sato M, 181:725, 1627
Satoh O, 181:997
Satoh S, 181:1387
Satoh T, 181:1718
Sauerssig U, 181:1487
Saunders BP, 181:913
Savage PD, 181:282
Sawada A, 181:1409
Sayre J, 180:1171
Scala V, 181:479
Scarano F, 181:479
Scatarige JC, 180:585
Schaefer O, 180:1075, 181:1611
Schaefer-Prokop CM, 181:1415
Schaller S, 181:533
Scharitzer M, 180:987
Schatzki S, 181:190
Scheidler J, 180:1365
Schellinger D, 180:78
Schick F, 180:1567
Schima W, 180:987, 181:421
Schindl M, 180:1379
Schlenck B, 181:231
Schlesinger AE, 180:1147
Schlumberger M, 180:121
Schmid I, 181:1115
Schmid MR, 180:1431, 181:635
Schmidt D, 180:163
Schmidt M, 180:1365
Schmidt T, 180:1639
Schmied C, 181:1115
Schneider G, 181:663
Schnyder P, 180:1093
Schober E, 180:987
Schocke M, 180:55
Schoder M, 180:709
Schoemaker CMC, 181:1355
Schoenberg MP, 180:771, 779, 181:139
Schomer DF, 180:70
Schrumpf JD, 181:1685
Schueller G, 180:987
Schulte A-C, 181:1499
Schulte O, 181:931
Schürmann M, 181:195
Schuster JA, 181:770
Schuster ME, 181:1495
Schwab JO, 181:598
Schwartz H, 180:719
Schwed AM, 180:1243
Schweitzer ME, 180:81, 181:1551
Scott RL, 180:1330
Scoumis EA, 180:31
Scudamore CH, 180:1359
Seay TM, 181:742
Seeger JF, 180:1727
Seggerman RE, 180:999
Seifert B, 180:1159, 181:635
Seki H, 180:681
Semelka RC, 181:809
Sengel C, 181:695
Seo GS, 181:191
Sered S, 181:888
Service FJ, 181:775
Severson JM, 181:1155
Sevinc C, 181:1079
Seyama Y, 180:694
Shah R, 180:343
Shah RM, 180:965
Shankar S, 181:475
Shao C, 181:721
Shapiro M, 181:1211, 1227
Shaprio M, 181:961
Sharma UK, 181:1379
Sharp S, 180:99
Shcharynski S, 181:177
Sheiman RG, 181:1301
Sheinfeld J, 180:497
Shekitka KM, 181:965
Sheng L, 181:1319
Shepard J-AO, 180:519
Sheridan RL, 181:1401
Sherif H, 180:865
Sheskier S, 181:1551
Sheu C-Y, 180:1003
Shi H, 180:81
Shi W, 180:497
Shih S-L, 180:1003
Shiina M, 180:681
Shima H, 180:513
Shimamoto M, 181:997
Shimamura F, 181:1021
Shimizu H, 181:1021
Shin LK, 181:285
Shinozaki K, 181:1037
Shiozaki H, 180:703
Shipman PJ, 180:1211
Shirai S, 181:1627
Shirato K, 180:143, 181:65
Shirkhoda A, 180:201, 181:828

Shock SA, **180:**929
Shrier DA, **181:**1705
Shu KM, **180:**1281
Shyu C, **180:**241
Sichlau MJ, **181:**89
Siddiqi A, **181:**89
Siddiqui AR, **180:**1239, **181:**1428
Siegel MJ, **181:**1125
Sigal R, **180:**121
Silver R, **181:**1365
Silverman PM, **180:**441, 1045, 1311, 1621
Silverman SG, **180:**1281, **181:**119, 395, 475, 1621
Sim JS, **180:**135
Simon J, **181:**533, 961
Simpson JM, **180:**935
Singh AK, **181:**828
Sivananthan MU, **180:**505
Siverman PM, **181:**785
Skarulis MC, **181:**577
Skucas J, **181:**1180
Slabaugh MA, **180:**1695
Slater GM, **180:**1738
Slaughter RC, **181:**37
Smathers RL, **180:**355
Smayra T, **181:**695
Smeets P, **181:**923
Smith JJ, **180:**591
Smith JK, **181:**1432, 1607
Smith M, **180:**504
Smith TP, **180:**167, 1067, 1072
Smith TR, **181:**599
Sneige N, **180:**795
Soares GM, **180:**1695
Sobin LH, **180:**1607
Sofka CM, **180:**1117, 1437
Sohaib SA, **181:**843
Sohaib SAA, **180:**1297
Sohn SY, **180:**1375
Solcia M, **180:**1479
Som PM, **180:**1165, 1715
Sommer FG, **180:**313
Sommer T, **181:**598
Sone S, **180:**817, 955, 1255
Sonin A, **181:**281
Sonnet S, **181:**1499
Sonomura T, **181:**725
Soo MS, **180:**941, **181:**1083, 1275, 1295
Sosna J, **181:**1593
Souders S, **181:**687
Souilamas R, **180:**969
Soula M, **181:**282
Soulez G, **181:**1029
Sourtzis S, **180:**305
Spacey SD, **180:**847
Spanier SS, **180:**109
Spies JB, **181:**851
Spieth ME, **180:**1177
Spinazzi A, **181:**663
Spreafico C, **181:**253
Springer OS, **181:**1487
Staatz G, **180:**1639
Stacy GS, **181:**1583
Staebler A, **181:**195
Stamm ER, **181:**1266
Stanczak J, **181:**1255
Stauffer E, **180:**659
Steffens DC, **181:**571
Stein KP, **181:**739
Steinbach LS, **180:**659, **181:**199, 550
Steinborn M, **181:**195
Steingruber IE, **181:**99
Stelling CB, **180:**795
Stern E, **180:**246
Stern EJ, **180:**212, 1523, 1661, 1670
Stevens K, **180:**363
Stewart DJ, **181:**428
Stomper PC, **181:**1679
Strang JG, **180:**241, 1403
Strano SD, **181:**177
Strobel K, **181:**755
Strouse PJ, **180:**429, 1129
Stuffman E, **181:**1559
Su L, **180:**1547, **181:**1319
Sudakoff GS, **181:**1375
Suetomi Y, **181:**57
Sugimori K, **180:**143, **181:**65
Sugimura E, **180:**467
Sugimura K, **180:**1665
Sugita R, **180:**467
Sugiura T, **180:**185, 455, **181:**464, 1335
Sugiyama M, **180:**173
Suh DC, **181:**583
Sumi M, **181:**879
Sumie S, **181:**1327
Sumioka M, **181:**997
Sumkin JH, **180:**253, 343, **181:**593, 594, 595
Summers JB, **181:**1716
Sumner TE, **180:**1129
Sundaram M, **180:**1681, **181:**1251
Sundén P, **180:**227
Sung JJY, **181:**11
Sung K-B, **180:**1593, **181:**467
Sung KJ, **180:**1251
Sung YM, **181:**501
Sunshine J, **181:**1235
Sunshine JH, **181:**341, 351, 643
Susnerwala S, **181:**428
Suwa K, **181:**1627
Swanson JO, **181:**415
Sweeney AT, **181:**1663
Sweet SC, **181:**1125
Swensen SJ, **180:**1737
Syed L, **180:**241
Szarf G, **181:**139, 708
Sze DY, **180:**1583
Szklaruk J, **180:**441

T

Tack D, **180:**305, **181:**331, 939
Tajima T, **181:**1037
Takahama J, **181:**851
Takahama K, **180:**1181
Takahara T, **180:**173
Takahashi K, **180:**1265
Takahashi M, **180:**759
Takahashi S, **180:**467
Takaki S, **180:**681
Takamura M, **180:**461
Takase Y, **181:**1409
Takashima S, **180:**817, 837, 955, 1255
Takayama F, **180:**837, 955
Takayasu K, **181:**464
Takeda K, **181:**1203
Takei Y, **180:**1740
Takenaka D, **180:**1665
Talan-Hranilović J, **180:**1480
Talner L, **180:**504
Tamm EP, **180:**1311, **181:**785
Tan AGS, **181:**441
Tan LK, **180:**901, **181:**519, 1283
Tan SB, **181:**441
Tanaka K, **180:**143, **181:**65
Tanaka M, **181:**1327, 1669
Tanaka N, **181:**65
Tanaka O, **180:**811, **181:**1011
Tang CY, **180:**646
Tani I, **181:**278
Tanihata H, **181:**1627
Tan Kendrick APA, **181:**1156
Tannouri F, **180:**981
Tanoue S, **181:**71
Tao C, **180:**363
Taouli B, **181:**1049
Tarantino L, **181:**479
Tarhan NC, **180:**1617
Tateishi U, **180:**827, 1671, **181:**879
Tatsu H, **181:**115
Tay KH, **180:**1085
Taylor DC, **180:**1085
Taylor GA, **180:**329, 1533, 1731, **181:**43, 383, 618, 1174, 1391
Taylor SA, **181:**913
Taylor WD, **181:**571
Techavipoo U, **181:**701
Teefey SA, **180:**389
Teepen HJLJM, **181:**1355
Teh WL, **181:**663
Teh HS, **181:**441
Tehranzadeh J, **180:**1134, **181:**1559
Teifke A, **181:**655
Tekes A, **180:**771, 779, **181:**139
Temple HT, **181:**965
Temple MJ, **180:**1393, **181:**867
Terada M, **181:**1627
Terry JA, **180:**751
Tersegno MM, **181:**1716
Thaler HT, **180:**497
Thaler M, **180:**729
Thananopavarn P, **181:**1432
Thelen M, **181:**655
Theodorou DJ, **181:**1721
Theodorou SJ, **181:**1721
Therasse E, **181:**1029
Thierens H, **181:**923
Thiex R, **181:**739
Thomas BJ, **181:**1224
Thomas J, **180:**1563
Thompson GB, **181:**775
Thompson WM, **180:**1607, **181:**981
Thomsen HS, **181:**1463
Thoongsuwan N, **180:**1661
Thornton CM, **181:**1283
Thron A, **181:**739
Thurnher S, **180:**709, 1379
Thursten B, **181:**183
Tian J, **181:**721
Tichà V, **181:**253
Tichy B, **180:**533
Tirkes AT, **180:**501
Titton RL, **180:**1079, **181:**267
Togawa A, **181:**1021
Tokuhara M, **180:**173
Tomei E, **180:**191
Tomita N, **181:**65
Tomiyama N, **180:**827
Tomoda K, **181:**1335
Tong CWC, **180:**1423
Topiel M, **181:**1071
Torbenson M, **181:**708
Torreggiani WC, **180:**285, 1359, **181:**886, 1430
Torriani M, **180:**1121, **181:**1224
Torti FM, **181:**93
Toyonaga T, **181:**725
Traeger RH, **181:**1197
Tran TA, **180:**70
Traubici J, **180:**1143
Trawöger R, **181:**231
Triller J, **180:**659
Trübenbach J, **180:**163, 1567
Tradell DJ, **180:**1095, 1103
Truong MT, **181:**1109, 1504
Tschirch FTC, **180:**1431
Tse GMK, **181:**1267
Tsikrika A, **180:**843
Tsubamoto M, **180:**827
Tsuchimochi S, **180:**1649
Tsugawa C, **181:**1387
Tsui EYK, **181:**242
Tu H-Y, **181:**1647
Tubiana J-M, **180:**159, **181:**1717
Tublin ME, **180:**885
Tuncali K, **181:**475
Tung GA, **180:**71, 369, **181:**595, 1711
Turpin S, **181:**1029
Tuthill T, **180:**215
Twair A, **181:**1547
Twickler DM, **180:**1155, **181:**1381

U

Uchino A, **181:**1409
Uchiyama K, **180:**513
Uder M, **180:**759
Ueda K, **181:**679
Ueki M, **180:**1561
Ueno N, **180:**513
Uetani M, **181:**79
Uhrmeister P, **180:**1075
Ulutürk A, **181:**1341
Unni KK, **180:**1681
Unsinn KM, **181:**231, 1133, 1139
Uzan S, **180:**1291

V

Vaidean G, **181:**809
Valentin-Opran A, **180:**363
Van Breuseghem I, **181:**891
Vance M, **181:**913
Vande Berg BC, **180:**669
Vande Berg B, **180:**1675
Vandevenne J, **180:**363
Vanel D, **181:**569
van Geuns RJM, **180:**223
Van Hoe LR, **181:**1093
Vanhoenacker PK, **181:**1093
van Holsbeeck MT, **181:**1573
van Ooijen PMA, **180:**223
vanSonnenberg E, **180:**1281, **181:**475
Van Trappen P, **180:**1297
Van Zee KJ, **180:**333, **181:**1283
Varchena V, **180:**407
Varghese J, **180:**755
Varghese T, **181:**701
Venkataramanan N, **180:**313
Verschraegen CF, **180:**1621
Verstraete K, **181:**923
Vidal N, **181:**761
Vieillefond A, **181:**143
Vignaux O, **181:**987
Vilana R, **181:**831
Vilgrain V, **181:**1049
Vlahos I, **181:**843
Voci SL, **180:**241, 1403

Vogel W, 181:99
Vogelzang RL, 181:89
Vogt FM, 180:1305
Vollmar C, 181:1115
Vomweg TW, 181:655
Voracek M, 180:987
Voruganti T, 181:527
Vrkljan M, 180:1480
Vrtiska TJ, 181:561

W

Wacker FK, 181:485
Wahl RL, 181:1239
Waldenberger P, 180:55, 233, 181:99
Walmsley S, 181:317
Walser E, 181:498
Walsh R, 181:1083
Walter M, 181:1235
Waltman AC, 181:736
Wandtke JC, 180:1403, 181:1101
Wang C-K, 181:1647
Wang C-S, 181:1647
Wang HZ, 181:1705
Wang J, 180:837
Wang K, 181:1525
Wang M, 181:721
Wang P, 181:721
Wang XH, 180:257
Wanless IR, 180:1601
Ward J, 180:577
Ward R, 180:247
Ward SI, 180:389
Wasser MN, 181:663
Watai R, 181:679
Watanabe C, 181:997
Watanabe H, 180:1665, 1689
Watatani M, 181:679
Waters GS, 180:999
Waters JW, 181:1197
Watson TJ, 180:1403
Weber M, 181:1415
Wei C-J, 180:493
Weichmann BN, 180:1375
Weigner M, 180:1537
Weinstein SP, 180:501
Weisbrod GL, 181:317, 1539
Weiss C, 180:1639
Wen YL, 181:57
Wenzel DJ, 180:1029
Wenzel LR, 180:1029
Wessells H, 180:504
Westesson P-L, 181:1705
Westfall AO, 181:1607
Weybright PN, 181:215
Weynand B, 181:1720
Whaley DH, 180:352
Whan A, 181:1397
White DA, 180:475
White LM, 180:627
Whitman GJ, 180:70, 332, 181:186, 1504
Wicky S, 181:736
Widelec J, 181:939
Wildberger JE, 180:281, 181:533
Williams D, 181:961, 1211, 1227
Williams JT, 180:1330
Williams NN, 181:1365
Williamson EE, 180:633
Wilson SR, 180:687
Winter TC III, 180:929, 1176, 181:495
Wintersperger B, 180:1365
Wittenberg J, 181:781
Wittenberg KH, 181:561
Wittram C, 180:519
Wizgall I, 181:195
Wolf CR, 180:1576
Wolf F, 180:533, 709, 1537
Wolverton DE, 181:138
Wong KPC, 181:242
Wong KT, 181:11, 19
Wong PK, 181:19, 25
Wong VCN, 180:413
Wong WC, 181:441
Wong Y-Y, 181:284
Wood BJ, 181:1071
Woosley JT, 181:809
Wrba F, 181:421
Wu A, 181:11
Wu L, 181:435

X

Xiao Q, 181:1319

Y

Yakushiji YK, 181:278
Yamada H, 181:997
Yamada K, 181:1627
Yamada T, 180:1265
Yamagami T, 180:811, 181:1011
Yamaguchi K, 180:389, 181:1232
Yamahara K, 181:725
Yamamoto S, 181:163
Yamanda T, 180:817
Yamasaki S, 181:464
Yamashita F, 181:1327
Yamaue H, 181:1627
Yamazaki N, 180:1671
Yanagisawa S, 180:1183
Yang DM, 180:213
Yang F-S, 180:1003
Yang MKW, 181:1525
Yang WT, 180:332
Yang Y, 181:1319
Yang Y-X, 180:1613
Yanik GA, 180:429
Yankelevitz D, 180:1736
Yankowitz J, 181:335
Yano Y, 181:1327
Yasuda S, 180:716
Yee J, 180:1332
Yeh BM, 181:435, 1629
Yeh ED, 181:1273
Yetter EM, 181:1615
Yeung DKW, 181:1267
Yeung T-K, 181:284
Yi CA, 181:491, 501, 513
Yi EK, 181:1216
Yildirim E, 180:1617
Yilmaz E, 181:1079
Yoo H-H, 180:497
Yoo HS, 180:1347
Yoo S-S, 180:523, 1577
Yoon H-K, 180:1593, 181:1055
Yoon YC, 180:1251, 181:491
York GL, 181:1431
Yoshida S, 180:1178
Yoshidome H, 181:1021
Yoshimitsu K, 181:1037
Yoshizumi T, 180:407
Young M-L, 180:1135
Yu D, 180:1547, 181:1275, 1319
Yu E, 180:1325
Yu J-S, 180:1351
Yu JS, 180:381, 181:539, 545
Yu KS, 180:1455
Yu X, 180:1547, 181:1319
Yücel C, 181:1341
Yucel E, 180:1617
Yudd A, 181:367
Yuen EHY, 181:11
Yuen MK, 181:242
Yun JH, 181:1401

Z

Zagoria RJ, 181:93, 1005
Zagzebski JA, 181:701
Zahka K, 180:973
Zähringer M, 181:931
Zalcman M, 180:1335
Zanetti M, 180:1431, 181:635, 755
Zarampoukas T, 181:1673
Zaremba LA, 180:31
Zebedin E, 181:421
Zelman WH, 181:285
Zhang J, 180:1547
Zheng RQ, 181:57
Zheng Z, 181:711
Ziegler MA, 180:13
Zimmerman P, 181:1635
Zincke H, 180:1509
Zinninger MD, 180:31
Zissin R, 180:729
Zonios D, 181:282
Zuiani C, 180:1339
Zuo C, 181:721
Zurakowski D, 180:1125, 181:1691
Zwiebel WJ, 181:280
Zwinderman KAH, 181:1355
Zwirewich CV, 180:1359

Subject Index
Volumes 180 and 181

AJR articles are also included in the cumulative index published by the Radiological Society of North America.

Index Key: a = abstract, b = book review, c = commentary, e = editorial, l = letter, m = memorial, maa = medicine in American art, n = news, pb = policy brief, q = answer to question, s = software review

Articles in this index are cataloged when possible by body part, type of imaging, and disease or disorder. Other categories are listed as appropriate.

A

Abciximab
- catheter-directed thrombolytic therapy in peripheral artery occlusions: combining reteplase and abciximab, **180:**1385

Abdomen—*see also specific organ*
- abdominal CT screening: inflated promises, serious concerns, **180:**27
- abdominal myomectomy versus uterine fibroid embolization in the treatment of symptomatic uterine leiomyomas, **180:**1571
- abdominal ultrasound atlas (b), **180:**1202
- atypical presentation of lymphangioleiomyomatosis as acute abdomen: CT diagnosis (*l*), **181:**284
- bilateral arcuate-line hernia (l), **180:**864
- comparison of conventional sonography, real-time compound sonography, tissue harmonic sonography, and tissue harmonic compound sonography of abdominal and pelvic lesions, **181:**1341
- CT technique for suspected anterior abdominal wall hernia, **181:**431
- CT, MR cholangiopancreatography, and endoscopy findings in Bouveret's syndrome, **180:**1033
- imaging of retained surgical sponges in the abdomen and pelvis, **180:**481; correction at **180:**1179
- interobserver reproducibility of volumetric MR imaging measurements of plexiform neurofibromas, **180:**419
- is administration of enteric contrast material safe before abdominal CT in children who require sedation? experience with chloral hydrate and pentobarbital, **180:**13
- MR features of abdominal splenosis, **180:**493
- neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis, **180:**1147
- regression of abdominal visceral aneurysms in polyarteritis nodosa: CT findings, **180:**1617
- simultaneous thoracic and abdominal presentation of disseminated cryptococcosis in two patients without HIV infection, **181:**1055
- spectrum of abdominal imaging findings in von Hippel-Lindau disease, **181:**1049
- subcutaneous endometrioma as an unexpected cause of chronic abdominal pain (l), **181:**1157
- using a phantom to compare MR techniques for determining the ratio of intraabdominal to subcutaneous adipose tissue, **180:**993
- using a saline chaser to decrease contrast media in abdominal CT, **180:**929
- what price, abdominal radiology?, **181:**1175

Ablation, angiographic
- angiographic ablation of an ectopic mediastinal hyperplastic parathyroid gland using a left internal mammary artery coronary bypass, **181:**95

Ablation, ethanol
- serial ethanol ablation of multiple hepatic cysts as an alternative to liver transplantation, **180:**472

Ablation, percutaneous
- percutaneous ablation therapy guided by contrast-enhanced sonography for patients with hepatocellular carcinoma, **180:**143

Ablation, radiofrequency
- adverse events during radiofrequency treatment of 582 hepatic tumors, **181:**695
- automated saline-enhanced radiofrequency thermal ablation: initial results in ex vivo bovine livers, **180:**163
- combined treatment of a spinal metastasis with radiofrequency heat ablation and vertebroplasty, **180:**1075
- continuous high-output drainage of hepatic abscess 3 months after radiofrequency ablation of hepatocellular carcinoma, **180:**1079
- diagnosis and treatment of intrahepatic biloma complicating radiofrequency ablation of hepatic metastases, **181:**475
- diaphragmatic perforation and hernia after hepatic radiofrequency ablation, **180:**1561
- do surgical clips interfere with radiofrequency thermal ablation?, **180:**1557
- early experience with percutaneous radiofrequency ablation of small solid renal masses, **180:**1055
- elastographic measurement of the area and volume of thermal lesions resulting from radiofrequency ablation: pathologic correlation, **181:**701
- imaging-guided percutaneous radiofrequency ablation of pulmonary metastatic nodules caused by hepatocellular carcinoma: preliminary experience, **181:**491
- imaging-guided percutaneous radiofrequency ablation of solid renal masses: techniques and outcomes of 38 treatment sessions in 32 consecutive patients, **180:**1503
- imaging-guided radiofrequency ablation of solid renal tumors, **180:**1509
- interpretation of CT and MRI after radiofrequency ablation of hepatic malignancies, **181:**1635
- life-threatening hypertensive crises in two patients undergoing hepatic radiofrequency ablation, **181:**495
- paranephric water instillation: a technique to prevent bowel injury during percutaneous renal radiofrequency ablation, **181:**1315
- percutaneous radiofrequency ablation of hepatic metastases for symptomatic relief of neuroendocrine syndromes, **181:**1005
- percutaneous radiofrequency ablation of pulmonary malignancies: combined treatment with brachytherapy, **181:**711
- percutaneous saline-enhanced radiofrequency ablation of unresectable hepatic tumors: initial experience in 26 patients, **180:**1537
- percutaneous sonographically guided saline-enhanced radiofrequency ablation of hepatocellular carcinoma, **181:**479
- power rolloff during interactive radiofrequency ablation can enhance necrosis when treating hepatocellular carcinoma, **180:**151
- pro- and antiinflammatory cytokine production after radiofrequency ablation of unresectable hepatic tumors (a), **180:**1485
- radiofrequency ablation in the treatment of small hepatocellular carcinomas: comparison of the radiofrequency effect with and without chemoembolization, **181:**997
- radiofrequency ablation of hepatic tumors adjacent to the gallbladder: feasibility and safety, **180:**697
- radiofrequency ablation of hepatocellular carcinoma: therapeutic response using contrast-enhanced coded phase-inversion harmonic sonography, **181:**57
- radiofrequency ablation of isolated local recurrence of renal cell carcinoma after radical nephrectomy, **181:**93

Abnormalities
association of biceps tendon tears with rotator cuff abnormalities: degree of correlation with tears of the anterior and superior portions of the rotator cuff, **180:**633
comprehensive time-resolved MRI of peripheral vascular malformations, **181:**729
fluoroscopic diagnosis of a second branchial cleft fistula (l), **181:**285
MR imaging of hepatic pulmonary fusion in neonates, **180:**438
Abscess
continuous high-output drainage of hepatic abscess 3 months after radiofrequency ablation of hepatocellular carcinoma, **180:**1079
diffusion-weighted MRI of cerebral *Toxoplasma* abscess, **181:**1711
esophageal tuberculosis manifesting as submucosal abscess (l), **180:**1482
sonographically guided transgluteal drainage of pelvic abscesses, **181:**498
treatment of breast abscesses with sonographically guided aspiration, irrigation, and instillation of antibiotics, **181:**1089
Absorptiometry—*see* Dual x-ray absorptiometry
Academic radiology
on improvement of scientific presentations: using PowerPoint, **181:**47
seeking an academic department chairperson, **181:**951
sharpening the image, **181:**43
Acetic acid
percutaneous acetic acid injection for hepatocellular carcinoma: using CT fluoroscopy to evaluate distribution of acetic acid mixed with an iodinated contrast agent, **180:**159
ACR—*see* American College of Radiology
Acromioclavicular joint—*see also* Joint
MR imaging appearance and classification of acromioclavicular joint injury, **180:**1103
MRI features of the acromioclavicular joint that predict pain relief from intraarticular injection, **181:**755
Acute abdomen
atypical presentation of lymphangioleiomyomatosis as acute abdomen: CT diagnosis (l), **181:**284
Addison's disease
unique adrenal gland imaging features in Addison's disease caused by paracoccidioidomycosis (l), **181:**1433
Adenocarcinoma
CT and pathologic assessment of prospective nodal staging in patients with ductal adenocarcinoma of the head of the pancreas, **180:**475
CT findings and progression of small peripheral lung neoplasms having a replacement growth pattern, **180:**817
MR imaging features of non–transitional cell carcinoma of the urinary bladder with pathologic correlation, **180:**779
prolapse of the common bile duct with small ampullary villous adenocarcinoma into third part of the duodenum (l), **181:**599
Adenoma
low-density pheochromocytoma on CT: a mimicker of adrenal adenoma, **181:**1663
macrocystic serous adenoma of the pancreas: radiologic–pathologic correlation, **181:**119
MR imaging features of thyrotropin-secreting pituitary adenomas at initial presentation, **181:**577
recurrent pleomorphic adenoma of the parotid gland: value of multiple lesions as a diagnostic indicator, **180:**1171
Adenomyoepithelioma
adenomyoepithelioma of the breast: spectrum of disease with associated imaging and pathology, **180:**799
Adenomyosis
adenomyosis: MRI of the uterus treated with uterine artery embolization, **181:**851
fast breath-hold T2-weighted MR imaging reduces interobserver variability in the diagnosis of adenomyosis, **180:**1291
Adenosarcoma
sonography and MRI of tamoxifen-associated müllerian adenosarcoma of the uterus, **181:**1673
Adipose tissue—*see* Fat
Adnexal masses
characterization of adnexal mass lesions on MR imaging, **180:**1297
Adrenal gland
characterization of adrenal tumors by chemical shift fast low-angle shot MR imaging: comparison of four methods of quantitative evaluation, **180:**1649
CT of primary hyperaldosteronism (Conn's syndrome): the value of measuring the adrenal gland, **181:**843
low-density pheochromocytoma on CT: a mimicker of adrenal adenoma, **181:**1663
MR imaging–guided adrenal biopsy using an open low-field-strength scanner and MR fluoroscopy, **180:**1567
unique adrenal gland imaging features in Addison's disease caused by paracoccidioidomycosis (l), **181:**1433
After-hours interpretation
preliminary interpretations of after-hours CT and sonography by radiology residents versus final interpretations by body imaging radiologists at a level I trauma center, **181:**367
Agatston score
Rosetta stone for coronary calcium risk stratification: Agatston, volume, and mass scores in 11,490 individuals, **181:**743
Age
bronchoarterial ratio and bronchial wall thickness on high-resolution CT of asymptomatic subjects: correlation with age and smoking, **180:**513
standardization of flow velocities with respect to age and sex improves the accuracy of transcranial color Doppler sonography of middle cerebral artery spasm, **181:**245
AIDS
CT and radiography of bacterial respiratory infections in AIDS patients, **180:**1203
renal mucormycosis in an AIDS patient: imaging features and pathologic correlation, **180:**1278
Airway
using volume segmentation of cine MR data to evaluate dynamic motion of the airway in pediatric patients, **181:**857
xanthoma disseminatum: a rare cause of upper airway narrowing (l), **180:**1180
AJR*—*see American Journal of Roentgenology
American College of Radiology
ACR Blue Ribbon Panel response to the *AJR* commentary by Shellock and Crues on the ACR White Paper on MR safety, **180:**31
American College of Radiology Imaging Network
rationale for a trial of screening breast ultrasound: American College of Radiology Imaging Network (ACRIN) 6666 (c), **180:**1225
American College of Radiology, surveys
basic characteristics of radiology practices: results from the American College of Radiology's 1999 survey, **181:**341
characteristics of mixed diagnostic radiology–radiation oncology practices, **181:**643
American Journal of Roentgenology
ACR Blue Ribbon Panel response to the *AJR* commentary by Shellock and Crues on the ACR White Paper on MR safety, **180:**31
AJR data: manuscripts submitted by corresponding authors residing outside the United States in 2002 and 2001, **181:**906
internationalization of the *American Journal of Roentgenology*: 1980–2002, **181:**907
winds of change: a time of transition for the *AJR* (e), **181:**905
American Roentgen Ray Society
Melvin M. Figley fellowship recipients for 2003 (n), **180:**1036
Amyloidoma
amyloidoma of the clavicle, **181:**771
hypopharyngeal amyloidoma (l), **181:**1720
Anastomosis
radiology of ileal pouch–anal anastomosis surgery, **180:**999
Anatomy
anatomy of pericardial recesses on multidetector CT: implications for oncologic imaging, **181:**1109
chronic perineal pain caused by pudendal nerve entrapment: anatomy and CT-guided perineural injection technique, **181:**561
MR imaging of the anatomy of and injuries to the lateral and posterolateral aspects of the knee, **180:**647
MR imaging, MR arthrography, and specimen correlation of the posterolateral corner of the knee: an anatomic study, **180:**1095
MRI of the extremities: an anatomic atlas, 2nd ed. (b), **180:**1134
side strain: a tear of internal oblique musculature, **181:**1511
spectrum of imaging findings after pediatric liver transplantation: part 1, posttransplantation anatomy, **181:**1133
Anchors
complications of rotator cuff surgery in which bioabsorbable anchors are used, **181:**1227
Aneurysm
aberrant origin of the superior thyroid artery and the tracheoesophageal branch from the common carotid artery: a source of failure in elastase-induced aneurysms in rabbits, **181:**739
detection and characterization of intracranial aneurysms with MR angiography: comparison of volume-rendering and maximum-intensity-projection algorithms, **180:**55
detection on CT angiography of an accessory middle cerebral artery simulating a fusiform aneurysm on MR angiography (l), **180:**544
elective endovascular stent-graft repair of atherosclerotic thoracic aortic aneurysms: clinical results and midterm follow-up, **180:**709
extracranial aneurysms in children: practical classification and correlative imaging, **181:**867
imaging features of pseudoaneurysms of the hand in children and adults, **180:**659
pathogenesis in acute aortic syndromes: aortic aneurysm leak and rupture and traumatic aortic transection, **181:**303
regression of abdominal visceral aneurysms in polyarteritis nodosa: CT findings, **180:**1617
Aneurysmal bone cyst
solid variant of aneurysmal bone cysts in long tubular bones: giant cell reparative granuloma, **180:**1681
Angiography
incorporating patient-centered outcomes in the analysis of cost-effectiveness: imaging strategies for renovascular hypertension, **181:**1653
radiologic features of Castleman's disease occupying the renal sinus, **181:**1037

symptomatic intrahepatic portosystemic venous shunt: angiographic findings and transcatheter embolization with an alternative approach, **181:**71

Angiography, conventional
correlation of contrast-enhanced power Doppler sonography and conventional angiography of abduction-induced hip ischemia in piglets, **180:**1731

Angiography, CT
CT angiography of the chest (b), **181:**162
detection on CT angiography of an accessory middle cerebral artery simulating a fusiform aneurysm on MR angiography (l), **180:**544
incorporating patient-centered outcomes in the analysis of cost-effectiveness: imaging strategies for renovascular hypertension, **181:**1653
living donor liver transplantation in adults: vascular variants important in surgical planning for donors and recipients, **181:**109
MR angiography of endoleak with inconclusive concomitant CT angiography, **181:**736
multidetector CT angiography for preoperative evaluation of living laparoscopic kidney donors, **180:**1633
multidetector CT angiography of peripheral vascular disease: a prospective comparison with intraarterial digital subtraction angiography, **180:**719
multidetector CT angiography of the aortoiliac system and lower extremities: a prospective comparison with digital subtraction angiography, **180:**1085
pulmonary embolus in pregnant patients: a survey of practices and policies for CT pulmonary angiography, **181:**1495
tracheomalacia incidentally detected on CT pulmonary angiography of patients with suspected pulmonary embolism, **181:**1505
volume-rendered multidetector CT angiography: noninvasive follow-up of patients treated with renal artery stents, **180:**233

Angiography, digital subtraction
moving-table MR angiography of the peripheral runoff vessels: comparison of body coil and dedicated phased array coil systems, **180:**1365
multidetector CT angiography of peripheral vascular disease: a prospective comparison with intraarterial digital subtraction angiography, **180:**719
multidetector CT angiography of the aortoiliac system and lower extremities: a prospective comparison with digital subtraction angiography, **180:**1085
pretransplantation evaluation of the cirrhotic liver with explantation correlation: accuracy of CT arterioportography and digital subtraction hepatic angiography in revealing hepatocellular carcinoma, **181:**99

Angiography, MR
combining two single-shot imaging techniques with slice-selective and non–slice-selective inversion recovery pulses: new strategy for native MR angiography based on the long T1 relaxation time and inflow properties of blood, **180:**725
contrast-enhanced MR angiography of thoracic vascular malformations in a pediatric population, **181:**861
coronary magnetic resonance angiography (b), **180:**206
detection and characterization of intracranial aneurysms with MR angiography: comparison of volume-rendering and maximum-intensity-projection algorithms, **180:**55
detection on CT angiography of an accessory middle cerebral artery simulating a fusiform aneurysm on MR angiography (l), **180:**544
dose optimization for dynamic time-resolved contrast-enhanced 3D MR angiography of pulmonary circulation1, **181:**1499
extracranial aneurysms in children: practical classification and correlative imaging, **181:**867
imaging characteristics of cystic adventitial disease of the peripheral arteries: presentation as soft-tissue masses, **180:**621
incorporating patient-centered outcomes in the analysis of cost-effectiveness: imaging strategies for renovascular hypertension, **181:**1653
moving-table MR angiography of the peripheral runoff vessels: comparison of body coil and dedicated phased array coil systems, **180:**1365
MR angiography of anomalous branches of the internal carotid artery, **181:**1409
MR angiography of endoleak with inconclusive concomitant CT angiography, **181:**736
MR imaging of hepatic pulmonary fusion in neonates, **180:**438
three-dimensional coronary MR angiography performed with subject-specific cardiac acquisition windows and motion-adapted respiratory gating, **180:**505
three-dimensional time-of-flight subtraction angiography of subacute cerebral hemorrhage, **181:**242
vascular complications after living related liver transplantation: evaluation with gadolinium-enhanced three-dimensional MR angiography, **181:**467

Angioma
double-needle sclerotherapy of lymphangiomas and venous angiomas in children: a simple technique to prevent complications, **180:**1399

Angiomyolipoma
CT of papillary renal cell carcinomas with cholesterol necrosis mimicking angiomyolipomas, **181:**143

Angioplasty
prediction of clinical response after renal angioplasty: respective value of renal Doppler sonography and scintigraphy, **181:**1029

Angiosarcoma
metastatic angiosarcoma of the lung: spectrum of CT findings, **180:**1671
MRI of angiosarcoma of the calvaria (l), **181:**1432

Animal studies
aberrant origin of the superior thyroid artery and the tracheoesophageal branch from the common carotid artery: a source of failure in elastase-induced aneurysms in rabbits, **181:**739
automated saline-enhanced radiofrequency thermal ablation: initial results in ex vivo bovine livers, **180:**163
correlation of contrast-enhanced power Doppler sonography and conventional angiography of abduction-induced hip ischemia in piglets, **180:**1731
do surgical clips interfere with radiofrequency thermal ablation?, **180:**1557

Ankle
MR imaging of ankle impingement syndromes, **181:**551
MRI of an intratendinous ganglion cyst of the peroneus brevis tendon (l), **181:**890
sonography and MR imaging of selected benign masses in the ankle and foot, **180:**99
sonography of dorsal ankle and foot abnormalities, **181:**1573

Anomalies
anomalous pancreaticobiliary junction shown on multidetector CT, **180:**173
bile duct of Luschka connecting with the cystohepatic duct: the importance of cholangiography during surgery, **180:**694
congenital anomalies of the inferior vena cava revealed on CT in patients with deep vein thrombosis, **180:**729
embolization of the patent ductus venosus in an adult patient, **180:**716
MR angiography of anomalous branches of the internal carotid artery, **181:**1409
MRI of fetal genitourinary anomalies, **181:**1381

Anthrax
inhalational anthrax: radiologic and pathologic findings in two cases, **181:**1071
radiologic manifestations of potential bioterrorist agents of infection, **180:**565

Anticoagulant therapy
pulmonary hematoma resulted from anticoagulant therapy (l), **180:**1740

Antiretroviral therapy
cancer mimicked on sonography: lipomastia in an HIV-positive man undergoing antiretroviral therapy, **181:**187

Anus
digital subtraction MR fistulography: new diagnostic tool for the detection of fistula in ano, **181:**1611

Aorta
added benefit of thoracic aortography after transarterial embolization in patients with hemoptysis, **180:**1577
congenitally corrected transposition of the great arteries in a 70-year-old woman diagnosed using single-detector helical CT (l), **181:**598
elective endovascular stent-graft repair of atherosclerotic thoracic aortic aneurysms: clinical results and midterm follow-up, **180:**709
pathogenesis in acute aortic syndromes: aortic aneurysm leak and rupture and traumatic aortic transection, **181:**303
pathogenesis in acute aortic syndromes: aortic dissection, intramural hematoma, and penetrating atherosclerotic aortic ulcer, **181:**309

Aortography
added benefit of thoracic aortography after transarterial embolization in patients with hemoptysis, **180:**1577

Aortoiliac system
multidetector CT angiography of the aortoiliac system and lower extremities: a prospective comparison with digital subtraction angiography, **180:**1085

Appendicitis, Appendix
comparison of CT and sonography in the diagnosis of acute appendicitis: a blinded prospective study, **181:**1355
torsion of the epiploic appendage, **180:**748
unique case of foreign-body appendicitis (l), **181:**1431
value of bone window settings on CT for revealing appendicoliths in patients with appendicitis, **180:**201

Archaeology
radiologic evaluation of the Llullaillaco mummies, **181:**1473

Argon beam coagulator electrode tip
argon beam coagulator electrode tip mimicking a metallic foreign body, **181:**157

Arm
forearm intramuscular myxoma, **181:**960
MR imaging of ulnocarpal impaction after fracture of the distal radius, **181:**195
MRI features of intersection syndrome of the forearm, **181:**1245

ARRS—*see* American Roentgen Ray Society

Arterial closure device
feasibility study of NeoMend, a percutaneous arterial closure device that uses a nonthrombogenic bioadhesive, **180:**533

Arterial portography—*see* CT during arterial portography
Arteriography
extracranial aneurysms in children: practical classification and correlative imaging, **181:**867
Arteriography, CT
multidetector CT arteriography with volumetric three-dimensional rendering to evaluate patients with metastatic colorectal disease for placement of a floxuridine infusion pump, **181:**455
preoperative evaluation of hepatocellular carcinoma: combined use of CT with arterial portography and hepatic arteriography, **180:**1593
Arteriography, MR
using slow-infusion MR arteriography and an implantable port system to assess drug distribution at hepatic arterial infusion chemotherapy, **180:**681
Arterioportography, CT
pretransplantation evaluation of the cirrhotic liver with explantation correlation: accuracy of CT arterioportography and digital subtraction hepatic angiography in revealing hepatocellular carcinoma, **181:**99
Arteriovenous fistula
pulmonary arteriovenous fistulas developed after chemotherapy of metastatic choriocarcinoma, **181:**1544
Arteritis
giant cell arteritis, **181:**742
Artery—*see also* Vasculature, *specific artery*
arterial embolization of a bullet (l), **180:**281
multidetector CT angiography for preoperative evaluation of living laparoscopic kidney donors, **180:**1633
Artery, bronchial
added benefit of thoracic aortography after transarterial embolization in patients with hemoptysis, **180:**1577
Artery, carotid
aberrant origin of the superior thyroid artery and the tracheoesophageal branch from the common carotid artery: a source of failure in elastase-induced aneurysms in rabbits, **181:**739
cerebral hemodynamics and metabolism in patients with symptomatic occlusion of the internal carotid artery (a), **181:**602
MR angiography of anomalous branches of the internal carotid artery, **181:**1409
spectrum of Doppler waveforms in the carotid and vertebral arteries, **181:**1695
Artery, cerebral
detection on CT angiography of an accessory middle cerebral artery simulating a fusiform aneurysm on MR angiography (l), **180:**544
standardization of flow velocities with respect to age and sex improves the accuracy of transcranial color Doppler sonography of middle cerebral artery spasm, **181:**245
Artery, coronary
coronary artery calcium scoring using ECG-gated multidetector CT: effect of individually optimized image-reconstruction windows on image quality and measurement reproducibility, **181:**1093
detection of coronary calcifications: feasibility of dose reduction with a body weight–adapted examination protocol, **181:**533
noninvasive coronary imaging using electron beam CT: surface rendering versus volume rendering, **180:**223
Rosetta stone for coronary calcium risk stratification: Agatston, volume, and mass scores in 11,490 individuals, **181:**743
three-dimensional coronary MR angiography performed with subject-specific cardiac acquisition windows and motion-adapted respiratory gating, **180:**505
Artery, femoral
iatrogenic femoral pseudoaneurysms that are unresponsive to percutaneous thrombin injection: potential causes, **181:**1301
Artery, hepatic
interventional radiology for advanced hepatocellular carcinoma: comparison of hepatic artery infusion chemotherapy and transcatheter arterial Lipiodol chemoembolization, **181:**1327
multidetector CT arteriography with volumetric three-dimensional rendering to evaluate patients with metastatic colorectal disease for placement of a floxuridine infusion pump, **181:**455
nonbronchial collateral supply from the hepatic arteries of a patient with hemoptysis, **180:**523
significance of and contributing factors for a high resistive index on Doppler sonography of the hepatic artery immediately after surgery: prognostic implications for liver transplant recipients, **181:**831
Artery, mammary
angiographic ablation of an ectopic mediastinal hyperplastic parathyroid gland using a left internal mammary artery coronary bypass, **181:**95
traumatic sternomanubrial dislocation with associated bilateral internal mammary artery occlusion, **180:**810
Artery, ovarian
sonography of delayed effects of uterine artery embolization on ovarian arterial perfusion and function, **181:**89
Artery, peripheral
catheter-directed thrombolytic therapy in peripheral artery occlusions: combining reteplase and abciximab, **180:**1385
imaging characteristics of cystic adventitial disease of the peripheral arteries: presentation as soft-tissue masses, **180:**621
Artery, popliteal
clinical evaluation and MR imaging features of popliteal artery entrapment and cystic adventitial disease, **180:**627
popliteal artery entrapment syndrome: role of imaging in the diagnosis, **181:**1259
Artery, pulmonary
congenitally corrected transposition of the great arteries in a 70-year-old woman diagnosed using single-detector helical CT (l), **181:**598
dose optimization for dynamic time-resolved contrast-enhanced 3D MR angiography of pulmonary circulation, **181:**1499
Artery, renal
volume-rendered multidetector CT angiography: noninvasive follow-up of patients treated with renal artery stents, **180:**233
Artery, thyroid
aberrant origin of the superior thyroid artery and the tracheoesophageal branch from the common carotid artery: a source of failure in elastase-induced aneurysms in rabbits, **181:**739
Artery, tibial
large iatrogenic pseudoaneurysm of the posterior tibial artery treated with sonographically guided thrombin injection (l), **180:**1479
Artery, uterine
adenomyosis: MRI of the uterus treated with uterine artery embolization, **181:**851
is a large fibroid a high-risk factor for uterine artery embolization?, **181:**1309
sonography of delayed effects of uterine artery embolization on ovarian arterial perfusion and function, **181:**89
Artery, vertebral
spectrum of Doppler waveforms in the carotid and vertebral arteries, **181:**1695
Arthrography, MR
MR arthrography of anterior cruciate ligament reconstruction grafts, **181:**1217
MR arthrography of the posterior labrocapsular complex (l), **181:**595
MR arthrography of the posterior labrocapsular complex: relationship with glenohumeral joint alignment and clinical posterior instability, **180:**369
MR imaging of ankle impingement syndromes, **181:**551
MR imaging, MR arthrography, and specimen correlation of the posterolateral corner of the knee: an anatomic study, **180:**1095
superior labral anteroposterior tear: classification and diagnosis on MRI and MR arthrography, **181:**1449
Arthroplasty
imaging of the painful hip arthroplasty, **180:**115
sonographic evaluation of shoulder arthroplasty, **180:**1117
sonography of the polyethylene liners used in total knee arthroplasty, **180:**1437
Artifacts
twinkling artifact on color Doppler sonography: dependence on machine parameters and underlying cause, **180:**215; erratum at **180:**542
Asbestosis
high-resolution CT of asbestosis and idiopathic pulmonary fibrosis, **181:**163
Aspergillosis
is it a new pattern of pulmonary aspergillosis? (l), **180:**539
Aspiration
combining fine-needle aspiration and core biopsy under CT fluoroscopy guidance: a better way to treat patients with lung nodules?, **180:**811
epiglottic carcinoma as a cause of laryngeal penetration and aspiration, **180:**207
serial needle aspiration in polycystic liver disease (l), **181:**1717
treatment of breast abscesses with sonographically guided aspiration, irrigation, and instillation of antibiotics, **181:**1089
Asthma
acute bronchospasm due to exposure to polymethylmethacrylate vapors during percutaneous vertebroplasty (l), **180:**543
Atresia
sonographic diagnosis of biliary atresia in pediatric patients using the "triangular cord" sign versus gallbladder length and contraction, **181:**1387
Avascular necrosis
partial Hawkins sign in fractures of the talus: a report of three cases, **181:**1559
Avulsion
comparing sonography with MR imaging of apophyseal injuries of the pelvis in four boys, **181:**223
MRI of failed total hip replacement caused by abductor muscle avulsion, **181:**1547

B

Back
efficacy of epidural injections of Kenalog and Celestone in the treatment of lower back pain, **181:**1255

Balloon—*see* Cutting balloon
Balloon occlusion
change in the hemodynamics of the portal venous system after retrograde transvenous balloon occlusion of a gastrorenal shunt, **181:**1011
Balloon-occluded retrograde transvenous obliteration
ruptured duodenal varices successfully treated with balloon-occluded retrograde transvenous obliteration: usefulness of microcatheters, **181:**725
Barium impaction therapy
barium impaction therapy for refractory colonic diverticular bleeding, **180:**490
Barium studies
acceptance by patients of multidetector CT colonography compared with barium enema examinations, flexible sigmoidoscopy, and colonoscopy, **181:**913
comparison of multidetector CT and barium studies of the small bowel: inflammatory bowel disease in children, **180:**1211
diffuse esophageal stricture caused by erythema multiforme major, **180:**749
double reading of barium enemas: is it necessary?, **181:**1607
hypopharyngeal amyloidoma (l), **181:**1720
primary extrapulmonary small cell carcinoma involving the stomach or duodenum or both: findings on CT and barium studies, **180:**1325
usefulness of barium studies for differentiating benign and malignant strictures of the esophagus, **180:**737
usefulness of high-density barium for detection of leaks after esophagogastrectomy, total gastrectomy, and total laryngectomy, **181:**415
videofluoroscopic studies of swallowing dysfunction and the relative risk of pneumonia, **180:**1613
Barrett's esophagus
Barrett's esophagus can and does regress after antireflux surgery: a study of prevalence and predictive features (a), **181:**1159
Benign masses
sonography and MR imaging of selected benign masses in the ankle and foot, **180:**99
Bile duct
contrast-enhanced helical CT of choledocholithiasis, **181:**125
cost-effectiveness analysis of intraoperative cholangiography in the prevention of bile duct injury during laparoscopic cholecystectomy (a), **181:**603
diagnosis and treatment of intrahepatic biloma complicating radiofrequency ablation of hepatic metastases, **181:**475
intrabiliary colonic metastasis mimicking primary biliary neoplasia, **180:**1029
intrahepatic biloma formation (bile duct necrosis) after transcatheter arterial chemoembolization, **181:**79
prolapse of the common bile duct with small ampullary villous adenocarcinoma into third part of the duodenum (l), **181:**599
pseudolesion of the bile duct caused by flow effect: a diagnostic pitfall of MR cholangiopancreatography, **180:**467
single-wall puncture: a new technique for percutaneous transhepatic biliary drainage, **181:**717
usefulness of a percutaneous transhepatic coaxial micropuncture needle technique in patients with nondilated peripheral intrahepatic ducts, **181:**1017
Bile duct of Luschka
bile duct of Luschka connecting with the cystohepatic duct: the importance of cholangiography during surgery, **180:**694
Biliary system
hilar biliary obstruction: preliminary results with Levovist-enhanced sonography, **180:**687
sonographic diagnosis of biliary atresia in pediatric patients using the "triangular cord" sign versus gallbladder length and contraction, **181:**1387
Billing
Medicare fraud and abuse, **180:**591
Biloma
diagnosis and treatment of intrahepatic biloma complicating radiofrequency ablation of hepatic metastases, **181:**475
intrahepatic biloma formation (bile duct necrosis) after transcatheter arterial chemoembolization, **181:**79
Bioabsorbable anchors
complications of rotator cuff surgery in which bioabsorbable anchors are used, **181:**1227
Bioadhesive
feasibility study of NeoMend, a percutaneous arterial closure device that uses a nonthrombogenic bioadhesive, **180:**533
Biometry
fetal central nervous system biometry on MR imaging, **180:**1155
Biopsy, adrenal gland
MR imaging–guided adrenal biopsy using an open low-field-strength scanner and MR fluoroscopy, **180:**1567
Biopsy, breast
accuracy of a collagen-plug biopsy site marking device deployed after stereotactic core needle breast biopsy, **181:**1295
biopsy or follow-up mammography? (l), **181:**1716
comparison of automated versus vacuum-assisted biopsy methods for sonographically guided core biopsy of the breast, **180:**347
ductal enhancement on MR imaging of the breast, **181:**519
fast MRI-guided vacuum-assisted breast biopsy: initial experience, **181:**1283
mammographic–pathologic correlation of apocrine metaplasia diagnosed using vacuum-assisted stereotactic core-needle biopsy: our 4-year experience, **180:**795
marking the cavity site after stereotactic core needle breast biopsy, **180:**355
metallic marker placement after stereotactic core biopsy of breast calcifications: comparison of two clips and deployment techniques, **181:**1685
Mondor's disease of the breast can also occur after a sonography-guided core biopsy (l), **180:**284
MR imaging–guided breast biopsy using a coaxial technique with a 14-gauge stainless steel core biopsy needle and a titanium sheath, **181:**183
percutaneous core needle biopsy of radial scars of the breast (l), **181:**275
phyllodes tumor of the breast, **180:**332
retrieval of lost microcalcifications during stereotactic vacuum-assisted core biopsy, **180:**275
sonographic detection and sonographically guided biopsy of breast microcalcifications, **180:**941
sonographically guided needle localization after stereotactic breast biopsy, **180:**352
stereotactic core needle biopsy of nonpalpable breast lesions using a conventional mammography unit with an add-on device, **181:**527
stereotactic histologic biopsy with patients prone: technical feasibility in 98% of mammographically detected lesions, **180:**785
three- to six-year followup for 379 benign image-guided large-core needle biopsies of nonpalpable breast abnormalities (a), **180:**1484
to excise or to sample (l), **180:**1175
Biopsy, chest wall mass
pyothorax-associated lymphoma: diagnosis at percutaneous core biopsy with CT guidance, **180:**969
Biopsy, kidney
incidence of malignancy in complex cystic renal masses (Bosniak category III): should imaging-guided biopsy precede surgery?, **180:**755
percutaneous biopsy of renal masses: sensitivity and negative predictive value stratified by clinical setting and size of masses, **180:**1281
should we biopsy complex cystic renal masses (Bosniak category III)? (l), **181:**1425
Biopsy, liver
combined sonographic and fluoroscopic guidance during transjugular hepatic biopsies performed in children: a retrospective study of 74 biopsies, **180:**1393
transjugular biopsy of the liver in pediatric and adult patients using an 18-gauge automated core biopsy needle: a retrospective review of 410 consecutive procedures, **180:**167
Biopsy, lung
combining fine-needle aspiration and core biopsy under CT fluoroscopy guidance: a better way to treat patients with lung nodules?, **180:**811
CT-guided transthoracic needle aspiration biopsy of small (≤ 20 mm) solitary pulmonary nodules, **180:**1665
percutaneous transthoracic needle biopsy complicated by air embolism (l), **181:**279
Biopsy, lymph nodes
sonographically guided biopsy of supraclavicular lymph nodes: a simple alternative to lung biopsy and other more invasive procedures, **180:**1403
Biopsy, mesentery
usefulness of sonographic guidance during percutaneous biopsy of mesenteric masses, **180:**1563
Biopsy, spleen
imaging-guided percutaneous splenic biopsy using a 20- or 22-gauge cutting-edge core biopsy needle for the diagnosis of malignant lymphoma, **181:**1025
Biopsy, thyroid gland
sonography and sonographically guided fine-needle aspiration biopsy of the thyroid gland: indications and techniques, pearls and pitfalls, **181:**267
Bioterrorism
imaging characteristics of bioterrorism: signs of our times (e), **180:**563
radiologic manifestations of potential bioterrorist agents of infection, **180:**565
Bladder—*see* Urinary bladder
Blood
combining two single-shot imaging techniques with slice-selective and non–slice-selective inversion recovery pulses: new strategy for native MR angiography based on the long T1 relaxation time and inflow properties of blood, **180:**725
peripheral blood eosinophilia associated with gastrointestinal administration of iodinated contrast media, **180:**751
Blount disease
does Blount disease alter the growth of the distal femur? (l), **180:**282
Blue rubber bleb nevus syndrome
imaging characteristics of blue rubber bleb nevus syndrome, **181:**1041
Body imaging
helical CT of the body: a survey of techniques used for pediatric patients, **180:**401
spiral and multislice computed tomography of the body (b), **181:**1558

Bone
amyloidoma of the clavicle, **181:**771
anterior shoulder dislocation: quantification of glenoid bone loss with CT, **180:**1423; erratum at **181:**283
collar osteophytes: a cause of false-positive findings in bone scans for hip fractures, **181:**191
comparison of imaging-guided and non–imaging-guided quantitative sonography of the calcaneus with dual x-ray absorptiometry of the spine and femur, **180:**1111
contrast-enhanced MRI of an early preosseous lesion of fibrodysplasia ossificans progressiva in a 21-month-old boy, **181:**1145
does Blount disease alter the growth of the distal femur? (l), **180:**282
extensive occipital bone pneumatization presenting as an occipital mass (l), **181:**891
mimics on radiography of giant cell tumor of bone, **181:**1583
MR imaging of bone marrow edema and joint effusion in patients with osteonecrosis of the femoral head: relationship to pain, **181:**545
MR imaging of ulnocarpal impaction after fracture of the distal radius, **181:**195
MRI of trapped periosteum in a proximal tibial physeal injury of a pediatric patient, **181:**1397
multiple myeloma seen only on multidetector CT (l), **180:**281
new radiographic classification of bone involvement in pedal mycetoma, **180:**665
osseous change adjacent to soft-tissue hemangiomas of the extremities: correlation with lesion size and proximity to bone, **180:**1695
osseous involvement in calcific tendinitis: a retrospective review of 50 cases, **181:**965
partial Hawkins sign in fractures of the talus: a report of three cases, **181:**1559
solid variant of aneurysmal bone cysts in long tubular bones: giant cell reparative granuloma, **180:**1681
subchondral fractures in osteonecrosis of the femoral head: comparison of radiography, CT, and MR imaging, **180:**363

Bone marrow
CT features with pathologic correlation of acute gastrointestinal graft-versus-host disease after bone marrow transplantation in adults, **181:**1621
MR imaging of bone marrow edema and joint effusion in patients with osteonecrosis of the femoral head: relationship to pain, **181:**545

Bone scanning—*see* Nuclear medicine

Book reviews
abdominal ultrasound atlas (b), **180:**1202
another view of *Mammography and Beyond* (l), **180:**860
atlas of spine imaging (b), **180:**1688
breast MRI in practice (b), **181:**138
coronary magnetic resonance angiography (b), **180:**206
CT and MR imaging of the whole body, vol. 1, 4th ed. (b), **181:**1326
CT angiography of the chest (b), **181:**162
dialysis access: a multidisciplinary approach (b), **180:**702
essential physics of medical imaging, 2nd ed. (b), **180:**596
essentials of musculoskeletal imaging (b), **181:**694
gastrointestinal radiology: a pattern approach, 4th ed. (b), **180:**1620
head and neck imaging, 4th ed., vols. 1 and 2 (b), **181:**1058
image-guided spine intervention (b), **181:**526, **181:**560
magnetic resonance imaging of CNS disease: a teaching file, 2nd ed. (b), **180:**846
medical imaging physics, 4th ed. (b), **180:**1124
MRI of the extremities: an anatomic atlas, 2nd ed. (b), **180:**1134
musculoskeletal imaging: the requisites, 2nd ed. (b), **181:**550
oncologic imaging, 2nd ed. (b), **180:**1546
pediatric sonography, 3rd ed. (b), **181:**1386
primer of diagnostic imaging, 3rd ed. (b), **181:**654
principles and practice of positron emission tomography (b), **180:**1238
spiral and multislice computed tomography of the body (b), **181:**1558
vascular and interventional radiology: principles and practice (b), **180:**2
venous catheters: a practical manual (b), **181:**996

Bosniak classification system
follow-up CT of moderately complex cystic lesions of the kidney (Bosniak category IIF), **181:**627

Bouveret's syndrome
Bouveret's syndrome: appearance on CT and upper gastrointestinal radiography before and after stone obturation, **181:**828
CT, MR cholangiopancreatography, and endoscopy findings in Bouveret's syndrome, **180:**1033

Bowel—*see* Colon, Small bowel

Brachytherapy
percutaneous radiofrequency ablation of pulmonary malignancies: combined treatment with brachytherapy, **181:**711

Brain—*see also* Central nervous system
cerebral fractional anisotropy score in trauma patients: a new indicator of white matter injury after trauma, **181:**1401
cerebral hemodynamics in asymptomatic and symptomatic patients with high-grade carotid stenosis undergoing carotid endarterectomy (a), **181:**1723
CT changes of an intracranial granulocytic sarcoma on short-term follow-up, **180:**78
defining thresholds for changes in size of simulated T2-hyperintense brain lesions on the basis of qualitative comparisons, **180:**65
delayed cerebral radiation necrosis, **180:**70
detection and characterization of intracranial aneurysms with MR angiography: comparison of volume-rendering and maximum-intensity-projection algorithms, **180:**55
diffusion-tensor MR imaging of normal brain maturation: a guide to structural development and myelination, **180:**851
diffusion-weighted MR imaging of pyogenic ventriculitis, **180:**71
diffusion-weighted MRI of cerebral *Toxoplasma* abscess, **181:**1711
effect of hydrophilic components of the extracellular matrix on quantifiable diffusion-weighted imaging of human gliomas: preliminary results of correlating apparent diffusion coefficient values and hyaluronan expression level, **181:**235
evaluation of emergency CT scans of the head: is there a community standard?, **180:**1727
evidence for cortical functional changes in patients with migraine and white matter abnormalities on conventional and diffusion tensor magnetic resonance imaging (a), **181:**602
extensive occipital bone pneumatization presenting as an occipital mass (l), **181:**891
hypointensity on diffusion-weighted MRI of the brain related to T2 shortening and susceptibility effects, **181:**1705
intrasellar hemangioblastoma: characteristic prominent vessels on MR imaging (l), **180:**1480
neuroimaging features of heroin inhalation toxicity: "chasing the dragon," **180:**847
posterior fossa subarachnoid hemorrhage due to an atlantooccipital dislocation, **180:**1476
predictors of hemorrhagic transformation after intravenous recombinant tissue plasminogen activator: prognostic value of the initial apparent diffusion coefficient and diffusion-weighted lesion volume (a), **180:**286
serial MR imaging of volumes of hyperintense white matter lesions in elderly patients: correlation with vascular risk factors, **181:**571
standardization of flow velocities with respect to age and sex improves the accuracy of transcranial color Doppler sonography of middle cerebral artery spasm, **181:**245
stroke MRI in intracerebral hemorrhage: is there a perihemorrhagic penumbra? (a), **181:**1723
surgical bed after BCNU polymer wafer placement for recurrent glioma: serial assessment on CT and MR imaging, **180:**1469
three-dimensional time-of-flight subtraction angiography of subacute cerebral hemorrhage, **181:**242

Breast
accuracy of a collagen-plug biopsy site marking device deployed after stereotactic core needle breast biopsy, **181:**1295
accuracy of MRI in the detection of residual breast cancer after neoadjuvant chemotherapy, **181:**1275
adenomyoepithelioma of the breast: spectrum of disease with associated imaging and pathology, **180:**799
automated assessment of the composition of breast tissue revealed on tissue-thickness-corrected mammography, **180:**257
breast cancer, mammography, and malpractice litigation: the controversies continue, **180:**1229
breast imaging and the symptomatic patient: enough with the "diagnostic" mammography (l), **181:**1423
breast MRI in practice (b), **181:**138
cancer mimicked on sonography: lipomastia in an HIV-positive man undergoing antiretroviral therapy, **181:**187
characterization of breast lesions with proton MR spectroscopy (c), **181:**1273
characterization of lesions of the breast with proton MR spectroscopy: comparison of carcinomas, benign lesions, phyllodes tumors, **181:**1267
comparison of automated versus vacuum-assisted biopsy methods for sonographically guided core biopsy of the breast, **180:**347
computer-aided detection (CAD) in screening mammography: sensitivity of commercial CAD systems for detecting architectural distortion, **181:**1083
ductal enhancement on MR imaging of the breast, **181:**519
dynamic MRI of fibromatosis of the breast (l), **181:**1718
dynamic multidetector CT of breast tumors: diagnostic features and comparison with conventional techniques, **181:**679
efficacy of computerized infrared imaging analysis to evaluate mammographically suspicious lesions, **180:**263
evaluation of gadobenate dimeglumine for contrast-enhanced MRI of the breast (c), **181:**677
fast MRI-guided vacuum-assisted breast biopsy: initial experience, **181:**1283
filarial "dance" in breast mass (l), **181:**1157
gadobenate dimeglumine–enhanced MRI of the breast: analysis of dose response and comparison with gadopentetate dimeglumine, **181:**663
improvement in sensitivity of screening mammography with computer-aided detection: a multiinstitutional trial, **181:**687

increase in cancer detection and recall rates with independent double interpretation of screening mammography, **180:**1461
intracystic papillary carcinoma of the breast, **181:**186
mammographic predictors of the presence and size of invasive carcinomas associated with malignant microcalcification lesions without a mass, **181:**1679
mammographic–pathologic correlation of apocrine metaplasia diagnosed using vacuum-assisted stereotactic core-needle biopsy: our 4-year experience, **180:**795
mammography and sonography in young symptomatic women (l), **181:**1424
mammography and subsequent whole-breast sonography of nonpalpable breast cancers: the importance of radiologic breast density, **180:**1675
marking the cavity site after stereotactic core needle breast biopsy, **180:**355
metallic marker placement after stereotactic core biopsy of breast calcifications: comparison of two clips and deployment techniques, **181:**1685
Mondor's disease of the breast can also occur after a sonography-guided core biopsy (l), **180:**284
most recent breast cancer screening controversy about whether mammographic screening benefits women at any age: nonsense and nonscience, **180:**21
MR imaging findings in the contralateral breast of women with recently diagnosed breast cancer, **180:**333
MR imaging of the ipsilateral breast in women with percutaneously proven breast cancer, **180:**901
MR imaging–guided breast biopsy using a coaxial technique with a 14-gauge stainless steel core biopsy needle and a titanium sheath, **181:**183
MRI of occult breast carcinoma in a high-risk population, **181:**619
mucocele-like tumors of the breast: mammographic and sonographic appearances, **180:**949
older is better (l), **181:**593
optimal interval for comparison mammograms (l), **181:**594
optimal reference mammography: a comparison of mammograms obtained 1 and 2 years before the present examination, **180:**343
outcome analysis and rational management of enhancing lesions incidentally detected on contrast-enhanced MRI of the breast, **181:**655
percutaneous core needle biopsy of radial scars of the breast (l), **181:**275
phyllodes tumor of the breast, **180:**332
prescreening mammography by technologists: a preliminary assessment, **180:**253
prior mammograms: how old is old? (l), **181:**594
rationale for a trial of screening breast ultrasound: American College of Radiology Imaging Network (ACRIN) 6666 (c), **180:**1225
retrieval of lost microcalcifications during stereotactic vacuum-assisted core biopsy, **180:**275
Rosai-Dorfman disease presenting as a suspicious breast mass (l), **180:**1740
screening breast sonography (q), **180:**1477
screening mammography, sonography of dense fibrocystic breast tissue (q), **181:**1715
sonographic detection and sonographically guided biopsy of breast microcalcifications, **180:**941
sonographically guided needle localization after stereotactic breast biopsy, **180:**352
steatocystoma multiplex: mammographic and sonographic manifestations, **180:**271
stereotactic core needle biopsy of nonpalpable breast lesions using a conventional mammography unit with an add-on device, **181:**527
stereotactic histologic biopsy with patients prone: technical feasibility in 98% of mammographically detected lesions, **180:**785
Sydney Breast Imaging Accuracy Study: comparative sensitivity and specificity of mammography and sonography in young women with symptoms, **180:**935
three- to six-year followup for 379 benign image-guided large-core needle biopsies of nonpalpable breast abnormalities (a), **180:**1484
to excise or to sample (l), **180:**1175
treatment of breast abscesses with sonographically guided aspiration, irrigation, and instillation of antibiotics, **181:**1089
using sonography to screen women with mammographically dense breasts, **181:**177

Breast shields
in-plane bismuth breast shields for pediatric CT: effects on radiation dose and image quality using experimental and clinical data, **180:**407

Bronchiectasis
multidetector CT of bronchiectasis: effect of radiation dose on image quality, **181:**501

Bronchoarterial ratio
bronchoarterial ratio and bronchial wall thickness on high-resolution CT of asymptomatic subjects: correlation with age and smoking, **180:**513

Bronchospasm
acute bronchospasm due to exposure to polymethylmethacrylate vapors during percutaneous vertebroplasty (l), **180:**543

Bronchus—*see* Lung

Budd-Chiari syndrome
sonography of the caudate vein: value in diagnosing Budd-Chiari syndrome, **181:**1641

Bullet
arterial embolization of a bullet (l), **180:**281

Bursitis
fluoroscopically guided scapulothoracic injections, **181:**1232
rice-body formation in atypical mycobacterial tenosynovitis and bursitis: findings on sonography and MR imaging, **180:**1455

Bypass
angiographic ablation of an ectopic mediastinal hyperplastic parathyroid gland using a left internal mammary artery coronary bypass, **181:**95

C

Calcaneus
comparison of imaging-guided and non–imaging-guided quantitative sonography of the calcaneus with dual x-ray absorptiometry of the spine and femur, **180:**1111

Calcification—*see also* Microcalcification
dual-energy chest radiography with a flat-panel digital detector: revealing calcified chest abnormalities, **181:**1519
metallic marker placement after stereotactic core biopsy of breast calcifications: comparison of two clips and deployment techniques, **181:**1685
MR imaging of calcification of the lateral collateral ligament of the knee: a rare abnormality and a cause of lateral knee pain, **181:**199
osseous involvement in calcific tendinitis: a retrospective review of 50 cases, **181:**965

Calcium, coronary artery
coronary artery calcium scoring using ECG-gated multidetector CT: effect of individually optimized image-reconstruction windows on image quality and measurement reproducibility, **181:**1093
detection of coronary calcifications: feasibility of dose reduction with a body weight–adapted examination protocol, **181:**533
noninvasive coronary imaging using electron beam CT: surface rendering versus volume rendering, **180:**223
Rosetta stone for coronary calcium risk stratification: Agatston, volume, and mass scores in 11,490 individuals, **181:**743

Calf—*see* Leg

Cancer, bile duct
intrabiliary colonic metastasis mimicking primary biliary neoplasia, **180:**1029

Cancer, bladder—*see* Carcinoma, urinary bladder

Cancer, breast
accuracy of MRI in the detection of residual breast cancer after neoadjuvant chemotherapy, **181:**1275
breast cancer, mammography, and malpractice litigation: the controversies continue, **180:**1229
characterization of breast lesions with proton MR spectroscopy (c), **181:**1273
characterization of lesions of the breast with proton MR spectroscopy: comparison of carcinomas, benign lesions, phyllodes tumors, **181:**1267
comparison of automated versus vacuum-assisted biopsy methods for sonographically guided core biopsy of the breast, **180:**347
computer-aided detection (CAD) in screening mammography: sensitivity of commercial CAD systems for detecting architectural distortion, **181:**1083
ductal enhancement on MR imaging of the breast, **181:**519
dynamic multidetector CT of breast tumors: diagnostic features and comparison with conventional techniques, **181:**679
effects of tamoxifen on hepatic fat content and the development of hepatic steatosis in patients with breast cancer: high frequency of involvement and rapid reversal after completion of tamoxifen therapy, **180:**129
increase in cancer detection and recall rates with independent double interpretation of screening mammography, **180:**1461
intracystic papillary carcinoma of the breast, **181:**186
mammographic predictors of the presence and size of invasive carcinomas associated with malignant microcalcification lesions without a mass, **181:**1679
mammography and subsequent whole-breast sonography of nonpalpable breast cancers: the importance of radiologic breast density, **180:**1675
most recent breast cancer screening controversy about whether mammographic screening benefits women at any age: nonsense and nonscience, **180:**21
MR imaging findings in the contralateral breast of women with recently diagnosed breast cancer, **180:**333
MR imaging of the ipsilateral breast in women with percutaneously proven breast cancer, **180:**901
MRI of occult breast carcinoma in a high-risk population, **181:**619
prescreening mammography by technologists: a preliminary assessment, **180:**253
rationale for a trial of screening breast ultrasound: American College of Radiology Imaging Network (ACRIN) 6666 (c), **180:**1225

Cancer, cervical—*see* Carcinoma, cervical

Cancer, colorectal
acceptance by patients of multidetector CT colonography compared with barium enema examinations, flexible sigmoidoscopy, and colonoscopy, **181:**913

CT colonography of colorectal polyps: a metaanalysis, **181:**1593
double reading of barium enemas: is it necessary?, **181:**1607
intrabiliary colonic metastasis mimicking primary biliary neoplasia, **180:**1029
is there a true "shift" to the right colon in the incidence of colorectal cancer? (a), **181:**1723
screening for colorectal cancer in Chinese: comparison of fecal occult blood test, flexible sigmoidoscopy, and colonoscopy (a), **181:**1159
simultaneous colorectal and hepatic resections for colorectal cancer: postoperative and longterm outcomes (a), **180:**286
three-dimensional endoluminal CT colonography (virtual colonoscopy): comparison of three commercially available systems, **181:**1599
virtual colonoscopy for colon cancer screening: further reflections on polyps and politics, **181:**795

Cancer, duodenum—*see* Carcinoma, small bowel
Cancer, epiglottis—*see* Carcinoma, epiglottis
Cancer, esophagus
diagnosis, staging, and follow-up of esophageal cancer, **181:**785
usefulness of barium studies for differentiating benign and malignant strictures of the esophagus, **180:**737

Cancer, kidney—*see* Carcinoma, renal cell
Cancer, liver—*see* Carcinoma, hepatocellular
Cancer, lung
CT findings and progression of small peripheral lung neoplasms having a replacement growth pattern, **180:**817
CT screening for lung cancer (l), **180:**1736
failure to diagnose lung cancer: anatomy of a malpractice trial, **180:**37
indeterminate solitary pulmonary nodules revealed at population-based CT screening of the lung: using first follow-up diagnostic CT to differentiate benign and malignant lesions, **180:**1255
percutaneous radiofrequency ablation of pulmonary malignancies: combined treatment with brachytherapy, **181:**711

Cancer, nasopharyngeal—*see* Carcinoma, nasopharyngeal
Cancer, pancreas
diagnosis, staging, and surveillance of pancreatic cancer, **180:**1311

Cancer, rectum
comparison of transrectal sonography and double-contrast MR imaging when staging rectal cancer, **181:**421

Cancer, small bowel—*see* Carcinoma, small bowel
Cancer, stomach—*see* Carcinoma, stomach
Cancer, testicle
is there an increased incidence of contralateral testicular cancer in patients with intratesticular microlithiasis?, **180:**497

Cancer, thyroid—*see* Carcinoma, thyroid
Cancer, tongue—*see* Carcinoma, tongue
Cancer, urinary bladder—*see* Carcinoma, urinary bladder
Carbon dioxide
carbon dioxide–enhanced sonographically guided percutaneous ethanol injection: treatment of patients with viable and recurrent hepatocellular carcinoma, **181:**1647
CO_2 splenoportography: preliminary results, **180:**1375
effects of IV pentobarbital with and without fentanyl on end-tidal carbon dioxide levels during deep sedation of pediatric patients undergoing MRI, **181:**1691
MR imaging–guided vascular procedures using CO_2 as a contrast agent, **181:**485

Carcinogenesis
low-level radiation risk (l), **181:**278

Carcinoma, bile duct—*see* Cancer, bile duct
Carcinoma, bladder—*see* Carcinoma, urinary bladder
Carcinoma, breast—*see* Cancer, breast
Carcinoma, bronchioloalveolar—*see* Cancer, lung
Carcinoma, cervical
diagnosis, staging, and surveillance of cervical carcinoma, **180:**1621

Carcinoma, colon—*see* Cancer, colorectal
Carcinoma, duodenum—*see* Carcinoma, small bowel
Carcinoma, epiglottis
epiglottic carcinoma as a cause of laryngeal penetration and aspiration, **180:**207

Carcinoma, esophagus—*see* Cancer, esophagus
Carcinoma, hepatocellular
adverse events during radiofrequency treatment of 582 hepatic tumors, **181:**695
carbon dioxide–enhanced sonographically guided percutaneous ethanol injection: treatment of patients with viable and recurrent hepatocellular carcinoma, **181:**1647
continuous high-output drainage of hepatic abscess 3 months after radiofrequency ablation of hepatocellular carcinoma, **180:**1079
contrast-enhanced harmonic gray-scale sonographic–histologic correlation of the therapeutic effects of transcatheter arterial chemoembolization in patients with hepatocellular carcinoma, **181:**65
detection of hepatocellular carcinoma: comparison of dynamic MR imaging with dynamic double arterial phase helical CT, **180:**455
developing a prediction rule to assess hepatic malignancy in patients with cirrhosis, **180:**893
diaphragmatic perforation and hernia after hepatic radiofrequency ablation, **180:**1561
helical CT screening for hepatocellular carcinoma in patients with cirrhosis: frequency and causes of false-positive interpretation, **180:**1007
hepatocellular carcinoma in cirrhotic livers: double-contrast thin-section MR imaging with pathologic correlation of explanted tissue, **180:**577
hepatocellular carcinoma supplied by portal flow after repeated transcatheter arterial chemoembolization, **181:**889
hepatocellular carcinoma: imaging and imaging-guided intervention, **180:**1015
imaging in the diagnosis, staging, treatment, and surveillance of hepatocellular carcinoma, **180:**441
imaging-guided percutaneous radiofrequency ablation of pulmonary metastatic nodules caused by hepatocellular carcinoma: preliminary experience, **181:**491
interpretation of CT and MRI after radiofrequency ablation of hepatic malignancies, **181:**1635
interventional radiology for advanced hepatocellular carcinoma: comparison of hepatic artery infusion chemotherapy and transcatheter arterial Lipiodol chemoembolization, **181:**1327
intrahepatic biloma formation (bile duct necrosis) after transcatheter arterial chemoembolization, **181:**79
percutaneous ablation therapy guided by contrast-enhanced sonography for patients with hepatocellular carcinoma, **180:**143
percutaneous acetic acid injection for hepatocellular carcinoma: using CT fluoroscopy to evaluate distribution of acetic acid mixed with an iodinated contrast agent, **180:**159
percutaneous saline-enhanced radiofrequency ablation of unresectable hepatic tumors: initial experience in 26 patients, **180:**1537
percutaneous sonographically guided microwave coagulation therapy for hepatocellular carcinoma: results in 234 patients, **180:**1547
percutaneous sonographically guided saline-enhanced radiofrequency ablation of hepatocellular carcinoma, **181:**479
power rolloff during interactive radiofrequency ablation can enhance necrosis when treating hepatocellular carcinoma, **180:**151
preoperative evaluation of hepatocellular carcinoma: combined use of CT with arterial portography and hepatic arteriography, **180:**1593
pretransplantation evaluation of the cirrhotic liver with explantation correlation: accuracy of CT arterioportography and digital subtraction hepatic angiography in revealing hepatocellular carcinoma, **181:**99
radiofrequency ablation in the treatment of small hepatocellular carcinomas: comparison of the radiofrequency effect with and without chemoembolization, **181:**997
radiofrequency ablation of hepatic tumors adjacent to the gallbladder: feasibility and safety, **180:**697
radiofrequency ablation of hepatocellular carcinoma: therapeutic response using contrast-enhanced coded phase-inversion harmonic sonography, **181:**57
role of diffusion-weighted imaging in estimating tumor necrosis after chemoembolization of hepatocellular carcinoma, **181:**708
transcatheter arterial chemoembolization of hepatocellular carcinoma: usefulness of coded phase-inversion harmonic sonography, **180:**703
using slow-infusion MR arteriography and an implantable port system to assess drug distribution at hepatic arterial infusion chemotherapy, **180:**681

Carcinoma, lung—*see* Cancer, lung
Carcinoma, nasopharyngeal
MR imaging of diverse manifestations of nasopharyngeal carcinomas, **180:**1715

Carcinoma, rectum—*see* Cancer, rectum
Carcinoma, renal cell
CT of papillary renal cell carcinomas with cholesterol necrosis mimicking angiomyolipomas, **181:**143
high-resolution multidetector CT in the preoperative evaluation of patients with renal cell carcinoma, **180:**1271
percutaneous biopsy of renal masses: sensitivity and negative predictive value stratified by clinical setting and size of masses, **180:**1281
radiofrequency ablation of isolated local recurrence of renal cell carcinoma after radical nephrectomy, **181:**93

Carcinoma, small bowel
primary extrapulmonary small cell carcinoma involving the stomach or duodenum or both: findings on CT and barium studies, **180:**1325

Carcinoma, stomach
primary extrapulmonary small cell carcinoma involving the stomach or duodenum or both: findings on CT and barium studies, **180:**1325

Carcinoma, testicle—*see* Cancer, testicle
Carcinoma, thyroid
using MR imaging to predict invasion of the recurrent laryngeal nerve by thyroid carcinoma, **180:**837

Carcinoma, tongue
novel intraarterial chemotherapy using paclitaxel in albumin nanoparticles to treat advanced squamous cell carcinoma of the tongue: preliminary findings, **181:**253

Carcinoma, urinary bladder
imaging in the diagnosis, staging, and follow-up of cancer of the urinary bladder, **180:**1045

MR imaging features of non–transitional cell carcinoma of the urinary bladder with pathologic correlation, **180:**779
MR imaging features of transitional cell carcinoma of the urinary bladder, **180:**771

Carcinosarcoma
carcinosarcoma of the urinary bladder: dynamic contrast-enhanced MR imaging with clinical and pathologic correlation, **181:**139

Cardiographic monitoring
fetal cardiographic monitoring during 1.5-T MR imaging, **180:**1159

Cardiomyopathy
late myocardial enhancement in hypertrophic cardiomyopathy with contrast-enhanced MR imaging, **180:**981
MR evaluation of arrhythmogenic right ventricular cardiomyopathy in pediatric patients, **180:**1135

Cardiovascular disease—*see also* **Calcium, coronary artery; Cardiomyopathy**
MR evaluation of arrhythmogenic right ventricular cardiomyopathy in pediatric patients, **180:**1135
three-dimensional coronary MR angiography performed with subject-specific cardiac acquisition windows and motion-adapted respiratory gating, **180:**505
using a phantom to compare MR techniques for determining the ratio of intraabdominal to subcutaneous adipose tissue, **180:**993

Carpal tunnel syndrome
carpal tunnel syndrome and cubital tunnel syndrome: work-related musculoskeletal disorders in four symptomatic radiologists, **181:**37

Carpet lesion
carpet lesion on CT colonography: a potential pitfall, **180:**1332

Cartilage
rapid imaging of articular cartilage with steady-state free precession and multipoint fat–water separation, **180:**357
using fat-saturated proton density–weighted MR imaging to evaluate articular cartilage (l), **181:**280

Castleman's disease
radiologic features of Castleman's disease occupying the renal sinus, **181:**1037

Catheters
catheter-directed thrombolytic therapy in peripheral artery occlusions: combining reteplase and abciximab, **180:**1385
experience at a single institution with endovascular treatment of mechanical complications caused by implanted central venous access devices in pediatric and adult patients, **180:**527
impact of ambient light and window settings on the detectability of catheters on soft-copy display of chest radiographs at bedside, **181:**1415
neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis, **180:**1147
venous catheters: a practical manual (b), **181:**996

Cavernous sinus syndrome
cavernous sinus syndrome: clinical features and differential diagnosis with MR imaging, **181:**583

Celestone
efficacy of epidural injections of Kenalog and Celestone in the treatment of lower back pain **181:**1255

Celiac disease
MR imaging of the small bowel using polyethylene glycol solution as an oral contrast agent in adults and children with celiac disease: preliminary observations, **180:**191

Central nervous system—*see also* **Brain, Spine**
fetal central nervous system biometry on MR imaging, **180:**1155
leptomeningeal enhancement in a patient with proven West Nile virus infection, **181:**591
magnetic resonance imaging of CNS disease: a teaching file, 2nd ed. (b), **180:**846

Central venous devices
experience at a single institution with endovascular treatment of mechanical complications caused by implanted central venous access devices in pediatric and adult patients, **180:**527

Cerebral fractional anisotropy score
cerebral fractional anisotropy score in trauma patients: a new indicator of white matter injury after trauma, **181:**1401

Cerebrospinal fluid
cerebrospinal fluid leakage after lumbar puncture in neonates: incidence and sonographic appearance, **181:**231
posttraumatic cerebrospinal fluid rhinorrhea caused by injury of the optic nerve sheath (l), **180:**865

Cervix
MR imaging findings and patterns of spread in secondary tumor involvement of the uterine body and cervix, **180:**765

Charts—*see* **Graphs and charts**

Chemical shift MRI
characterization of adrenal tumors by chemical shift fast low-angle shot MR imaging: comparison of four methods of quantitative evaluation, **180:**1649
characterization of the normal and hyperplastic thymus on chemical-shift MR imaging, **180:**1265

Chemoembolization
contrast-enhanced harmonic gray-scale sonographic–histologic correlation of the therapeutic effects of transcatheter arterial chemoembolization in patients with hepatocellular carcinoma, **181:**65
hepatocellular carcinoma supplied by portal flow after repeated transcatheter arterial chemoembolization, **181:**889
interventional radiology for advanced hepatocellular carcinoma: comparison of hepatic artery infusion chemotherapy and transcatheter arterial Lipiodol chemoembolization, **181:**1327
intrahepatic biloma formation (bile duct necrosis) after transcatheter arterial chemoembolization, **181:**79
radiofrequency ablation in the treatment of small hepatocellular carcinomas: comparison of the radiofrequency effect with and without chemoembolization, **181:**997
role of diffusion-weighted imaging in estimating tumor necrosis after chemoembolization of hepatocellular carcinoma, **181:**708
transcatheter arterial chemoembolization of hepatocellular carcinoma: usefulness of coded phase-inversion harmonic sonography, **180:**703

Chemotherapy
accuracy of MRI in the detection of residual breast cancer after neoadjuvant chemotherapy, **181:**1275
interventional radiology for advanced hepatocellular carcinoma: comparison of hepatic artery infusion chemotherapy and transcatheter arterial Lipiodol chemoembolization, **181:**1327
novel intraarterial chemotherapy using paclitaxel in albumin nanoparticles to treat advanced squamous cell carcinoma of the tongue: preliminary findings, **181:**253
pulmonary arteriovenous fistulas developed after chemotherapy of metastatic choriocarcinoma, **181:**1544
using slow-infusion MR arteriography and an implantable port system to assess drug distribution at hepatic arterial infusion chemotherapy, **180:**681

Chest—*see also* **Heart, Lung**
chronic expanding hematoma of the thorax (l), **180:**1182
comparing image quality of flat-panel chest radiography with storage phosphor radiography and film-screen radiography, **181:**171
contrast-enhanced MR angiography of thoracic vascular malformations in a pediatric population, **181:**861
CT angiography of the chest (b), **181:**162
dose reduction in patients undergoing chest imaging: digital amorphous silicon flat-panel detector radiography versus conventional film-screen radiography and phosphor-based computed radiography, **181:**923
dual-energy chest radiography with a flat-panel digital detector: revealing calcified chest abnormalities, **181:**1519
evaluation of complications after sternotomy using single- and multidetector CT with three-dimensional volume rendering, **181:**1065
impact of ambient light and window settings on the detectability of catheters on soft-copy display of chest radiographs at bedside, **181:**1415
morphologic assessment of patent ductus arteriosus in adults using retrospectively ECG-gated multidetector CT, **181:**749
neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis, **180:**1147
pyothorax-associated lymphoma: diagnosis at percutaneous core biopsy with CT guidance, **180:**969
simultaneous thoracic and abdominal presentation of disseminated cryptococcosis in two patients without HIV infection, **181:**1055
six cases of acute central pulmonary embolism revealed on unenhanced multidetector CT of the chest, **180:**1661

Chloral hydrate
comparison of oral pentobarbital sodium (Nembutal) and oral chloral hydrate for sedation of infants during radiologic imaging: preliminary results, **180:**1125
is administration of enteric contrast material safe before abdominal CT in children who require sedation? experience with chloral hydrate and pentobarbital, **180:**13

Cholangiocarcinoma
cholangiocarcinoma: morphologic classification according to growth pattern and imaging findings, **181:**819

Cholangiography
bile duct of Luschka connecting with the cystohepatic duct: the importance of cholangiography during surgery, **180:**694
cost-effectiveness analysis of intraoperative cholangiography in the prevention of bile duct injury during laparoscopic cholecystectomy (a), **181:**603

Cholangiopancreatography, endoscopic retrograde
cholangiocarcinoma: morphologic classification according to growth pattern and imaging findings, **181:**819

Cholangiopancreatography, MR
CT, MR cholangiopancreatography, and endoscopy findings in Bouveret's syndrome, **180:**1033
pseudolesion of the bile duct caused by flow effect: a diagnostic pitfall of MR cholangiopancreatography, **180:**467

Cholangitis
dynamic CT of acute cholangitis: early inhomogeneous enhancement of the liver, **181:**115

Choledochal cyst
ruptured choledochal cyst: CT findings in a 6-month-old female infant (l), **181:**1156
Choledocholithiasis
contrast-enhanced helical CT of choledocholithiasis, **181:**125
Cholesteatoma
diffusion-weighted MR imaging of cholesteatoma in pediatric and adult patients who have undergone middle ear surgery, **181:**261
Cholesterol necrosis
CT of papillary renal cell carcinomas with cholesterol necrosis mimicking angiomyolipomas, **181:**143
Choriocarcinoma
pulmonary arteriovenous fistulas developed after chemotherapy of metastatic choriocarcinoma, **181:**1544
Cine MRI
MR evaluation of arrhythmogenic right ventricular cardiomyopathy in pediatric patients, **180:**1135
using volume segmentation of cine MR data to evaluate dynamic motion of the airway in pediatric patients, **181:**857
Cirrhosis
CT signs of hepatofugal portal venous flow in patients with cirrhosis, **181:**1629
developing a prediction rule to assess hepatic malignancy in patients with cirrhosis, **180:**893
helical CT screening for hepatocellular carcinoma in patients with cirrhosis: frequency and causes of false-positive interpretation, **180:**1007
hepatocellular carcinoma in cirrhotic livers: double-contrast thin-section MR imaging with pathologic correlation of explanted tissue, **180:**577
nondysplastic nodules that are hyperintense on T1-weighted gradient-echo MR imaging: frequency in cirrhotic patients undergoing transplantation, **180:**1023
pretransplantation evaluation of the cirrhotic liver with explantation correlation: accuracy of CT arterioportography and digital subtraction hepatic angiography in revealing hepatocellular carcinoma, **181:**99
Clavicle
amyloidoma of the clavicle, **181:**771
Clips—*see* Marking clips, Surgical clips
Coagulation therapy
prognostic factors for percutaneous microwave coagulation therapy of hepatic metastases, **181:**1319
Coil comparison
moving-table MR angiography of the peripheral run-off vessels: comparison of body coil and dedicated phased array coil systems, **180:**1365
Colic—*see* Renal colic
Colitis—*see* Ulcerative colitis
Collagen-plug marking device
accuracy of a collagen-plug biopsy site marking device deployed after stereotactic core needle breast biopsy, **181:**1295
Collar osteophytes
collar osteophytes: a cause of false-positive findings in bone scans for hip fractures, **181:**191
Collateral arteries
nonbronchial collateral supply from the hepatic arteries of a patient with hemoptysis, **180:**523
Colon
acceptance by patients of multidetector CT colonography compared with barium enema examinations, flexible sigmoidoscopy, and colonoscopy, **181:**913
barium impaction therapy for refractory colonic diverticular bleeding, **180:**490
bowel wall fat halo sign in patients without intestinal disease, **181:**781
carpet lesion on CT colonography: a potential pitfall, **180:**1332
CT colonography of colorectal polyps: a metaanalysis, **181:**1593
CT diagnosis of volvulus of the descending colon with persistent mesocolon, **180:**1003
double reading of barium enemas: is it necessary?, **181:**1607
electronic cleansing and stool tagging in CT colonography: advantages and pitfalls with primary three-dimensional evaluation, **181:**799
intrabiliary colonic metastasis mimicking primary biliary neoplasia, **180:**1029
is there a true "shift" to the right colon in the incidence of colorectal cancer? (a), **181:**1723
new universal colostomy tip for barium enemas of the colon, **180:**1330
paranephric water instillation: a technique to prevent bowel injury during percutaneous renal radiofrequency ablation, **181:**1315
pneumatosis intestinalis in patients with ischemia: correlation of CT findings with viability of the bowel, **180:**733
three-dimensional endoluminal CT colonography (virtual colonoscopy): comparison of three commercially available systems, **181:**1599
value of bone window settings on CT for revealing appendicoliths in patients with appendicitis, **180:**201
virtual colonoscopy for colon cancer screening: further reflections on polyps and politics, **181:**795
Colonography, CT
acceptance by patients of multidetector CT colonography compared with barium enema examinations, flexible sigmoidoscopy, and colonoscopy, **181:**913
carpet lesion on CT colonography: a potential pitfall, **180:**1332
CT colonography of colorectal polyps: a metaanalysis, **181:**1593
electronic cleansing and stool tagging in CT colonography: advantages and pitfalls with primary three-dimensional evaluation, **181:**799
extracolonic findings at CT colonography: evaluation of prevalence and cost in a screening population (a), **181:**1723
three-dimensional endoluminal CT colonography (virtual colonoscopy): comparison of three commercially available systems, **181:**1599
Colonoscopy
acceptance by patients of multidetector CT colonography compared with barium enema examinations, flexible sigmoidoscopy, and colonoscopy, **181:**913
carpet lesion on CT colonography: a potential pitfall, **180:**1332
virtual colonoscopy for colon cancer screening: further reflections on polyps and politics, **181:**795
Color Doppler sonography—*see also* Doppler sonography, Power Doppler sonography
standardization of flow velocities with respect to age and sex improves the accuracy of transcranial color Doppler sonography of middle cerebral artery spasm, **181:**245
twinkling artifact on color Doppler sonography: dependence on machine parameters and underlying cause, **180:**215; erratum at **180:**542
Colostomy
new universal colostomy tip for barium enemas of the colon, **180:**1330
Communication
duty to directly communicate radiologic abnormalities: has the pendulum swung too far?, **181:**375
not impressed (l), **181:**1422
Complex cystic lesion
follow-up CT of moderately complex cystic lesions of the kidney (Bosniak category IIF), **181:**627
Complications—*see* Mechanical complications
Compound sonography
comparison of conventional sonography, real-time compound sonography, tissue harmonic sonography, and tissue harmonic compound sonography of abdominal and pelvic lesions, **181:**1341
Compression fracture
quantitative assessment of diffusion abnormalities in benign and malignant vertebral compression fractures by line scan diffusion-weighted imaging, **181:**1203
Computed radiography
impact of ambient light and window settings on the detectability of catheters on soft-copy display of chest radiographs at bedside, **181:**1415
reducing the radiation dose during excretory urography: flat-panel silicon x-ray detector computed radiography, **181:**931
Computer-aided detection
computer-aided detection (CAD) in screening mammography: sensitivity of commercial CAD systems for detecting architectural distortion, **181:**1083
improvement in sensitivity of screening mammography with computer-aided detection: a multiinstitutional trial, **181:**687
Computerized infrared imaging
efficacy of computerized infrared imaging (l), **181:**596
efficacy of computerized infrared imaging analysis to evaluate mammographically suspicious lesions, **180:**263
Computers
multiinstitutional computer database for recording nonvascular imaging-guided interventions, **181:**1491
Conception, products of—*see* Products of conception
Congenital abnormalities
comprehensive time-resolved MRI of peripheral vascular malformations, **181:**729
fluoroscopic diagnosis of a second branchial cleft fistula (l), **181:**285
MR imaging of hepatic pulmonary fusion in neonates, **180:**438
Congenital heart disease
multidetector CT evaluation of congenital heart disease in pediatric and adult patients, **180:**973
Congress
Congress seems to be doing a lot, but nothing gets done…how a bill becomes a law (pb), **181(2):**A5
Conn's syndrome
CT of primary hyperaldosteronism (Conn's syndrome): the value of measuring the adrenal gland, **181:**843
Contraceptive device
multidetector CT appearance of a novel contraceptive device: the vaginal ring, **180:**1659
Contrast media—*see also* Barium studies, *specific medium*
carcinosarcoma of the urinary bladder: dynamic contrast-enhanced MR imaging with clinical and pathologic correlation, **181:**139
comparison of transrectal sonography and double-contrast MR imaging when staging rectal cancer, **181:**421
contrast agent–induced nephropathy: a simple way to identify patients with preexisting renal insufficiency, **181:**451

contrast enema before bypass surgery for small-bowel obstruction in the oncologic patient: is it necessary?, **181:**1361

contrast media: basics, reactions and management—an interactive program (s), **180:**92

contrast-enhanced helical CT of choledocholithiasis, **181:**125

contrast-enhanced MR angiography of thoracic vascular malformations in a pediatric population, **181:**861

contrast-enhanced MRI of an early preosseous lesion of fibrodysplasia ossificans progressiva in a 21-month-old boy, **181:**1145

cost of positron emission tomography in six United States Veterans Affairs hospitals and two academic medical centers, **181:**359

dose optimization for dynamic time-resolved contrast-enhanced 3D MR angiography of pulmonary circulation, **181:**1499

esophageal varices: diagnosis with gadolinium-enhanced MR imaging of the liver for patients with chronic liver damage, **180:**461

evaluation of gadobenate dimeglumine for contrast-enhanced MRI of the breast (c), **181:**677

gadobenate dimeglumine–enhanced MRI of the breast: analysis of dose response and comparison with gadopentetate dimeglumine, **181:**663

guidelines for contrast media from the European Society of Urogenital Radiology, **181:**1463

hilar biliary obstruction: preliminary results with Levovist-enhanced sonography, **180:**687

is administration of enteric contrast material safe before abdominal CT in children who require sedation? experience with chloral hydrate and pentobarbital, **180:**13

late myocardial enhancement in hypertrophic cardiomyopathy with contrast-enhanced MR imaging, **180:**981

MR imaging of the small bowel using polyethylene glycol solution as an oral contrast agent in adults and children with celiac disease: preliminary observations, **180:**191

MR venography using an intravascular contrast agent: results from a multicenter phase 2 study of dosage, **180:**227

percutaneous acetic acid injection for hepatocellular carcinoma: using CT fluoroscopy to evaluate distribution of acetic acid mixed with an iodinated contrast agent, **180:**159

perfusion CT with iodinated contrast material, **180:**3

peripheral blood eosinophilia associated with gastrointestinal administration of iodinated contrast media, **180:**751

radiofrequency ablation of hepatocellular carcinoma: therapeutic response using contrast-enhanced coded phase-inversion harmonic sonography, **181:**57

subcapsular collection of oral contrast material in the liver seen on CT (l), **181:**598

using a saline chaser to decrease contrast media in abdominal CT, **180:**929

using superparamagnetic iron oxide–enhanced MRI to differentiate metastatic hepatic tumors and nonsolid benign lesions, **181:**1335

Core biopsy needle

transjugular biopsy of the liver in pediatric and adult patients using an 18-gauge automated core biopsy needle: a retrospective review of 410 consecutive procedures, **180:**167

Coronary calcium—*see* **Calcium, coronary artery**

Coronary sinus

dense coronary sinus: a sign of left superior vena cava on abdominopelvic CT (l), **180:**544

Correlation, imaging–specimen

MR imaging, MR arthrography, and specimen correlation of the posterolateral corner of the knee: an anatomic study, **180:**1095

Correlation, radiologic–clinical

localized nodular synovitis of the knee: MR imaging appearance and clinical correlates in 21 patients, **181:**539

Correlation, radiologic–pathologic

anorectal gastrointestinal stromal tumors: CT and MR imaging features with clinical and pathologic correlation, **180:**1607

carcinosarcoma of the urinary bladder: dynamic contrast-enhanced MR imaging with clinical and pathologic correlation, **181:**139

contrast-enhanced harmonic gray-scale sonographic–histologic correlation of the therapeutic effects of transcatheter arterial chemoembolization in patients with hepatocellular carcinoma, **181:**65

CT and pathologic assessment of prospective nodal staging in patients with ductal adenocarcinoma of the head of the pancreas, **180:**475

CT features with pathologic correlation of acute gastrointestinal graft-versus-host disease after bone marrow transplantation in adults, **181:**1621

delayed cerebral radiation necrosis, **180:**70

diabetic muscle infarction, **181:**1216

extraskeletal osteosarcoma of the pleura, **180:**972

fat sparing of surrounding liver from metastasis in patients with fatty liver: MR imaging with histopathologic correlation, **180:**1347

forearm intramuscular myxoma, **181:**960

giant cell arteritis, **181:**742

giant cell tumor of the peroneus tendon sheath, **180:**1442

hemangioma of the triceps muscle, **181:**544

hepatocellular carcinoma in cirrhotic livers: double-contrast thin-section MR imaging with pathologic correlation of explanted tissue, **180:**577

hypointense synovial lesions on T2-weighted images: differential diagnosis with pathologic correlation, **181:**761

inhalational anthrax: radiologic and pathologic findings in two cases, **181:**1071

intracystic papillary carcinoma of the breast, **181:**186

invasive thymoma, **181:**1504

macrocystic serous adenoma of the pancreas: radiologic–pathologic correlation, **181:**119

mammographic–pathologic correlation of apocrine metaplasia diagnosed using vacuum-assisted stereotactic core-needle biopsy: our 4-year experience, **180:**795

mineralization in musculoskeletal leiomyosarcoma: radiologic–pathologic correlation, **180:**109

MR imaging features of non–transitional cell carcinoma of the urinary bladder with pathologic correlation, **180:**779

phyllodes tumor of the breast, **180:**332

"plough" fracture: shear fracture of the anterior arch of the atlas, **181:**770

renal mucormycosis in an AIDS patient: imaging features and pathologic correlation, **180:**1278

thymic enlargement and FDG uptake in three patients: CT and FDG positron emission tomography correlated with pathology, **180:**519

torsion of the epiploic appendage, **180:**748

Correlation, radiologic–surgical

sonography and MR imaging of posterior interosseous nerve syndrome with surgical correlation, **181:**219

Cost-effectiveness

cost of positron emission tomography in six United States Veterans Affairs hospitals and two academic medical centers, **181:**359

cost-effectiveness analysis of intraoperative cholangiography in the prevention of bile duct injury during laparoscopic cholecystectomy (a), **181:**603

incorporating patient-centered outcomes in the analysis of cost-effectiveness: imaging strategies for renovascular hypertension, **181:**1653

Creutzfeldt-Jacob disease

Creutzfeldt-Jacob disease shown by line scan diffusion-weighted imaging (l), **180:**1481

Cryptococcosis

simultaneous thoracic and abdominal presentation of disseminated cryptococcosis in two patients without HIV infection, **181:**1055

Cryptogenic organizing pneumonia

reversed halo sign on high-resolution CT of cryptogenic organizing pneumonia: diagnostic implications, **180:**1251

CT

dose reduction in multidetector CT using attenuation-based online tube current modulation, **181:**331

National Conference on Dose Reduction in CT, with an emphasis on pediatric patients, **181:**321

preliminary interpretations of after-hours CT and sonography by radiology residents versus final interpretations by body imaging radiologists at a level I trauma center, **181:**367

CT arterioportography—*see* **Arterioportography, CT**

CT colonography—*see* **Colonography, CT**

CT during arterial portography

preoperative evaluation of hepatocellular carcinoma: combined use of CT with arterial portography and hepatic arteriography, **180:**1593

CT screening—*see* **Screening, CT**

CT, abdomen—*see also CT of specific organ*

abdominal CT screening: inflated promises, serious concerns, **180:**27

atypical presentation of lymphangioleiomyomatosis as acute abdomen: CT diagnosis (l), **181:**284

CT technique for suspected anterior abdominal wall hernia, **181:**431

CT, MR cholangiopancreatography, and endoscopy findings in Bouveret's syndrome, **180:**1033

imaging characteristics of gastric lipomas in 16 adult and pediatric patients, **181:**981

imaging of retained surgical sponges in the abdomen and pelvis, **180:**481; correction at **180:**1179

in-plane bismuth breast shields for pediatric CT: effects on radiation dose and image quality using experimental and clinical data, **180:**407

is administration of enteric contrast material safe before abdominal CT in children who require sedation? experience with chloral hydrate and pentobarbital, **180:**13

low-density pheochromocytoma on CT: a mimicker of adrenal adenoma, **181:**1663

regression of abdominal visceral aneurysms in polyarteritis nodosa: CT findings, **180:**1617

simultaneous thoracic and abdominal presentation of disseminated cryptococcosis in two patients without HIV infection, **181:**1055

spectrum of abdominal imaging findings in von Hippel-Lindau disease, **181:**1049

subcutaneous endometrioma as an unexpected cause of chronic abdominal pain (l), **181:**1157

using a saline chaser to decrease contrast media in abdominal CT, **180:**929

CT, abdominopelvic

dense coronary sinus: a sign of left superior vena cava on abdominopelvic CT (l), **180:**544

CT, adrenal gland

CT of primary hyperaldosteronism (Conn's syndrome): the value of measuring the adrenal gland, **181:**843

CT, aorta
pathogenesis in acute aortic syndromes: aortic aneurysm leak and rupture and traumatic aortic transection, **181:**303
CT, appendix
comparison of CT and sonography in the diagnosis of acute appendicitis: a blinded prospective study, **181:**1355
CT, artery—*see also* **Angiography, CT; Arteriography, CT; CT, vasculature**
congenitally corrected transposition of the great arteries in a 70-year-old woman diagnosed using single-detector helical CT (l), **181:**598
coronary artery calcium scoring using ECG-gated multidetector CT: effect of individually optimized image-reconstruction windows on image quality and measurement reproducibility, **181:**1093
detection of coronary calcifications: feasibility of dose reduction with a body weight–adapted examination protocol, **181:**533
multidetector CT angiography for preoperative evaluation of living laparoscopic kidney donors, **180:**1633
multidetector CT angiography of peripheral vascular disease: a prospective comparison with intraarterial digital subtraction angiography, **180:**719
multidetector CT angiography of the aortoiliac system and lower extremities: a prospective comparison with digital subtraction angiography, **180:**1085
noninvasive coronary imaging using electron beam CT: surface rendering versus volume rendering, **180:**223
CT, bile duct
contrast-enhanced helical CT of choledocholithiasis, **181:**125
CT, bladder—*see* **CT, urinary bladder**
CT, body
helical CT of the body: a survey of techniques used for pediatric patients, **180:**401
spiral and multislice computed tomography of the body (b), **181:**1558
CT, bone
anterior shoulder dislocation: quantification of glenoid bone loss with CT, **180:**1423; erratum at **181:**283
mimics on radiography of giant cell tumor of bone, **181:**1583
osseous involvement in calcific tendinitis: a retrospective review of 50 cases, **181:**965
subchondral fractures in osteonecrosis of the femoral head: comparison of radiography, CT, and MR imaging, **180:**363
CT, brain
CT changes of an intracranial granulocytic sarcoma on short-term follow-up, **180:**78
evaluation of emergency CT scans of the head: is there a community standard?, **180:**1727
extensive occipital bone pneumatization presenting as an occipital mass (l), **181:**891
neuroimaging features of heroin inhalation toxicity: "chasing the dragon," **180:**847
perfusion CT with iodinated contrast material, **180:**3
posterior fossa subarachnoid hemorrhage due to an atlantooccipital dislocation, **180:**1476
surgical bed after BCNU polymer wafer placement for recurrent glioma: serial assessment on CT and MR imaging, **180:**1469
CT, breast
dynamic multidetector CT of breast tumors: diagnostic features and comparison with conventional techniques, **181:**679
CT, bronchus—*see* **CT, lung**
CT, cervix
diagnosis, staging, and surveillance of cervical carcinoma, **180:**1621
CT, chest—*see also* **CT, heart; CT, lung**
evaluation of complications after sternotomy using single- and multidetector CT with three-dimensional volume rendering, **181:**1065
extraskeletal osteosarcoma of the pleura, **180:**972
in-plane bismuth breast shields for pediatric CT: effects on radiation dose and image quality using experimental and clinical data, **180:**407
inhalational anthrax: radiologic and pathologic findings in two cases, **181:**1071
invasive thymoma, **181:**1504
morphologic assessment of patent ductus arteriosus in adults using retrospectively ECG-gated multidetector CT, **181:**749
pyothorax-associated lymphoma: diagnosis at percutaneous core biopsy with CT guidance, **180:**969
simultaneous thoracic and abdominal presentation of disseminated cryptococcosis in two patients without HIV infection, **181:**1055
six cases of acute central pulmonary embolism revealed on unenhanced multidetector CT of the chest, **180:**1661
CT, colon—*see also* **CT, gastrointestinal system**
bowel wall fat halo sign in patients without intestinal disease, **181:**781
CT diagnosis of volvulus of the descending colon with persistent mesocolon, **180:**1003
electronic cleansing and stool tagging in CT colonography: advantages and pitfalls with primary three-dimensional evaluation, **181:**799
pneumatosis intestinalis in patients with ischemia: correlation of CT findings with viability of the bowel, **180:**733
three-dimensional endoluminal CT colonography (virtual colonoscopy): comparison of three commercially available systems, **181:**1599
value of bone window settings on CT for revealing appendicoliths in patients with appendicitis, **180:**201
CT, duodenum—*see* **CT, small bowel**
CT, esophagus—*see also* **CT, gastrointestinal system**
acute diffuse phlegmonous esophagogastritis: radiologic diagnosis (l), **180:**862
CT of the pediatric esophagus, **181:**1391
diagnosis, staging, and follow-up of esophageal cancer, **181:**785
primary Hodgkin's lymphoma of the esophagus, **180:**1335
CT, gallbladder
Fitz-Hugh–Curtis syndrome: multidetector CT findings of transient hepatic attenuation difference and gallbladder wall thickening, **180:**1605
CT, gastrointestinal system—*see also CT of specific organ*
anorectal gastrointestinal stromal tumors: CT and MR imaging features with clinical and pathologic correlation, **180:**1607
Bouveret's syndrome: appearance on CT and upper gastrointestinal radiography before and after stone obturation, **181:**828
CT features with pathologic correlation of acute gastrointestinal graft-versus-host disease after bone marrow transplantation in adults, **181:**1621
multidetector CT of high-risk patients with occult gastrointestinal stromal tumors, **180:**185
CT, head and neck
comparison between low-dose and standard-dose multidetector CT in patients with suspected chronic sinusitis, **181:**939
CT and MR findings of a rare craniofacial malformation: diprosopus (l), **180:**863
CT and MRI features of recurrent tumors and second primary neoplasms in patients with retinoblastoma, **181:**879
evaluation of emergency CT scans of the head: is there a community standard?, **180:**1727
extension of pancreatic pseudocysts into the neck: CT and MR imaging findings, **180:**843
four-channel multidetector CT in facial fractures: do we need 2 × 0.5 mm collimation?, **180:**1707
hypopharyngeal amyloidoma (l), **181:**1720
imaging characteristics of spindle cell lipoma, **181:**1251
using CT to localize side and level of vocal cord paralysis, **180:**1165
CT, heart—*see also* **CT, chest**
anatomy of pericardial recesses on multidetector CT: implications for oncologic imaging, **181:**1109
comparing thin-section and thick-section CT of pericardial sinuses and recesses, **181:**1101
multidetector CT evaluation of congenital heart disease in pediatric and adult patients, **180:**973
CT, helical—*see* **Helical CT**
CT, high-resolution—*see* **High-resolution CT**
CT, kidney
CT findings of perirenal plasmacytoma (l), **181:**888
CT of papillary renal cell carcinomas with cholesterol necrosis mimicking angiomyolipomas, **181:**143
CT of renal lymphoma in children, **180:**429
follow-up CT of moderately complex cystic lesions of the kidney (Bosniak category IIF), **181:**627
high-resolution multidetector CT in the preoperative evaluation of patients with renal cell carcinoma, **180:**1271
imaging-guided radiofrequency ablation of solid renal tumors, **180:**1509
measuring single-kidney glomerular filtration rate on single-detector helical CT using a two-point Patlak plot technique in patients with increased interstitial space, **181:**147
radiologic features of Castleman's disease occupying the renal sinus, **181:**1037
renal mucormycosis in an AIDS patient: imaging features and pathologic correlation, **180:**1278
CT, liver—*see also* **CT, abdomen**
cholangiocarcinoma: morphologic classification according to growth pattern and imaging findings, **181:**819
CT signs of hepatofugal portal venous flow in patients with cirrhosis, **181:**1629
detection of hepatocellular carcinoma: comparison of dynamic MR imaging with dynamic double arterial phase helical CT, **180:**455
dynamic CT of acute cholangitis: early inhomogeneous enhancement of the liver, **181:**115
effects of tamoxifen on hepatic fat content and the development of hepatic steatosis in patients with breast cancer: high frequency of involvement and rapid reversal after completion of tamoxifen therapy, **180:**129
Fitz-Hugh–Curtis syndrome: multidetector CT findings of transient hepatic attenuation difference and gallbladder wall thickening, **180:**1605
growing teratoma syndrome of the liver: treatment with living related donor liver transplantation, **181:**839
helical CT screening for hepatocellular carcinoma in patients with cirrhosis: frequency and causes of false-positive interpretation, **180:**1007
hepatic epithelioid hemangioendothelioma: sonographic, CT, and MR imaging appearances, **180:**1359

hepatic hemangioma: atypical appearances on CT, MR imaging, and sonography, **180:**135
hepatic subcapsular steatosis in response to intraperitoneal insulin delivery: CT findings and prevalence, **180:**1601
hepatocellular carcinoma: imaging and imaging-guided intervention, **180:**1015
imaging in the diagnosis, staging, treatment, and surveillance of hepatocellular carcinoma, **180:**441
interpretation of CT and MRI after radiofrequency ablation of hepatic malignancies, **181:**1635
intrabiliary colonic metastasis mimicking primary biliary neoplasia, **180:**1029
life-threatening hypertensive crises in two patients undergoing hepatic radiofrequency ablation, **181:**495
living donor liver transplantation in adults: vascular variants important in surgical planning for donors and recipients, **181:**109
multidetector CT arteriography with volumetric three-dimensional rendering to evaluate patients with metastatic colorectal disease for placement of a floxuridine infusion pump, **181:**455
multidetector CT of the liver and hepatic neoplasms: effect of multiphasic imaging on tumor conspicuity and vascular enhancement, **180:**1217; correction at **181:**283
pretransplantation evaluation of the cirrhotic liver with explantation correlation: accuracy of CT arterioportography and digital subtraction hepatic angiography in revealing hepatocellular carcinoma, **181:**99
subcapsular collection of oral contrast material in the liver seen on CT (l), **181:**598

CT, lung—*see also* **CT, chest**
bronchoarterial ratio and bronchial wall thickness on high-resolution CT of asymptomatic subjects: correlation with age and smoking, **180:**513
chronic cystic lung disease: diagnostic accuracy of high-resolution CT in 92 patients, **180:**827
CT and radiography of bacterial respiratory infections in AIDS patients, **180:**1203
CT findings and progression of small peripheral lung neoplasms having a replacement growth pattern, **180:**817
CT findings and temporal course of persistent pulmonary interstitial emphysema in neonates: a multiinstitutional study, **180:**1129
CT of posttransplantation lymphoproliferative disorder in pediatric recipients of lung allograft, **181:**1125
CT screening for lung cancer (l), **180:**1736
CT-guided transthoracic needle aspiration biopsy of small (≤ 20 mm) solitary pulmonary nodules, **180:**1665
fibrosis in the upper lobes: a newly identified late-onset complication after lung transplantation?, **181:**1539
high-resolution CT of asbestosis and idiopathic pulmonary fibrosis, **181:**163
imaging of severe acute respiratory syndrome in Hong Kong, **181:**11
indeterminate solitary pulmonary nodules revealed at population-based CT screening of the lung: using first follow-up diagnostic CT to differentiate benign and malignant lesions, **180:**1255
metastatic angiosarcoma of the lung: spectrum of CT findings, **180:**1671
multidetector CT of bronchiectasis: effect of radiation dose on image quality, **181:**501
physician satisfaction with high-resolution CT services provided by radiologists: results of a nationwide survey of pulmonary subspecialists, **180:**585
radiographic and CT findings of nontuberculous mycobacterial pulmonary infection caused by *Mycobacterium abscessus*, **181:**513
radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507
radiography, Doppler sonography, and MR angiography of malignant pulmonary hemangiopericytoma, **181:**1079
reversed halo sign on high-resolution CT of cryptogenic organizing pneumonia: diagnostic implications, **180:**1251
SARS: imaging of severe acute respiratory syndrome, **180:**1247
severe acute respiratory syndrome: radiographic and CT findings, **181:**3
severe acute respiratory syndrome: spectrum of high-resolution CT findings and temporal progression of the disease, **181:**1525
small solitary pulmonary nodules (≤ 1 cm) detected at population-based CT screening for lung cancer: reliable high-resolution CT features of benign lesions, **180:**955
thin-section CT findings in 32 immunocompromised patients with cytomegalovirus pneumonia who do not have AIDS, **181:**1059
tracheomalacia incidentally detected on CT pulmonary angiography of patients with suspected pulmonary embolism, **181:**1505
value of CT in assessing probable severe acute respiratory syndrome, **181:**317
widespread ground-glass opacity of the lung in consecutive patients undergoing CT: does lobular distribution assist diagnosis?, **180:**965

CT, musculoskeletal system
mineralization in musculoskeletal leiomyosarcoma: radiologic–pathologic correlation, **180:**109
spiral and multislice computed tomography of the body (b), **181:**1558

CT, ovary
imaging of ovarian fibromatosis, **180:**1288
"ovarian vascular pedicle" sign revealing organ of origin of a pelvic mass lesion on helical CT, **181:**131

CT, pancreas
anomalous pancreaticobiliary junction shown on multidetector CT, **180:**173
correlation of positron emission tomography and CT in evaluating pancreatic tumors: technical and clinical implications, **181:**387
CT and pathologic assessment of prospective nodal staging in patients with ductal adenocarcinoma of the head of the pancreas, **180:**475
CT, endoscopic sonography, and a combined protocol for preoperative evaluation of pancreatic insulinomas, **181:**987
macrocystic serous adenoma of the pancreas: radiologic–pathologic correlation, **181:**119
multifocal involvement of the pancreas in multiple myeloma: sonographic, CT, and MR imaging findings (l), **180:**545
preoperative detection of pancreatic insulinomas on multiphasic helical CT, **181:**775

CT, pelvis—*see also CT of specific organ*
bilateral arcuate-line hernia (l), **180:**864
chronic perineal pain caused by pudendal nerve entrapment: anatomy and CT-guided perineural injection technique, **181:**561
imaging of retained surgical sponges in the abdomen and pelvis, **180:**481; correction at **180:**1179

CT, shoulder
anterior shoulder dislocation: quantification of glenoid bone loss with CT, **180:**1423; erratum at **181:**283
traumatic sternomanubrial dislocation with associated bilateral internal mammary artery occlusion, **180:**810

CT, small bowel—*see also* **CT, gastrointestinal system**
comparison of multidetector CT and barium studies of the small bowel: inflammatory bowel disease in children, **180:**1211
duodenal diverticula mimicking cystic neoplasms of the pancreas: CT and MR imaging findings in seven patients, **180:**195
intestinal ischemia versus intramural hemorrhage: CT evaluation, **180:**177
localized intestinal lymphangiectasia: CT findings, **180:**213
pneumatosis intestinalis in patients with ischemia: correlation of CT findings with viability of the bowel, **180:**733
primary extrapulmonary small cell carcinoma involving the stomach or duodenum or both: findings on CT and barium studies, **180:**1325
prolapse of the common bile duct with small ampullary villous adenocarcinoma into third part of the duodenum (l), **181:**599

CT, soft tissue
imaging features of fat necrosis, **181:**955

CT, spine
CT versus radiography for initial evaluation of cervical spine trauma: what is the standard of care?, **180:**911
"plough" fracture: shear fracture of the anterior arch of the atlas, **181:**770

CT, spleen
estimating splenic volume: sonographic measurements correlated with helical CT determination, **181:**1615
partial splenic embolization for the treatment of hereditary spherocytosis, **181:**1021

CT, stomach—*see also* **CT, gastrointestinal system**
intrathoracic stomach revisited, **181:**403
portal vein gas resulting from ingestion of hydrogen peroxide (l), **181:**1719
primary extrapulmonary small cell carcinoma involving the stomach or duodenum or both: findings on CT and barium studies, **180:**1325
wall thickening of the gastric antrum as a normal finding: multidetector CT evaluation with cadaveric comparison, **181:**973

CT, thorax—*see* **CT, chest**

CT, thymus
thymic enlargement and FDG uptake in three patients: CT and FDG positron emission tomography correlated with pathology, **180:**519

CT, trachea
CT of blunt tracheal rupture, **180:**1670

CT, urinary bladder
imaging in the diagnosis, staging, and follow-up of cancer of the urinary bladder, **180:**1045

CT, uterus
CT and MRI of uterine sarcomas and their mimickers, **181:**1369
CT of a ruptured pyomyoma, **181:**1375

CT, vagina
multidetector CT appearance of a novel contraceptive device: the vaginal ring, **180:**1659

CT, vasculature—*see also* **CT, artery; CT, vein**
extracranial aneurysms in children: practical classification and correlative imaging, **181:**867
spiral and multislice computed tomography of the body (b), **181:**1558

CT, vein—*see also* **Angiography, CT; CT, vasculature; Venography, CT**
congenital anomalies of the inferior vena cava revealed on CT in patients with deep vein thrombosis, **180:**729

imaging characteristics of blue rubber bleb nevus syndrome, **181:**1041
multidetector CT angiography for preoperative evaluation of living laparoscopic kidney donors, **180:**1633
optimization of multidetector CT venography performed with elastic stockings on patients' lower extremities: a preliminary study of nonthrombosed veins, **180:**1093

CT, vocal cords
using CT to localize side and level of vocal cord paralysis, **180:**1165

CT, whole-body
CT and MR imaging of the whole body, vol. 1, 4th ed. (b), **181:**1326
CT screening examinations (l), **180:**1178
potential legal ramifications of whole-body CT screening: taking a peek into Pandora's box, **180:**317
should whole-body CT screening be performed with contrast media?, **180:**323
what is the optimum position of arms for acquiring scout images for whole-body CT with automatic tube current modulation? (l), **181:**596
whole-body three-dimensional multidetector CT of 13 Egyptian human mummies, **180:**597

CT, wrist
posttraumatic cystlike defects of the scaphoid: late sign of occult microfracture and useful indicator of delayed union, **180:**655

Cubital tunnel syndrome
carpal tunnel syndrome and cubital tunnel syndrome: work-related musculoskeletal disorders in four symptomatic radiologists, **181:**37

Cutting balloon
using a Cutting balloon to treat resistant high-grade dialysis graft stenosis, **180:**1072

Cyanoacrylate
permanent transarterial embolization of neuroendocrine metastases of the liver using cyanoacrylate and Lipiodol: assessment of mid- and long-term results, **180:**1379

Cyst
follow-up CT of moderately complex cystic lesions of the kidney (Bosniak category IIF), **181:**627
late complication of a large simple cyst of the liver mimicking cystadenocarcinoma after sclerotherapy, **181:**464
midline prostatic cysts in healthy men: incidence and transabdominal sonographic findings, **181:**1669

Cystadenocarcinoma
late complication of a large simple cyst of the liver mimicking cystadenocarcinoma after sclerotherapy, **181:**464
urachal mucinous cystadenocarcinoma with a cystic ovarian metastasis (l), **180:**1183

Cystic adventitial disease
clinical evaluation and MR imaging features of popliteal artery entrapment and cystic adventitial disease, **180:**627
imaging characteristics of cystic adventitial disease of the peripheral arteries: presentation as soft-tissue masses, **180:**621

Cystic lung disease
chronic cystic lung disease: diagnostic accuracy of high-resolution CT in 92 patients, **180:**827

Cystic renal masses
incidence of malignancy in complex cystic renal masses (Bosniak category III): should imaging-guided biopsy precede surgery?, **180:**755

Cystohepatic duct
bile duct of Luschka connecting with the cystohepatic duct: the importance of cholangiography during surgery, **180:**694

Cytokine production
pro- and antiinflammatory cytokine production after radiofrequency ablation of unresectable hepatic tumors (a), **180:**1485

D

Data
exploring and summarizing radiologic data, **180:**47
visualizing radiologic data, **180:**607

Database
multiinstitutional computer database for recording nonvascular imaging-guided interventions, **181:**1491

Deformities
bell-clapper deformity (l), **180:**1176

Density, breast
automated assessment of the composition of breast tissue revealed on tissue-thickness-corrected mammography, **180:**257
mammography and subsequent whole-breast sonography of nonpalpable breast cancers: the importance of radiologic breast density, **180:**1675

Devices
accuracy of a collagen-plug biopsy site marking device deployed after stereotactic core needle breast biopsy, **181:**1295
experience at a single institution with endovascular treatment of mechanical complications caused by implanted central venous access devices in pediatric and adult patients, **180:**527
feasibility study of NeoMend, a percutaneous arterial closure device that uses a nonthrombogenic bioadhesive, **180:**533
stereotactic core needle biopsy of nonpalpable breast lesions using a conventional mammography unit with an add-on device, **181:**527

Diabetes
diabetic muscle infarction, **181:**1216
using a phantom to compare MR techniques for determining the ratio of intraabdominal to subcutaneous adipose tissue, **180:**993

Diagnostic imaging
primer of diagnostic imaging, 3rd ed. (b), **181:**654

Dialysis
dialysis access: a multidisciplinary approach (b), **180:**702
hepatic subcapsular steatosis in response to intraperitoneal insulin delivery: CT findings and prevalence, **180:**1601
pulse-spray thrombolysis of thrombosed hemodialysis grafts with tissue plasminogen activator, **180:**1063
using a covered stent (Wallgraft) to treat pseudoaneurysms of dialysis grafts and fistulas, **180:**1067
using a Cutting balloon to treat resistant high-grade dialysis graft stenosis, **180:**1072

Diaphragm
diaphragmatic perforation and hernia after hepatic radiofrequency ablation, **180:**1561

Diffusion-tensor MRI
cerebral fractional anisotropy score in trauma patients: a new indicator of white matter injury after trauma, **181:**1401
diffusion-tensor MR imaging of normal brain maturation: a guide to structural development and myelination, **180:**851
evidence for cortical functional changes in patients with migraine and white matter abnormalities on conventional and diffusion tensor magnetic resonance imaging (a), **181:**602

Diffusion-weighted MRI
comparison of admission perfusion computed tomography and qualitative diffusion- and perfusion-weighted magnetic resonance imaging in acute stroke patients (a), **180:**286
Creutzfeldt-Jacob disease shown by line scan diffusion-weighted imaging (l), **180:**1481
diffusion-weighted MR imaging of cholesteatoma in pediatric and adult patients who have undergone middle ear surgery, **181:**261
diffusion-weighted MR imaging of pyogenic ventriculitis, **180:**71
diffusion-weighted MRI of cerebral *Toxoplasma* abscess, **181:**1711
effect of hydrophilic components of the extracellular matrix on quantifiable diffusion-weighted imaging of human gliomas: preliminary results of correlating apparent diffusion coefficient values and hyaluronan expression level, **181:**235
examining the lacunar hypothesis with diffusion and perfusion magnetic resonance imaging (a), **180:**286
hypointensity on diffusion-weighted MRI of the brain related to T2 shortening and susceptibility effects, **181:**1705
predictors of hemorrhagic transformation after intravenous recombinant tissue plasminogen activator: prognostic value of the initial apparent diffusion coefficient and diffusion-weighted lesion volume (a), **180:**286
quantitative assessment of diffusion abnormalities in benign and malignant vertebral compression fractures by line scan diffusion-weighted imaging, **181:**1203
reliability of assessing percentage of diffusion–perfusion mismatch (a), **181:**1724
role of diffusion-weighted imaging in estimating tumor necrosis after chemoembolization of hepatocellular carcinoma, **181:**708

Digital images
capturing PACS images (l), **180:**285
color correction and automating repetitive tasks, **181:**383
improving image contrast, **180:**329
preparation of digital images for presentation and publication, **180:**1523
removal of dust and scratches from electronic image files, **180:**1533
sharpening the image, **181:**43

Digital subtraction angiography—*see* **Angiography, digital subtraction**

Diprosopus
CT and MR findings of a rare craniofacial malformation: diprosopus (l), **180:**863

Diskography
radicular pain avoidance during needle placement in lumbar diskography, **181:**1149

Dislocation
anterior shoulder dislocation: quantification of glenoid bone loss with CT, **180:**1423; erratum at **181:**283
posterior fossa subarachnoid hemorrhage due to an atlantooccipital dislocation, **180:**1476
traumatic sternomanubrial dislocation with associated bilateral internal mammary artery occlusion, **180:**810

Dissection
pathogenesis in acute aortic syndromes: aortic dissection, intramural hematoma, and penetrating atherosclerotic aortic ulcer, **181:**309

Diverticula
barium impaction therapy for refractory colonic diverticular bleeding, **180:**490

duodenal diverticula mimicking cystic neoplasms of the pancreas: CT and MR imaging findings in seven patients, **180:**195

Diverticulitis
sonographic findings of Meckel's diverticulitis in children, **180:**425

Donors
living donor liver transplantation in adults: vascular variants important in surgical planning for donors and recipients, **181:**109
multidetector CT angiography for preoperative evaluation of living laparoscopic kidney donors, **180:**1633

Doppler sonography—*see also* **Color Doppler sonography, Power Doppler sonography**
prediction of clinical response after renal angioplasty: respective value of renal Doppler sonography and scintigraphy, **181:**1029
radiography, Doppler sonography, and MR angiography of malignant pulmonary hemangiopericytoma, **181:**1079
resistive index in renal Doppler sonography: where do we stand?, **180:**885
significance of and contributing factors for a high resistive index on Doppler sonography of the hepatic artery immediately after surgery: prognostic implications for liver transplant recipients, **181:**831
spectrum of Doppler waveforms in the carotid and vertebral arteries, **181:**1695

Dose—*see* **Radiation dose**

Double interpretation
increase in cancer detection and recall rates with independent double interpretation of screening mammography, **180:**1461

Doxorubicin
radiofrequency ablation in the treatment of small hepatocellular carcinomas: comparison of the radiofrequency effect with and without chemoembolization, **181:**997

Drainage
continuous high-output drainage of hepatic abscess 3 months after radiofrequency ablation of hepatocellular carcinoma, **180:**1079
fluid removal limitations in thoracentesis (l), **180:**541
single-wall puncture: a new technique for percutaneous transhepatic biliary drainage, **181:**717
sonographically guided transgluteal drainage of pelvic abscesses, **181:**498

Dual x-ray absorptiometry
comparison of imaging-guided and non–imaging-guided quantitative sonography of the calcaneus with dual x-ray absorptiometry of the spine and femur, **180:**1111

Dual-energy radiography
dual-energy chest radiography with a flat-panel digital detector: revealing calcified chest abnormalities, **181:**1519

Duchenne's disease
gastric wall weakening resulting in separate perforations in a patient with Duchenne's muscular dystrophy, **181:**807

Duct—*see specific duct*

Ductus arteriosus
morphologic assessment of patent ductus arteriosus in adults using retrospectively ECG-gated multidetector CT, **181:**749

Ductus venosus
embolization of the patent ductus venosus in an adult patient, **180:**716

Duodenum—*see* **Small bowel**

Dynamic CT
detection of hepatocellular carcinoma: comparison of dynamic MR imaging with dynamic double arterial phase helical CT, **180:**455
dynamic CT of acute cholangitis: early inhomogeneous enhancement of the liver, **181:**115

Dynamic MRI
carcinosarcoma of the urinary bladder: dynamic contrast-enhanced MR imaging with clinical and pathologic correlation, **181:**139
detection of hepatocellular carcinoma: comparison of dynamic MR imaging with dynamic double arterial phase helical CT, **180:**455
dynamic MRI of fibromatosis of the breast (l), **181:**1718
dynamic subtraction MR imaging of the liver: advantages and pitfalls, **180:**1351

Dynamic sonography
dynamic sonography of the forefoot: the sonographic Mulder sign, **180:**1121
using dynamic sonography to diagnose extensor digitorum brevis manus, **181:**1224

Dyspepsia
time-resolved three-dimensional MR imaging of gastric emptying modified by IV administration of erythromycin, **180:**1305

Dysphagia
epiglottic carcinoma as a cause of laryngeal penetration and aspiration, **180:**207

E

Ear
diffusion-weighted MR imaging of cholesteatoma in pediatric and adult patients who have undergone middle ear surgery, **181:**261

Economics
counterpoint: screening CT and modern economics, **181:**1195
Medicare part B: politics, policy, and fiscal reality—and why it affects every radiologist (pb), **181**(6)**:**A10
the uninsured: economic drivers and why you should care (pb), **181**(4)**:**A15

Ectopic parathyroid gland
angiographic ablation of an ectopic mediastinal hyperplastic parathyroid gland using a left internal mammary artery coronary bypass, **181:**95

Ectopic pregnancy
placenta percreta versus ectopic pregnancy (l), **180:**284

Edema
MR imaging of bone marrow edema and joint effusion in patients with osteonecrosis of the femoral head: relationship to pain, **181:**545
MR imaging of the lumbar spine: relation of posterior soft-tissue edema-like signal and body weight, **180:**81

Editorials
Forman's policy brief: a monthly feature on governmental initiatives (e), **181:**617
gifts of the Magi (e), **181:**1447
helical CT: the revolution in imaging (e), **180:**883
images, the coin of the radiologists' realm: illustrating scientific articles (e), **181:**301
imaging characteristics of bioterrorism: signs of our times (e), **180:**563
imaging literacy: a laudable goal in the education of medical students (e), **180:**1201
low-dose CT: how are we doing? (e), **180:**303
"my word, what is that?": Hounsfield and the triumph of clinical research (e), **180:**1501
SARS wars: confronting a new microbe (e), **181:**1
screening mammography: target of opportunity for the media (e), **180:**1
Thanksgiving and the joys of participation (e), **181:**1173
winds of change: a time of transition for the *AJR* (e), **181:**905

Education
imaging literacy: a laudable goal in the education of medical students (e), **180:**1201
vital role of radiology in the medical school curriculum, **180:**1239
vital role of radiology in the medical school curriculum (l), **181:**1428
what price, abdominal radiology?, **181:**1175

Effusion
limited effectiveness of sonography in revealing hip joint effusion: preliminary results in 21 adult patients with native and postoperative hips, **181:**215
MR imaging of bone marrow edema and joint effusion in patients with osteonecrosis of the femoral head: relationship to pain, **181:**545

Elastase
aberrant origin of the superior thyroid artery and the tracheoesophageal branch from the common carotid artery: a source of failure in elastase-induced aneurysms in rabbits, **181:**739

Elastic stockings
optimization of multidetector CT venography performed with elastic stockings on patients' lower extremities: a preliminary study of nonthrombosed veins, **180:**1093

Elastography
elastographic measurement of the area and volume of thermal lesions resulting from radiofrequency ablation: pathologic correlation, **181:**701

Elbow
sonography of the medial collateral ligament of the elbow: a study of cadavers and healthy adult male volunteers, **180:**389

Electrode tips
argon beam coagulator electrode tip mimicking a metallic foreign body, **181:**157

Electron beam CT
noninvasive coronary imaging using electron beam CT: surface rendering versus volume rendering, **180:**223

Electronic cleansing
electronic cleansing and stool tagging in CT colonography: advantages and pitfalls with primary three-dimensional evaluation, **181:**799

Electronic images—*see* **Digital images**

Embolism
percutaneous transthoracic needle biopsy complicated by air embolism (l), **181:**279
six cases of acute central pulmonary embolism revealed on unenhanced multidetector CT of the chest, **180:**1661
tracheomalacia incidentally detected on CT pulmonary angiography of patients with suspected pulmonary embolism, **181:**1505

Embolization—*see also* **Chemoembolization**
abdominal myomectomy versus uterine fibroid embolization in the treatment of symptomatic uterine leiomyomas, **180:**1571
added benefit of thoracic aortography after transarterial embolization in patients with hemoptysis, **180:**1577
adenomyosis: MRI of the uterus treated with uterine artery embolization, **181:**851
embolization of the patent ductus venosus in an adult patient, **180:**716

is a large fibroid a high-risk factor for uterine artery embolization?, **181:**1309
partial splenic embolization for the treatment of hereditary spherocytosis, **181:**1021
permanent transarterial embolization of neuroendocrine metastases of the liver using cyanoacrylate and Lipiodol: assessment of mid- and long-term results, **180:**1379
role of diffusion-weighted imaging in estimating tumor necrosis after chemoembolization of hepatocellular carcinoma, **181:**708
sonography of delayed effects of uterine artery embolization on ovarian arterial perfusion and function, **181:**89
symptomatic intrahepatic portosystemic venous shunt: angiographic findings and transcatheter embolization with an alternative approach, **181:**71

Embolus
detection of pulmonary emboli resulting from ovarian vein thrombosis (l), **181:**1430
pulmonary embolus in pregnant patients: a survey of practices and policies for CT pulmonary angiography, **181:**1495

Emergency radiology—*see also* **Trauma**
evaluation of emergency CT scans of the head: is there a community standard?, **180:**1727
preliminary interpretations of after-hours CT and sonography by radiology residents versus final interpretations by body imaging radiologists at a level I trauma center, **181:**367

Emphysema
CT findings and temporal course of persistent pulmonary interstitial emphysema in neonates: a multiinstitutional study, **180:**1129

Employment
findings in 2002 from a help wanted index of job advertisements: is the job-market shortage of diagnostic radiologists easing?, **181:**351
seeking an academic department chairperson, **181:**951

Endoleak
MR angiography of endoleak with inconclusive concomitant CT angiography, **181:**736

Endometrioma
subcutaneous endometrioma as an unexpected cause of chronic abdominal pain (l), **181:**1157

Endoscopic retrograde cholangiopancreatography—*see* **Cholangiopancreatography, endoscopic retrograde**

Endoscopy
CT, MR cholangiopancreatography, and endoscopy findings in Bouveret's syndrome, **180:**1033
prospective trial comparing small bowel radiographs and video capsule endoscopy for suspected small bowel disease (a), **180:**1484

Endovaginal coil
urethra and its supporting structures in women with stress urinary incontinence: MR imaging using an endovaginal coil, **180:**1037

Enema
contrast enema before bypass surgery for small-bowel obstruction in the oncologic patient: is it necessary?, **181:**1361
new universal colostomy tip for barium enemas of the colon, **180:**1330

Entrapment
clinical evaluation and MR imaging features of popliteal artery entrapment and cystic adventitial disease, **180:**627

Eosinophilia
peripheral blood eosinophilia associated with gastrointestinal administration of iodinated contrast media, **180:**751

Epiglottis
epiglottic carcinoma as a cause of laryngeal penetration and aspiration, **180:**207

Epiploic appendage
torsion of the epiploic appendage, **180:**748

ERCP—*see* **Cholangiopancreatography, endoscopic retrograde**

Erythema multiforme major
diffuse esophageal stricture caused by erythema multiforme major, **180:**749

Erythromycin
time-resolved three-dimensional MR imaging of gastric emptying modified by IV administration of erythromycin, **180:**1305

Esophagogastritis
acute diffuse phlegmonous esophagogastritis: radiologic diagnosis (l), **180:**862

Esophagography
diagnosis, staging, and follow-up of esophageal cancer, **181:**785
diffuse esophageal stricture caused by erythema multiforme major, **180:**749
tracheoesophageal fistula from a gunshot wound to the neck, **180:**212

Esophagus
acute diffuse phlegmonous esophagogastritis: radiologic diagnosis (l), **180:**862
Barrett's esophagus can and does regress after antireflux surgery: a study of prevalence and predictive features (a), **181:**1159
CT of the pediatric esophagus, **181:**1391
diagnosis, staging, and follow-up of esophageal cancer, **181:**785
diffuse esophageal stricture caused by erythema multiforme major, **180:**749
esophageal tuberculosis manifesting as submucosal abscess (l), **180:**1482
esophageal varices: diagnosis with gadolinium-enhanced MR imaging of the liver for patients with chronic liver damage, **180:**461
overlap phenomenon: a potential pitfall in the radiographic detection of lower esophageal rings, **180:**745
primary Hodgkin's lymphoma of the esophagus, **180:**1335
usefulness of barium studies for differentiating benign and malignant strictures of the esophagus, **180:**737
usefulness of high-density barium for detection of leaks after esophagogastrectomy, total gastrectomy, and total laryngectomy, **181:**415
videofluoroscopy of swallowing abnormalities in 22 symptomatic patients after cardiovascular surgery, **180:**987

Ethanol
carbon dioxide–enhanced sonographically guided percutaneous ethanol injection: treatment of patients with viable and recurrent hepatocellular carcinoma, **181:**1647
CT-guided percutaneous ethanol injection of the thymus for treatment of myasthenia gravis, **181:**721
efficacy of sonographically guided percutaneous ethanol injection for treatment of thyroid cysts versus solid thyroid nodules, **180:**1723
serial ethanol ablation of multiple hepatic cysts as an alternative to liver transplantation, **180:**472

Excretory urography
reducing the radiation dose during excretory urography: flat-panel silicon x-ray detector versus computed radiography, **181:**931

Extremities—*see also specific body part*
carpal tunnel syndrome and cubital tunnel syndrome: work-related musculoskeletal disorders in four symptomatic radiologists, **181:**37
MRI of the extremities: an anatomic atlas, 2nd ed. (b), **180:**1134
osseous change adjacent to soft-tissue hemangiomas of the extremities: correlation with lesion size and proximity to bone, **180:**1695
randomized prospective study comparing routine versus selective use of sonography of the complete calf in patients with suspected deep venous thrombosis, **180:**241

F

Face—*see* **Head and neck**

Fast low-angle shot MRI—*see* **FLASH**

Fat
bowel wall fat halo sign in patients without intestinal disease, **181:**781
effects of tamoxifen on hepatic fat content and the development of hepatic steatosis in patients with breast cancer: high frequency of involvement and rapid reversal after completion of tamoxifen therapy, **180:**129
encapsulated versus nonencapsulated superficial fatty masses: a proposed MR imaging classification, **180:**1419
fat sparing of surrounding liver from metastasis in patients with fatty liver: MR imaging with histopathologic correlation, **180:**1347
imaging characteristics of spindle cell lipoma, **181:**1251
imaging features of fat necrosis, **181:**955
using a phantom to compare MR techniques for determining the ratio of intraabdominal to subcutaneous adipose tissue, **180:**993

FDG
correlation of positron emission tomography and CT in evaluating pancreatic tumors: technical and clinical implications, **181:**387
cost of positron emission tomography in six United States Veterans Affairs hospitals and two academic medical centers, **181:**359
focal nodular hyperplasia of the hematopoietic marrow simulating vertebral metastasis on FDG position emission tomography, **180:**669
sacral fractures: a potential pitfall of FDG positron emission tomography, **181:**1239
thymic enlargement and FDG uptake in three patients: CT and FDG positron emission tomography correlated with pathology, **180:**519

Femur—*see also* **Leg**
comparison of imaging-guided and non–imaging-guided quantitative sonography of the calcaneus with dual x-ray absorptiometry of the spine and femur, **180:**1111

Fentanyl
effects of IV pentobarbital with and without fentanyl on end-tidal carbon dioxide levels during deep sedation of pediatric patients undergoing MRI, **181:**1691

Ferumoxides
comparing Levovist-enhanced pulse inversion harmonic imaging and ferumoxides-enhanced MR imaging of hepatic metastases, **180:**1339

Fetal imaging
fetal cardiographic monitoring during 1.5-T MR imaging, **180:**1159
fetal central nervous system biometry on MR imaging, **180:**1155
fetal MR imaging of lymphatic malformation in a twin gestation (l), **181:**286
MRI of fetal genitourinary anomalies, **181:**1381
new pregnancy policy for a new era, **181:**335

prenatal MRI of heteropagus twins, **181:**1676
prenatal sonography and MR imaging of pulmonary sequestration, **180:**433

Fibrodysplasia ossificans progressiva
contrast-enhanced MRI of an early preosseous lesion of fibrodysplasia ossificans progressiva in a 21-month-old boy, **181:**1145

Fibroid
abdominal myomectomy versus uterine fibroid embolization in the treatment of symptomatic uterine leiomyomas, **180:**1571
is a large fibroid a high-risk factor for uterine artery embolization?, **181:**1309

Fibroma
MR imaging of fibroma of the tendon sheath, **180:**1449

Fibromatosis
dynamic MRI of fibromatosis of the breast (l), **181:**1718
imaging of ovarian fibromatosis, **180:**1288
infantile fibromatosis (l), **180:**284

Fibrosis
autoimmune pancreatitis associated with idiopathic retroperitoneal fibrosis, **181:**993
fibrosis in the upper lobes: a newly identified late-onset complication after lung transplantation?, **181:**1539
high-resolution CT of asbestosis and idiopathic pulmonary fibrosis, **181:**163

Figley fellows
Melvin M. Figley fellowship recipients for 2003 (n), **180:**1036

Filariasis
filarial "dance" in breast mass (l), **181:**1157

Film print quality
using receiver operating characteristic methodology to evaluate the diagnostic quality of radiography on paper prints versus film, **181:**1487

Film-screen radiography
comparing image quality of flat-panel chest radiography with storage phosphor radiography and film-screen radiography, **181:**171
dose reduction in patients undergoing chest imaging: digital amorphous silicon flat-panel detector radiography *versus* conventional film-screen radiography and phosphor-based computed radiography, **181:**923

Fistula
digital subtraction MR fistulography: new diagnostic tool for the detection of fistula in ano, **181:**1611
fluoroscopic diagnosis of a second branchial cleft fistula (l), **181:**285
pulmonary arteriovenous fistulas developed after chemotherapy of metastatic choriocarcinoma, **181:**1544
tracheoesophageal fistula from a gunshot wound to the neck, **180:**212
using a covered stent (Wallgraft) to treat pseudoaneurysms of dialysis grafts and fistulas, **180:**1067

Fistulography, MR
digital subtraction MR fistulography: new diagnostic tool for the detection of fistula in ano, **181:**1611

Fitz-Hugh–Curtis syndrome
Fitz-Hugh–Curtis syndrome: multidetector CT findings of transient hepatic attenuation difference and gallbladder wall thickening, **180:**1605

FLASH
characterization of adrenal tumors by chemical shift fast low-angle shot MR imaging: comparison of four methods of quantitative evaluation, **180:**1649

Flat-panel radiography
comparing image quality of flat-panel chest radiography with storage phosphor radiography and film-screen radiography, **181:**171
dose reduction in patients undergoing chest imaging: digital amorphous silicon flat-panel detector radiography versus conventional film-screen radiography and phosphor-based computed radiography, **181:**923
dual-energy chest radiography with a flat-panel digital detector: revealing calcified chest abnormalities, **181:**1519
reducing the radiation dose during excretory urography: flat-panel silicon x-ray detector versus computed radiography, **181:**931

Fleming, Richard J.
Richard J. Fleming, 1931–2003 (m), **181:**88

Floxuridine infusion pump
multidetector CT arteriography with volumetric three-dimensional rendering to evaluate patients with metastatic colorectal disease for placement of a floxuridine infusion pump, **181:**455

Fluid collection
prevalence and size of meniscal cysts, ganglionic cysts, synovial cysts of the popliteal space, fluid-filled bursae, and other fluid collections in asymptomatic knees on MR imaging, **180:**1431

Fluorodeoxyglucose—*see* **FDG**

Fluoroscopy—*see also* **Videofluoroscopy**
additional value of a modified method of intraosseous venography during percutaneous vertebroplasty, **180:**87
combined sonographic and fluoroscopic guidance during transjugular hepatic biopsies performed in children: a retrospective study of 74 biopsies, **180:**1393
fluoroscopic diagnosis of a second branchial cleft fistula (l), **181:**285
fluoroscopically guided scapulothoracic injections, **181:**1232

Fluoroscopy, CT
combining fine-needle aspiration and core biopsy under CT fluoroscopy guidance: a better way to treat patients with lung nodules?, **180:**811
percutaneous acetic acid injection for hepatocellular carcinoma: using CT fluoroscopy to evaluate distribution of acetic acid mixed with an iodinated contrast agent, **180:**159

Fluoroscopy, MR
MR imaging–guided adrenal biopsy using an open low-field-strength scanner and MR fluoroscopy, **180:**1567

Focal nodular hyperplasia
focal nodular hyperplasia of the hematopoietic marrow simulating vertebral metastasis on FDG position emission tomography, **180:**669

Foot
"absent middle facet"": a sign on unenhanced radiography of subtalar joint coalition, **181:**1565
dynamic sonography of the forefoot: the sonographic Mulder sign, **180:**1121
new radiographic classification of bone involvement in pedal mycetoma, **180:**665
sonography and MR imaging of selected benign masses in the ankle and foot, **180:**99
sonography of dorsal ankle and foot abnormalities, **181:**1573
unusual case of polydactyly of the foot (l), **181:**1721

Forearm—*see* **Arm**

Foreign bodies
argon beam coagulator electrode tip mimicking a metallic foreign body, **181:**157
terminal spine of agave plant extracted from patient's spinal cord (l), **181:**1155
unique case of foreign-body appendicitis (l), **181:**1431

Fracture
avulsion fracture of the head of the fibula (the "arcuate" sign): MR imaging findings predictive of injuries to the posterolateral ligaments and posterior cruciate ligament, **180:**381
collar osteophytes: a cause of false-positive findings in bone scans for hip fractures, **181:**191
four-channel multidetector CT in facial fractures: do we need 2 × 0.5 mm collimation?, **180:**1707
MR imaging of ulnocarpal impaction after fracture of the distal radius, **181:**195
partial Hawkins sign in fractures of the talus: a report of three cases, **181:**1559
percutaneous vertebroplasty: treatment of painful vertebral compression fractures with intraosseous vacuum phenomena, **180:**1411
"plough" fracture: shear fracture of the anterior arch of the atlas, **181:**770
posttraumatic cystlike defects of the scaphoid: late sign of occult microfracture and useful indicator of delayed union, **180:**655
quantitative assessment of diffusion abnormalities in benign and malignant vertebral compression fractures by line scan diffusion-weighted imaging, **181:**1203
sacral fractures: a potential pitfall of FDG positron emission tomography, **181:**1239
should the routine wrist examination for trauma be a four-view study, including a semisupinated oblique view?, **181:**1235
subchondral fractures in osteonecrosis of the femoral head: comparison of radiography, CT, and MR imaging, **180:**363

Fraud
Medicare fraud and abuse, **180:**591

Fundamentals of Clinical Research series
exploring and summarizing radiologic data, **180:**47
introduction to probability theory and sampling distributions, **180:**917
visualizing radiologic data, **180:**607

Fusion, hepatic pulmonary
MR imaging of hepatic pulmonary fusion in neonates, **180:**438

G

Gadobenate dimeglumine
evaluation of gadobenate dimeglumine for contrast-enhanced MRI of the breast (c), **181:**677
gadobenate dimeglumine–enhanced MRI of the breast: analysis of dose response and comparison with gadopentetate dimeglumine, **181:**663

Gadolinium
dynamic subtraction MR imaging of the liver: advantages and pitfalls, **180:**1351
esophageal varices: diagnosis with gadolinium-enhanced MR imaging of the liver for patients with chronic liver damage, **180:**461
vascular complications after living related liver transplantation: evaluation with gadolinium-enhanced three-dimensional MR angiography, **181:**467

Gadopentetate dimeglumine
evaluation of gadobenate dimeglumine for contrast-enhanced MRI of the breast (c), **181:**677
gadobenate dimeglumine–enhanced MRI of the breast: analysis of dose response and comparison with gadopentetate dimeglumine, **181:**663
MR renography using a dynamic gradient-echo sequence and low-dose gadopentetate dimeglumine as an alternative to radionuclide renography, **181:**441

Gallbladder
CT, MR cholangiopancreatography, and endoscopy findings in Bouveret's syndrome, **180:**1033
Fitz-Hugh–Curtis syndrome: multidetector CT findings of transient hepatic attenuation difference and gallbladder wall thickening, **180:**1605
radiofrequency ablation of hepatic tumors adjacent to the gallbladder: feasibility and safety, **180:**697
sonographic diagnosis of biliary atresia in pediatric patients using the "triangular cord" sign versus gallbladder length and contraction, **181:**1387
Gallium
gallium uptake in complicated pancreatitis (l), **180:**1177
Ganglion
communication of the ganglion with the joint and the tendon sheath (l), **180:**541
Ganglion cyst
MRI of an intratendinous ganglion cyst of the peroneus brevis tendon (l), **181:**890
Gangrene
imaging features of pseudoaneurysms of the hand in children and adults, **180:**659
Gas, portal vein
portal vein gas resulting from ingestion of hydrogen peroxide (l), **181:**1719
Gastric antrum
wall thickening of the gastric antrum as a normal finding: multidetector CT evaluation with cadaveric comparison, **181:**973
Gastric emptying
time-resolved three-dimensional MR imaging of gastric emptying modified by IV administration of erythromycin, **180:**1305
Gastric outlet obstruction
CT, MR cholangiopancreatography, and endoscopy findings in Bouveret's syndrome, **180:**1033
Gastric wall
gastric wall weakening resulting in separate perforations in a patient with Duchenne's muscular dystrophy, **181:**807
Gastrointestinal stromal tumor
anorectal gastrointestinal stromal tumors: CT and MR imaging features with clinical and pathologic correlation, **180:**1607
cystlike hepatic metastases from gastrointestinal stromal tumors could be seen before any treatment (l), **181:**282
multidetector CT of high-risk patients with occult gastrointestinal stromal tumors, **180:**185
Gastrointestinal system—*see also specific organ*
anorectal gastrointestinal stromal tumors: CT and MR imaging features with clinical and pathologic correlation, **180:**1607
Bouveret's syndrome: appearance on CT and upper gastrointestinal radiography before and after stone obturation, **181:**828
CT features with pathologic correlation of acute gastrointestinal graft-versus-host disease after bone marrow transplantation in adults, **181:**1621
epiglottic carcinoma as a cause of laryngeal penetration and aspiration, **180:**207
gastrointestinal and genitourinary smooth-muscle tumors, **181:**1349
gastrointestinal radiology: a pattern approach, 4th ed. (b), **180:**1620
Genitourinary system—*see also specific organ*
gastrointestinal and genitourinary smooth-muscle tumors, **181:**1349
MRI of fetal genitourinary anomalies, **181:**1381
Giant cell reparative granuloma
solid variant of aneurysmal bone cysts in long tubular bones: giant cell reparative granuloma, **180:**1681
Giant cell tumor
mimics on radiography of giant cell tumor of bone, **181:**1583
Glioma
effect of hydrophilic components of the extracellular matrix on quantifiable diffusion-weighted imaging of human gliomas: preliminary results of correlating apparent diffusion coefficient values and hyaluronan expression level, **181:**235
surgical bed after BCNU polymer wafer placement for recurrent glioma: serial assessment on CT and MR imaging, **180:**1469
Glomerular filtration rate
measuring single-kidney glomerular filtration rate on single-detector helical CT using a two-point Patlak plot technique in patients with increased interstitial space, **181:**147
Glomus tumor
juxtacortical glomus tumor of the distal femur adjacent to the popliteal fossa, **181:**1590
Government—*see also* **Congress**
Congress seems to be doing a lot, but nothing gets done...how a bill becomes a law (pb), **181**(2)**:**A5
Forman's policy brief: a monthly feature on governmental initiatives (e), **181:**617
the uninsured: economic drivers and why you should care (pb), **181**(4)**:**A15
who, what, and why of Medicare (pb), **181**(1)**:**A7
Graft-versus-host disease
CT features with pathologic correlation of acute gastrointestinal graft-versus-host disease after bone marrow transplantation in adults, **181:**1621
Grafts
MR arthrography of anterior cruciate ligament reconstruction grafts, **181:**1217
pulse-spray thrombolysis of thrombosed hemodialysis grafts with tissue plasminogen activator, **180:**1063
using a covered stent (Wallgraft) to treat pseudoaneurysms of dialysis grafts and fistulas, **180:**1067
using a Cutting balloon to treat resistant high-grade dialysis graft stenosis, **180:**1072
Granuloma
solid variant of aneurysmal bone cysts in long tubular bones: giant cell reparative granuloma, **180:**1681
Graphs and charts
visualizing radiologic data, **180:**607
Ground-glass opacity
widespread ground-glass opacity of the lung in consecutive patients undergoing CT: does lobular distribution assist diagnosis?, **180:**965
Growth
does Blount disease alter the growth of the distal femur? (l), **180:**282
Guidelines
guidelines for contrast media from the European Society of Urogenital Radiology, **181:**1463
Gunshot wound
arterial embolization of a bullet (l), **180:**281
tracheoesophageal fistula from a gunshot wound to the neck, **180:**212

H

Hamartoma
transsphenoidal (large craniopharyngeal) canal associated with a normally functioning pituitary gland and nasopharyngeal extension, hyperprolactinemia, and hypothalamic hamartoma, **180:**76
Hand
imaging features of pseudoaneurysms of the hand in children and adults, **180:**659
Harmonic sonography
comparing Levovist-enhanced pulse inversion harmonic imaging and ferumoxides-enhanced MR imaging of hepatic metastases, **180:**1339
comparison of conventional sonography, real-time compound sonography, tissue harmonic sonography, and tissue harmonic compound sonography of abdominal and pelvic lesions, **181:**1341
contrast-enhanced harmonic gray-scale sonographic–histologic correlation of the therapeutic effects of transcatheter arterial chemoembolization in patients with hepatocellular carcinoma, **181:**65
diagnostic accuracy of phase-inversion tissue harmonic imaging versus fundamental B-mode sonography in the evaluation of focal lesions of the kidney, **180:**1639
radiofrequency ablation of hepatocellular carcinoma: therapeutic response using contrast-enhanced coded phase-inversion harmonic sonography, **181:**57
sonographic evaluation of shoulder arthroplasty, **180:**1117
transcatheter arterial chemoembolization of hepatocellular carcinoma: usefulness of coded phase-inversion harmonic sonography, **180:**703
Harmonics—*see* **Spatial harmonics**
Head and neck—*see also specific body part*
cavernous sinus syndrome: clinical features and differential diagnosis with MR imaging, **181:**583
comparison between low-dose and standard-dose multidetector CT in patients with suspected chronic sinusitis, **181:**939
CT and MR findings of a rare craniofacial malformation: diprosopus (l), **180:**863
CT and MRI features of recurrent tumors and second primary neoplasms in patients with retinoblastoma, **181:**879
diffusion-weighted MR imaging of cholesteatoma in pediatric and adult patients who have undergone middle ear surgery, **181:**261
evaluation of emergency CT scans of the head: is there a community standard?, **180:**1727
extension of pancreatic pseudocysts into the neck: CT and MR imaging findings, **180:**843
fluoroscopic diagnosis of a second branchial cleft fistula (l), **181:**285
four-channel multidetector CT in facial fractures: do we need 2 × 0.5 mm collimation?, **180:**1707
head and neck imaging, 4th ed., vols. 1 and 2 (b), **181:**1058
imaging characteristics of spindle cell lipoma, **181:**1251
MR imaging of diverse manifestations of nasopharyngeal carcinomas, **180:**1715
MRI of angiosarcoma of the calvaria (l), **181:**1432
spectrum of Doppler waveforms in the carotid and vertebral arteries, **181:**1695
transsphenoidal (large craniopharyngeal) canal associated with a normally functioning pituitary gland and nasopharyngeal extension, hyperprolactinemia, and hypothalamic hamartoma, **180:**76
using CT to localize side and level of vocal cord paralysis, **180:**1165
using MR imaging to predict invasion of the recurrent laryngeal nerve by thyroid carcinoma, **180:**837
Health insurance—*see also* **Medicare**
the uninsured: economic drivers and why you should care (pb), **181**(4)**:**A15

Heart—*see also* **Artery, coronary; Cardiovascular disease; Chest**
anatomy of pericardial recesses on multidetector CT: implications for oncologic imaging, **181:**1109
comparing thin-section and thick-section CT of pericardial sinuses and recesses, **181:**1101
coronary magnetic resonance angiography (b), **180:**206
fetal cardiographic monitoring during 1.5-T MR imaging, **180:**1159
late myocardial enhancement in hypertrophic cardiomyopathy with contrast-enhanced MR imaging, **180:**981
mediastinal and pericardial hydatid cysts: an unusual cause of circulatory collapse (l), **181:**285
MR evaluation of arrhythmogenic right ventricular cardiomyopathy in pediatric patients, **180:**1135
multidetector CT evaluation of congenital heart disease in pediatric and adult patients, **180:**973
Rosetta stone for coronary calcium risk stratification: Agatston, volume, and mass scores in 11,490 individuals, **181:**743
unique presentation of cardiac sarcoidosis (l), **180:**1738
Helical CT
congenitally corrected transposition of the great arteries in a 70-year-old woman diagnosed using single-detector helical CT (l), **181:**598
contrast-enhanced helical CT of choledocholithiasis, **181:**125
detection of hepatocellular carcinoma: comparison of dynamic MR imaging with dynamic double arterial phase helical CT, **180:**455
estimating splenic volume: sonographic measurements correlated with helical CT determination, **181:**1615
helical CT of the body: a survey of techniques used for pediatric patients, **180:**401
helical CT screening for hepatocellular carcinoma in patients with cirrhosis: frequency and causes of false-positive interpretation, **180:**1007
helical CT: the revolution in imaging (e), **180:**883
measuring single-kidney glomerular filtration rate on single-detector helical CT using a two-point Patlak plot technique in patients with increased interstitial space, **181:**147
"ovarian vascular pedicle" sign revealing organ of origin of a pelvic mass lesion on helical CT, **181:**131
preoperative detection of pancreatic insulinomas on multiphasic helical CT, **181:**775
spiral and multislice computed tomography of the body (b), **181:**1558
Hemangioblastoma
intrasellar hemangioblastoma: characteristic prominent vessels on MR imaging (l), **180:**1480
Hemangioendothelioma
hepatic epithelioid hemangioendothelioma: sonographic, CT, and MR imaging appearances, **180:**1359
Hemangioma
hemangioma of the triceps muscle, **181:**544
hepatic hemangioma: atypical appearances on CT, MR imaging, and sonography, **180:**135
osseous change adjacent to soft-tissue hemangiomas of the extremities: correlation with lesion size and proximity to bone, **180:**1695
Hemangiopericytoma
radiography, Doppler sonography, and MR angiography of malignant pulmonary hemangiopericytoma, **181:**1079
Hematoma
chronic expanding hematoma of the thorax (l), **180:**1182
pathogenesis in acute aortic syndromes: aortic dissection, intramural hematoma, and penetrating atherosclerotic aortic ulcer, **181:**309
pulmonary hematoma resulted from anticoagulant therapy (l), **180:**1740
Hemodialysis—*see* **Dialysis**
Hemodynamics
cerebral hemodynamics and metabolism in patients with symptomatic occlusion of the internal carotid artery (a), **181:**602
cerebral hemodynamics in asymptomatic and symptomatic patients with high-grade carotid stenosis undergoing carotid endarterectomy (a), **181:**1723
change in the hemodynamics of the portal venous system after retrograde transvenous balloon occlusion of a gastrorenal shunt, **181:**1011
CT signs of hepatofugal portal venous flow in patients with cirrhosis, **181:**1629
pseudolesion of the bile duct caused by flow effect: a diagnostic pitfall of MR cholangiopancreatography, **180:**467
rapid perfusion abnormality estimation in acute stroke with temporal correlation analysis (a), **181:**1724
standardization of flow velocities with respect to age and sex improves the accuracy of transcranial color Doppler sonography of middle cerebral artery spasm, **181:**245
symptomatic intrahepatic portosystemic venous shunt: angiographic findings and transcatheter embolization with an alternative approach, **181:**71
using slow-infusion MR arteriography and an implantable port system to assess drug distribution at hepatic arterial infusion chemotherapy, **180:**681
Hemoptysis
added benefit of thoracic aortography after transarterial embolization in patients with hemoptysis, **180:**1577
nonbronchial collateral supply from the hepatic arteries of a patient with hemoptysis, **180:**523
Hemorrhage
barium impaction therapy for refractory colonic diverticular bleeding, **180:**490
intestinal ischemia versus intramural hemorrhage: CT evaluation, **180:**177
posterior fossa subarachnoid hemorrhage due to an atlantooccipital dislocation, **180:**1476
three-dimensional time-of-flight subtraction angiography of subacute cerebral hemorrhage, **181:**242
Hemosiderin
detection of hemosiderin deposition by T2*-weighted MRI after subarachnoid hemorrhage (a), **181:**1724
Hepatitis
developing a prediction rule to assess hepatic malignancy in patients with cirrhosis, **180:**893
Hepatocellular carcinoma—*see* **Carcinoma, hepatocellular**
Hernia
bilateral arcuate-line hernia (l), **180:**864
CT technique for suspected anterior abdominal wall hernia, **181:**431
diaphragmatic perforation and hernia after hepatic radiofrequency ablation, **180:**1561
imaging of traumatic bladder perforation that spontaneously sealed after omental herniation, **181:**1379
intrathoracic stomach revisited, **181:**403
sonography of muscle hernias, **180:**395
Heroin
neuroimaging features of heroin inhalation toxicity: "chasing the dragon," **180:**847
High-resolution CT
bronchoarterial ratio and bronchial wall thickness on high-resolution CT of asymptomatic subjects: correlation with age and smoking, **180:**513
chronic cystic lung disease: diagnostic accuracy of high-resolution CT in 92 patients, **180:**827
fibrosis in the upper lobes: a newly identified late-onset complication after lung transplantation?, **181:**1539
high-resolution CT of asbestosis and idiopathic pulmonary fibrosis, **181:**163
high-resolution multidetector CT in the preoperative evaluation of patients with renal cell carcinoma, **180:**1271
physician satisfaction with high-resolution CT services provided by radiologists: results of a nationwide survey of pulmonary subspecialists, **180:**585
radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507
reversed halo sign on high-resolution CT of cryptogenic organizing pneumonia: diagnostic implications, **180:**1251
severe acute respiratory syndrome: spectrum of high-resolution CT findings and temporal progression of the disease, **181:**1525
small solitary pulmonary nodules (≤ 1 cm) detected at population-based CT screening for lung cancer: reliable high-resolution CT features of benign lesions, **180:**955
Hip
collar osteophytes: a cause of false-positive findings in bone scans for hip fractures, **181:**191
correlation of contrast-enhanced power Doppler sonography and conventional angiography of abduction-induced hip ischemia in piglets, **180:**1731
imaging of the painful hip arthroplasty, **180:**115
limited effectiveness of sonography in revealing hip joint effusion: preliminary results in 21 adult patients with native and postoperative hips, **181:**215
MR imaging of bone marrow edema and joint effusion in patients with osteonecrosis of the femoral head: relationship to pain, **181:**545
MRI of failed total hip replacement caused by abductor muscle avulsion, **181:**1547
HIV
cancer mimicked on sonography: lipomastia in an HIV-positive man undergoing antiretroviral therapy, **181:**187
Hodgkin's lymphoma
primary Hodgkin's lymphoma of the esophagus, **180:**1335
Hydatid cyst
hydatid cyst of the pancreas as a cause of pancreatic cystic lesions (l), **181:**885
intervertebral disk hydatid cysts: MR imaging findings (l), **180:**1739
mediastinal and pericardial hydatid cysts: an unusual cause of circulatory collapse (l), **181:**285
Hydrogen peroxide
portal vein gas resulting from ingestion of hydrogen peroxide (l), **181:**1719
Hyperaldosteronism
CT of primary hyperaldosteronism (Conn's syndrome): the value of measuring the adrenal gland, **181:**843
Hyperplasia

CT findings and progression of small peripheral lung neoplasms having a replacement growth pattern, **180:**817

focal nodular hyperplasia of the hematopoietic marrow simulating vertebral metastasis on FDG position emission tomography, **180:**669

testicular Leydig's cell hyperplasia: MR imaging and sonographic findings, **180:**501

Hyperprolactinemia

transsphenoidal (large craniopharyngeal) canal associated with a normally functioning pituitary gland and nasopharyngeal extension, hyperprolactinemia, and hypothalamic hamartoma, **180:**76

Hypertension

incorporating patient-centered outcomes in the analysis of cost-effectiveness: imaging strategies for renovascular hypertension, **181:**1653

life-threatening hypertensive crises in two patients undergoing hepatic radiofrequency ablation, **181:**495

I

Ileum—*see* **Small bowel**

Imaging in Oncology series

diagnosis, staging, and follow-up of esophageal cancer, **181:**785

diagnosis, staging, and surveillance of cervical carcinoma, **180:**1621

diagnosis, staging, and surveillance of pancreatic cancer, **180:**1311

imaging in the diagnosis, staging, and follow-up of cancer of the urinary bladder, **180:**1045

Impaction

MR imaging of ulnocarpal impaction after fracture of the distal radius, **181:**195

Impingement

MR imaging of ankle impingement syndromes, **181:**551

Implantable port system

using slow-infusion MR arteriography and an implantable port system to assess drug distribution at hepatic arterial infusion chemotherapy, **180:**681

Implants—*see* **Orthopedic implants**

Incontinence

urethra and its supporting structures in women with stress urinary incontinence: MR imaging using an endovaginal coil, **180:**1037

Infants—*see also* **Pediatric radiology**

infantile fibromatosis (l), **180:**284

Infarction

diabetic muscle infarction, **181:**1216

Infection, bacterial

CT and radiography of bacterial respiratory infections in AIDS patients, **180:**1203

radiographic and CT findings of nontuberculous mycobacterial pulmonary infection caused by *Mycobacterium abscessus*, **181:**513

Infection, fungal

renal mucormycosis in an AIDS patient: imaging features and pathologic correlation, **180:**1278

simultaneous thoracic and abdominal presentation of disseminated cryptococcosis in two patients without HIV infection, **181:**1055

Infection, protozoan

diffusion-weighted MRI of cerebral *Toxoplasma* abscess, **181:**1711

Infection, viral

eye of the storm: the roles of a radiology department in the outbreak of severe acute respiratory syndrome, **181:**19

imaging of severe acute respiratory syndrome in Hong Kong, **181:**11

leptomeningeal enhancement in a patient with proven West Nile virus infection, **181:**591

radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507

SARS wars: confronting a new microbe (e), **181:**1

severe acute respiratory syndrome: avoiding the spread of infection in a radiology department, **181:**25

severe acute respiratory syndrome: radiographic and CT findings, **181:**3

value of CT in assessing probable severe acute respiratory syndrome, **181:**317

Inflammatory bowel disease

comparison of multidetector CT and barium studies of the small bowel: inflammatory bowel disease in children, **180:**1211

Influenza

radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507

Infrared imaging

efficacy of computerized infrared imaging (l), **181:**596

efficacy of computerized infrared imaging analysis to evaluate mammographically suspicious lesions, **180:**263

Injection

CT-guided percutaneous ethanol injection of the thymus for treatment of myasthenia gravis, **181:**721

Injury—*see also* **Radiation injury, Trauma**

accuracy of MR imaging of the knee in adolescents, **180:**17

comparing sonography with MR imaging of apophyseal injuries of the pelvis in four boys, **181:**223

MR imaging appearance and classification of acromioclavicular joint injury, **180:**1103

MR imaging of infrapatellar plica injury, **180:**1443

MR imaging of the anatomy of and injuries to the lateral and posterolateral aspects of the knee, **180:**647

MRI features of chronic injuries of the superior peroneal retinaculum, **181:**1551

MRI of trapped periosteum in a proximal tibial physeal injury of a pediatric patient, **181:**1397

sonography of dorsal ankle and foot abnormalities, **181:**1573

Instability

MR imaging of glenohumeral instability, **181:**203

Insulin

hepatic subcapsular steatosis in response to intraperitoneal insulin delivery: CT findings and prevalence, **180:**1601

Insulinoma

CT, endoscopic sonography, and a combined protocol for preoperative evaluation of pancreatic insulinomas, **181:**987

percutaneous radiofrequency ablation of hepatic metastases for symptomatic relief of neuroendocrine syndromes, **181:**1005

preoperative detection of pancreatic insulinomas on multiphasic helical CT, **181:**775

Insurance—*see* **Health insurance, Medicare**

Internet

SARS and the modern day pony express (the World Wide Web) (l), **180:**1736

Web-based image review and data acquisition for multiinstitutional research, **180:**1243

Interosseous nerve syndrome

sonography and MR imaging of posterior interosseous nerve syndrome with surgical correlation, **181:**219

Interpretation

double reading of barium enemas: is it necessary?, **181:**1607

Intersection syndrome

MRI features of intersection syndrome of the forearm, **181:**1245

Intersociety Commission

report of the 2002 Intersociety Commission meeting: Radiology 2002—today's research is tomorrow's practice, **180:**925

Interventional radiology—*see also* **Ablation, Biopsy, Embolization,** *other specific procedure*

abdominal myomectomy versus uterine fibroid embolization in the treatment of symptomatic uterine leiomyomas, **180:**1571

added benefit of thoracic aortography after transarterial embolization in patients with hemoptysis, **180:**1577

angiographic ablation of an ectopic mediastinal hyperplastic parathyroid gland using a left internal mammary artery coronary bypass, **181:**95

carbon dioxide–enhanced sonographically guided percutaneous ethanol injection: treatment of patients with viable and recurrent hepatocellular carcinoma, **181:**1647

catheter-directed thrombolytic therapy in peripheral artery occlusions: combining reteplase and abciximab, **180:**1385

change in the hemodynamics of the portal venous system after retrograde transvenous balloon occlusion of a gastrorenal shunt, **181:**1011

chronic perineal pain caused by pudendal nerve entrapment: anatomy and CT-guided perineural injection technique, **181:**561

combined treatment of a spinal metastasis with radiofrequency heat ablation and vertebroplasty, **180:**1075

CT-guided percutaneous ethanol injection of the thymus for treatment of myasthenia gravis, **181:**721

dialysis access: a multidisciplinary approach (b), **180:**702

double-needle sclerotherapy of lymphangiomas and venous angiomas in children: a simple technique to prevent complications, **180:**1399

early experience with percutaneous radiofrequency ablation of small solid renal masses, **180:**1055

early posttransplantation renal allograft perfusion failure due to dissection: diagnosis and interventional treatment, **180:**759

efficacy of epidural injections of Kenalog and Celestone in the treatment of lower back pain, **181:**1255

elective endovascular stent-graft repair of atherosclerotic thoracic aortic aneurysms: clinical results and midterm follow-up, **180:**709

embolization of the patent ductus venosus in an adult patient, **180:**716

experience at a single institution with endovascular treatment of mechanical complications caused by implanted central venous access devices in pediatric and adult patients, **180:**527

feasibility study of NeoMend, a percutaneous arterial closure device that uses a nonthrombogenic bioadhesive, **180:**533

hepatocellular carcinoma: imaging and imaging-guided intervention, **180:**1015

iatrogenic femoral pseudoaneurysms that are unresponsive to percutaneous thrombin injection: potential causes, **181:**1301

image-guided spine intervention (b), **181:**526, **181:**560
imaging and intervention in the hepatic veins, **180:**1583
imaging-guided percutaneous splenic biopsy using a 20- or 22-gauge cutting-edge core biopsy needle for the diagnosis of malignant lymphoma, **181:**1025
interventional radiology for advanced hepatocellular carcinoma: comparison of hepatic artery infusion chemotherapy and transcatheter arterial Lipiodol chemoembolization, **181:**1327
multidetector CT arteriography with volumetric three-dimensional rendering to evaluate patients with metastatic colorectal disease for placement of a floxuridine infusion pump, **181:**455
multiinstitutional computer database for recording nonvascular imaging-guided interventions, **181:**1491
novel intraarterial chemotherapy using paclitaxel in albumin nanoparticles to treat advanced squamous cell carcinoma of the tongue: preliminary findings, **181:**253
percutaneous sonographically guided microwave coagulation therapy for hepatocellular carcinoma: results in 234 patients, **180:**1547
permanent transarterial embolization of neuroendocrine metastases of the liver using cyanoacrylate and Lipiodol: assessment of mid- and long-term results, **180:**1379
prognostic factors for percutaneous microwave coagulation therapy of hepatic metastases, **181:**1319
pulse-spray thrombolysis of thrombosed hemodialysis grafts with tissue plasminogen activator, **180:**1063
radiation therapy for a massive arteriovenous malformation of the pancreas, **181:**1627
radicular pain avoidance during needle placement in lumbar diskography, **181:**1149
radiofrequency ablation of hepatic tumors adjacent to the gallbladder: feasibility and safety, **180:**697
ruptured duodenal varices successfully treated with balloon-occluded retrograde transvenous obliteration: usefulness of microcatheters, **181:**725
serial ethanol ablation of multiple hepatic cysts as an alternative to liver transplantation, **180:**472
single-wall puncture: a new technique for percutaneous transhepatic biliary drainage, **181:**717
sonographically guided transgluteal drainage of pelvic abscesses, **181:**498
transcatheter arterial chemoembolization of hepatocellular carcinoma: usefulness of coded phase-inversion harmonic sonography, **180:**703
treatment of acute superior mesenteric vein thrombosis with percutaneous techniques, **181:**1305
treatment of breast abscesses with sonographically guided aspiration, irrigation, and instillation of antibiotics, **181:**1089
usefulness of a percutaneous transhepatic coaxial micropuncture needle technique in patients with nondilated peripheral intrahepatic ducts, **181:**1017
using a covered stent (Wallgraft) to treat pseudoaneurysms of dialysis grafts and fistulas, **180:**1067
using a Cutting balloon to treat resistant high-grade dialysis graft stenosis, **180:**1072
using superparamagnetic iron oxide–enhanced MRI to differentiate metastatic hepatic tumors and nonsolid benign lesions, **181:**1335
vascular and interventional radiology: principles and practice (b), **180:**2
volume-rendered multidetector CT angiography: noninvasive follow-up of patients treated with renal artery stents, **180:**233

Interventional radiology case conference
continuous high-output drainage of hepatic abscess 3 months after radiofrequency ablation of hepatocellular carcinoma, **180:**1079
sonography and sonographically guided fine-needle aspiration biopsy of the thyroid gland: indications and techniques, pearls and pitfalls, **181:**267

Intestine—*see* **Colon, Small bowel**

Intramuscular myxoma
forearm intramuscular myxoma, **181:**960

Intrathoracic stomach
intrathoracic stomach revisited, **181:**403

Inversion recovery pulse
combining two single-shot imaging techniques with slice-selective and non–slice-selective inversion recovery pulses: new strategy for native MR angiography based on the long T1 relaxation time and inflow properties of blood, **180:**725

Ischemia
correlation of contrast-enhanced power Doppler sonography and conventional angiography of abduction-induced hip ischemia in piglets, **180:**1731
intestinal ischemia versus intramural hemorrhage: CT evaluation, **180:**177
pneumatosis intestinalis in patients with ischemia: correlation of CT findings with viability of the bowel, **180:**733
using radiography to reveal chronic jejunal ischemia as a complication of gastric bypass surgery, **181:**1365

J

Jejunum—*see* **Small bowel**

Joint—*see also specific joint*
"absent middle facet": a sign on unenhanced radiography of subtalar joint coalition, **181:**1565
communication of the ganglion with the joint and the tendon sheath (l), **180:**541
hypointense synovial lesions on T2-weighted images: differential diagnosis with pathologic correlation, **181:**761
meniscal tear configurations: categorization with MR imaging, **180:**93
MR arthrography of the posterior labrocapsular complex: relationship with glenohumeral joint alignment and clinical posterior instability, **180:**369
MR imaging appearance and classification of acromioclavicular joint injury, **180:**1103
radiology of the PROSTALAC (prosthesis with antibiotic-loaded acrylic cement) orthopedic implant, **180:**1701

K

Kenalog
efficacy of epidural injections of Kenalog and Celestone in the treatment of lower back pain, **181:**1255

Kidney
can low-dose unenhanced multidetector CT be used for routine evaluation of suspected renal colic? (c), **180:**313
characterization of adrenal tumors by chemical shift fast low-angle shot MR imaging: comparison of four methods of quantitative evaluation, **180:**1649
contrast agent–induced nephropathy: a simple way to identify patients with preexisting renal insufficiency, **181:**451
CT findings of perirenal plasmacytoma (l), **181:**888
CT of papillary renal cell carcinomas with cholesterol necrosis mimicking angiomyolipomas, **181:**143
CT of renal lymphoma in children, **180:**429
diagnostic accuracy of phase-inversion tissue harmonic imaging versus fundamental B-mode sonography in the evaluation of focal lesions of the kidney, **180:**1639
early experience with percutaneous radiofrequency ablation of small solid renal masses, **180:**1055
early posttransplantation renal allograft perfusion failure due to dissection: diagnosis and interventional treatment, **180:**759
first kidney transplantation (mma), **181:**190
follow-up CT of moderately complex cystic lesions of the kidney (Bosniak category IIF), **181:**627
guidelines for contrast media from the European Society of Urogenital Radiology, **181:**1463
high-resolution multidetector CT in the preoperative evaluation of patients with renal cell carcinoma, **180:**1271
imaging-guided percutaneous radiofrequency ablation of solid renal masses: techniques and outcomes of 38 treatment sessions in 32 consecutive patients, **180:**1503
imaging-guided radiofrequency ablation of solid renal tumors, **180:**1509
incidence of malignancy in complex cystic renal masses (Bosniak category III): should imaging-guided biopsy precede surgery?, **180:**755
low-dose unenhanced multidetector CT of patients with suspected renal colic, **180:**305
measuring single-kidney glomerular filtration rate on single-detector helical CT using a two-point Patlak plot technique in patients with increased interstitial space, **181:**147
MR renography using a dynamic gradient-echo sequence and low-dose gadopentetate dimeglumine as an alternative to radionuclide renography, **181:**441
multidetector CT angiography for preoperative evaluation of living laparoscopic kidney donors, **180:**1633
paranephric water instillation: a technique to prevent bowel injury during percutaneous renal radiofrequency ablation, **181:**1315
percutaneous biopsy of renal masses: sensitivity and negative predictive value stratified by clinical setting and size of masses, **180:**1281
prediction of clinical response after renal angioplasty: respective value of renal Doppler sonography and scintigraphy, **181:**1029
radiofrequency ablation of isolated local recurrence of renal cell carcinoma after radical nephrectomy, **181:**93
radiologic features of Castleman's disease occupying the renal sinus, **181:**1037
renal mucormycosis in an AIDS patient: imaging features and pathologic correlation, **180:**1278
resistive index in renal Doppler sonography: where do we stand?, **180:**885
rupture of a ureteropelvic junction–obstructed kidney in a 15-year-old football player, **180:**504
rupture of ureteropelvic junction–obstructed kidney (l), **181:**886
should we biopsy complex cystic renal masses (Bosniak category III)? (l), **181:**1425
spectrum of abdominal imaging findings in von Hippel-Lindau disease, **181:**1049

Knee—*see also* **Joint**
accuracy of MR imaging of the knee in adolescents, **180:**17
avulsion fracture of the head of the fibula (the "arcuate" sign): MR imaging findings predictive of injuries to the posterolateral ligaments and posterior cruciate ligament, **180:**381

juxtacortical glomus tumor of the distal femur adjacent to the popliteal fossa, **181:**1590
localized nodular synovitis of the knee: MR imaging appearance and clinical correlates in 21 patients, **181:**539
meniscal tear configurations: categorization with MR imaging, **180:**93
MR imaging features of osteochondritis dissecans of the femoral sulcus, **180:**641
MR imaging of calcification of the lateral collateral ligament of the knee: a rare abnormality and a cause of lateral knee pain, **181:**199
MR imaging of infrapatellar plica injury, **180:**1443
MR imaging of the anatomy of and injuries to the lateral and posterolateral aspects of the knee, **180:**647
MR imaging, MR arthrography, and specimen correlation of the posterolateral corner of the knee: an anatomic study, **180:**1095
patients with suspected meniscal tears: prevalence of abnormalities seen on MRI of 100 symptomatic and 100 contralateral asymptomatic knees, **181:**635
prevalence and size of meniscal cysts, ganglionic cysts, synovial cysts of the popliteal space, fluid-filled bursae, and other fluid collections in asymptomatic knees on MR imaging, **180:**1431
rapid imaging of articular cartilage with steady-state free precession and multipoint fat–water separation, **180:**357
sonography of the polyethylene liners used in total knee arthroplasty, **180:**1437

L

Laryngoscopy
acute diffuse phlegmonous esophagogastritis: radiologic diagnosis (I), **180:**862
Larynx
epiglottic carcinoma as a cause of laryngeal penetration and aspiration, **180:**207
using MR imaging to predict invasion of the recurrent laryngeal nerve by thyroid carcinoma, **180:**837
videofluoroscopic studies of swallowing dysfunction and the relative risk of pneumonia, **180:**1613
Leak
usefulness of high-density barium for detection of leaks after esophagogastrectomy, total gastrectomy, and total laryngectomy, **181:**415
Leg
clinical evaluation and MR imaging features of popliteal artery entrapment and cystic adventitial disease, **180:**627
comparison of imaging-guided and non–imaging-guided quantitative sonography of the calcaneus with dual x-ray absorptiometry of the spine and femur, **180:**1111
imaging characteristics of cystic adventitial disease of the peripheral arteries: presentation as soft-tissue masses, **180:**621
multidetector CT angiography of the aortoiliac system and lower extremities: a prospective comparison with digital subtraction angiography, **180:**1085
optimization of multidetector CT venography performed with elastic stockings on patients' lower extremities: a preliminary study of nonthrombosed veins, **180:**1093
randomized prospective study comparing routine versus selective use of sonography of the complete calf in patients with suspected deep venous thrombosis, **180:**241
Legislation
Congress seems to be doing a lot, but nothing gets done…how a bill becomes a law (pb), **181**(2)**:**A5
review of the issues surrounding medical malpractice tort reform (pb), **181**(3)**:**A5
Leiomyoma
abdominal myomectomy versus uterine fibroid embolization in the treatment of symptomatic uterine leiomyomas, **180:**1571
Leiomyosarcoma
mineralization in musculoskeletal leiomyosarcoma: radiologic–pathologic correlation, **180:**109
Leptomeninges
leptomeningeal enhancement in a patient with proven West Nile virus infection, **181:**591
Leukemia
radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507
Levovist
comparing Levovist-enhanced pulse inversion harmonic imaging and ferumoxides-enhanced MR imaging of hepatic metastases, **180:**1339
hilar biliary obstruction: preliminary results with Levovist-enhanced sonography, **180:**687
Leydig's cell hyperplasia
testicular Leydig's cell hyperplasia: MR imaging and sonographic findings, **180:**501
License revocation
disciplinary action by North Carolina Medical Board reversed (l), **181:**1716
Ligament
avulsion fracture of the head of the fibula (the "arcuate" sign): MR imaging findings predictive of injuries to the posterolateral ligaments and posterior cruciate ligament, **180:**381
MR arthrography of anterior cruciate ligament reconstruction grafts, **181:**1217
MR imaging of calcification of the lateral collateral ligament of the knee: a rare abnormality and a cause of lateral knee pain, **181:**199
sonography of the medial collateral ligament of the elbow: a study of cadavers and healthy adult male volunteers, **180:**389
urethra and its supporting structures in women with stress urinary incontinence: MR imaging using an endovaginal coil, **180:**1037
value of sonography of the scapholunate ligament (l), **181:**275
Linear no-threshold theory
low-level radiation risk (l), **181:**278
Linitis plastica
MR imaging of linitis plastica of the rectum, **181:**428
Lipiodol
interventional radiology for advanced hepatocellular carcinoma: comparison of hepatic artery infusion chemotherapy and transcatheter arterial Lipiodol chemoembolization, **181:**1327
permanent transarterial embolization of neuroendocrine metastases of the liver using cyanoacrylate and Lipiodol: assessment of mid- and long-term results, **180:**1379
Lipoma
differential diagnosis of benign peripheral lipoma from well-differentiated liposarcoma on MR imaging: is comparison of margins and internal characteristics useful?, **180:**1689
encapsulated versus nonencapsulated superficial fatty masses: a proposed MR imaging classification, **180:**1419
imaging characteristics of gastric lipomas in 16 adult and pediatric patients, **181:**981
imaging characteristics of spindle cell lipoma, **181:**1251
normal intratumoral lymph node in a patient with lipoma mimicking liposarcoma, **181:**569
Lipomastia
cancer mimicked on sonography: lipomastia in an HIV-positive man undergoing antiretroviral therapy, **181:**187
Liposarcoma
differential diagnosis of benign peripheral lipoma from well-differentiated liposarcoma on MR imaging: is comparison of margins and internal characteristics useful?, **180:**1689
normal intratumoral lymph node in a patient with lipoma mimicking liposarcoma, **181:**569
Liver
adverse events during radiofrequency treatment of 582 hepatic tumors, **181:**695
automated saline-enhanced radiofrequency thermal ablation: initial results in ex vivo bovine livers, **180:**163
carbon dioxide–enhanced sonographically guided percutaneous ethanol injection: treatment of patients with viable and recurrent hepatocellular carcinoma, **181:**1647
change in the hemodynamics of the portal venous system after retrograde transvenous balloon occlusion of a gastrorenal shunt, **181:**1011
cholangiocarcinoma: morphologic classification according to growth pattern and imaging findings, **181:**819
combined sonographic and fluoroscopic guidance during transjugular hepatic biopsies performed in children: a retrospective study of 74 biopsies, **180:**1393
comparing Levovist-enhanced pulse inversion harmonic imaging and ferumoxides-enhanced MR imaging of hepatic metastases, **180:**1339
continuous high-output drainage of hepatic abscess 3 months after radiofrequency ablation of hepatocellular carcinoma, **180:**1079
contrast-enhanced harmonic gray-scale sonographic–histologic correlation of the therapeutic effects of transcatheter arterial chemoembolization in patients with hepatocellular carcinoma, **181:**65
CT signs of hepatofugal portal venous flow in patients with cirrhosis, **181:**1629
cystlike hepatic metastases from gastrointestinal stromal tumors could be seen before any treatment (l), **181:**282
detection of hepatocellular carcinoma: comparison of dynamic MR imaging with dynamic double arterial phase helical CT, **180:**455
developing a prediction rule to assess hepatic malignancy in patients with cirrhosis, **180:**893
diagnosis and treatment of intrahepatic biloma complicating radiofrequency ablation of hepatic metastases, **181:**475
diaphragmatic perforation and hernia after hepatic radiofrequency ablation, **180:**1561
do surgical clips interfere with radiofrequency thermal ablation?, **180:**1557
dynamic CT of acute cholangitis: early inhomogeneous enhancement of the liver, **181:**115
dynamic subtraction MR imaging of the liver: advantages and pitfalls, **180:**1351
effectiveness of MR imaging in characterizing small hepatic lesions: routine versus expert interpretation, **180:**673
effects of tamoxifen on hepatic fat content and the development of hepatic steatosis in patients with breast cancer: high frequency of involvement and rapid reversal after completion of tamoxifen therapy, **180:**129

elastographic measurement of the area and volume of thermal lesions resulting from radiofrequency ablation: pathologic correlation, **181:**701
embolization of the patent ductus venosus in an adult patient, **180:**716
esophageal varices: diagnosis with gadolinium-enhanced MR imaging of the liver for patients with chronic liver damage, **180:**461
fat sparing of surrounding liver from metastasis in patients with fatty liver: MR imaging with histopathologic correlation, **180:**1347
Fitz-Hugh–Curtis syndrome: multidetector CT findings of transient hepatic attenuation difference and gallbladder wall thickening, **180:**1605
growing teratoma syndrome of the liver: treatment with living related donor liver transplantation, **181:**839
helical CT screening for hepatocellular carcinoma in patients with cirrhosis: frequency and causes of false-positive interpretation, **180:**1007
hepatic epithelioid hemangioendothelioma: sonographic, CT, and MR imaging appearances, **180:**1359
hepatic hemangioma: atypical appearances on CT, MR imaging, and sonography, **180:**135
hepatic subcapsular steatosis in response to intraperitoneal insulin delivery: CT findings and prevalence, **180:**1601
hepatocellular carcinoma in cirrhotic livers: double-contrast thin-section MR imaging with pathologic correlation of explanted tissue, **180:**577
hepatocellular carcinoma: imaging and imaging-guided intervention, **180:**1015
hilar biliary obstruction: preliminary results with Levovist-enhanced sonography, **180:**687
imaging and intervention in the hepatic veins, **180:**1583
imaging in the diagnosis, staging, treatment, and surveillance of hepatocellular carcinoma, **180:**441
inflammatory pseudotumor of the liver: demographics, diagnosis, and the case for nonoperative management (a), **181:**603
interpretation of CT and MRI after radiofrequency ablation of hepatic malignancies, **181:**1635
intrabiliary colonic metastasis mimicking primary biliary neoplasia, **180:**1029
late complication of a large simple cyst of the liver mimicking cystadenocarcinoma after sclerotherapy, **181:**464
life-threatening hypertensive crises in two patients undergoing hepatic radiofrequency ablation, **181:**495
living donor liver transplantation in adults: vascular variants important in surgical planning for donors and recipients, **181:**109
MR imaging of hepatic metastases caused by neuroendocrine tumors: comparing four techniques, **180:**121
multidetector CT arteriography with volumetric three-dimensional rendering to evaluate patients with metastatic colorectal disease for placement of a floxuridine infusion pump, **181:**455
multidetector CT of the liver and hepatic neoplasms: effect of multiphasic imaging on tumor conspicuity and vascular enhancement, **180:**1217; correction at **181:**283
nondysplastic nodules that are hyperintense on T1-weighted gradient-echo MR imaging: frequency in cirrhotic patients undergoing transplantation, **180:**1023
percutaneous ablation therapy guided by contrast-enhanced sonography for patients with hepatocellular carcinoma, **180:**143
percutaneous radiofrequency ablation of hepatic metastases for symptomatic relief of neuroendocrine syndromes, **181:**1005
percutaneous saline-enhanced radiofrequency ablation of unresectable hepatic tumors: initial experience in 26 patients, **180:**1537
percutaneous sonographically guided microwave coagulation therapy for hepatocellular carcinoma: results in 234 patients, **180:**1547
percutaneous sonographically guided saline-enhanced radiofrequency ablation of hepatocellular carcinoma, **181:**479
permanent transarterial embolization of neuroendocrine metastases of the liver using cyanoacrylate and Lipiodol: assessment of mid- and long-term results, **180:**1379
power rolloff during interactive radiofrequency ablation can enhance necrosis when treating hepatocellular carcinoma, **180:**151
preoperative evaluation of hepatocellular carcinoma: combined use of CT with arterial portography and hepatic arteriography, **180:**1593
pretransplantation evaluation of the cirrhotic liver with explantation correlation: accuracy of CT arterioportography and digital subtraction hepatic angiography in revealing hepatocellular carcinoma, **181:**99
pro- and antiinflammatory cytokine production after radiofrequency ablation of unresectable hepatic tumors (a), **180:**1485
prognostic factors for percutaneous microwave coagulation therapy of hepatic metastases, **181:**1319
pseudolesion of the bile duct caused by flow effect: a diagnostic pitfall of MR cholangiopancreatography, **180:**467
radiofrequency ablation in the treatment of small hepatocellular carcinomas: comparison of the radiofrequency effect with and without chemoembolization, **181:**997
radiofrequency ablation of hepatic tumors adjacent to the gallbladder: feasibility and safety, **180:**697
radiofrequency ablation of hepatocellular carcinoma: therapeutic response using contrast-enhanced coded phase-inversion harmonic sonography, **181:**57
role of diffusion-weighted imaging in estimating tumor necrosis after chemoembolization of hepatocellular carcinoma, **181:**708
serial ethanol ablation of multiple hepatic cysts as an alternative to liver transplantation, **180:**472
serial needle aspiration in polycystic liver disease (I), **181:**1717
significance of and contributing factors for a high resistive index on Doppler sonography of the hepatic artery immediately after surgery: prognostic implications for liver transplant recipients, **181:**831
sonography of the caudate vein: value in diagnosing Budd-Chiari syndrome, **181:**1641
spectrum of imaging findings after pediatric liver transplantation: part 1, posttransplantation anatomy, **181:**1133
spectrum of imaging findings after pediatric liver transplantation: part 2, posttransplantation complications, **181:**1139
spectrum of MRI appearances of untreated metastases of the liver, **181:**809
split liver transplantation and risk to the adult recipient: analysis using matched pairs (a), **180:**1484
subcapsular collection of oral contrast material in the liver seen on CT (I), **181:**598
symptomatic intrahepatic portosystemic venous shunt: angiographic findings and transcatheter embolization with an alternative approach, **181:**71
transcatheter arterial chemoembolization of hepatocellular carcinoma: usefulness of coded phase-inversion harmonic sonography, **180:**703
transjugular biopsy of the liver in pediatric and adult patients using an 18-gauge automated core biopsy needle: a retrospective review of 410 consecutive procedures, **180:**167
usefulness of a percutaneous transhepatic coaxial micropuncture needle technique in patients with nondilated peripheral intrahepatic ducts, **181:**1017
using slow-infusion MR arteriography and an implantable port system to assess drug distribution at hepatic arterial infusion chemotherapy, **180:**681
using superparamagnetic iron oxide–enhanced MRI to differentiate metastatic hepatic tumors and nonsolid benign lesions, **181:**1335
vascular complications after living related liver transplantation: evaluation with gadolinium-enhanced three-dimensional MR angiography, **181:**467

Lower extremity—*see* Extremities

Lumbar puncture
cerebrospinal fluid leakage after lumbar puncture in neonates: incidence and sonographic appearance, **181:**231

Lung—*see also* Chest
bronchoarterial ratio and bronchial wall thickness on high-resolution CT of asymptomatic subjects: correlation with age and smoking, **180:**513
chronic cystic lung disease: diagnostic accuracy of high-resolution CT in 92 patients, **180:**827
combining fine-needle aspiration and core biopsy under CT fluoroscopy guidance: a better way to treat patients with lung nodules?, **180:**811
CT and radiography of bacterial respiratory infections in AIDS patients, **180:**1203
CT findings and progression of small peripheral lung neoplasms having a replacement growth pattern, **180:**817
CT findings and temporal course of persistent pulmonary interstitial emphysema in neonates: a multiinstitutional study, **180:**1129
CT of posttransplantation lymphoproliferative disorder in pediatric recipients of lung allograft, **181:**1125
CT-guided transthoracic needle aspiration biopsy of small (≤ 20 mm) solitary pulmonary nodules, **180:**1665
detection of pulmonary emboli resulting from ovarian vein thrombosis (I), **181:**1430
dose optimization for dynamic time-resolved contrast-enhanced 3D MR angiography of pulmonary circulation, **181:**1499
eye of the storm: the roles of a radiology department in the outbreak of severe acute respiratory syndrome, **181:**19
fibrosis in the upper lobes: a newly identified late-onset complication after lung transplantation?, **181:**1539
high-resolution CT of asbestosis and idiopathic pulmonary fibrosis, **181:**163
imaging of severe acute respiratory syndrome in Hong Kong, **181:**11
imaging-guided percutaneous radiofrequency ablation of pulmonary metastatic nodules caused by hepatocellular carcinoma: preliminary experience, **181:**491
indeterminate solitary pulmonary nodules revealed at population-based CT screening of the lung: using first follow-up diagnostic CT to differentiate benign and malignant lesions, **180:**1255

inhalational anthrax: radiologic and pathologic findings in two cases, **181:**1071
is it a new pattern of pulmonary aspergillosis? (l), **180:**539
metastatic angiosarcoma of the lung: spectrum of CT findings, **180:**1671
morphologic assessment of patent ductus arteriosus in adults using retrospectively ECG-gated multidetector CT, **181:**749
multidetector CT of bronchiectasis: effect of radiation dose on image quality, **181:**501
percutaneous radiofrequency ablation of pulmonary malignancies: combined treatment with brachytherapy, **181:**711
percutaneous transthoracic needle biopsy complicated by air embolism (l), **181:**279
physician satisfaction with high-resolution CT services provided by radiologists: results of a nationwide survey of pulmonary subspecialists, **180:**585
prenatal sonography and MR imaging of pulmonary sequestration, **180:**433
pulmonary embolus in pregnant patients: a survey of practices and policies for CT pulmonary angiography, **181:**1495
pulmonary hematoma resulted from anticoagulant therapy (l), **180:**1740
radiographic and CT findings of nontuberculous mycobacterial pulmonary infection caused by *Mycobacterium abscessus*, **181:**513
radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507
radiography, Doppler sonography, and MR angiography of malignant pulmonary hemangiopericytoma, **181:**1079
radiologic manifestations of potential bioterrorist agents of infection, **180:**565
reversed halo sign on high-resolution CT of cryptogenic organizing pneumonia: diagnostic implications, **180:**1251
SARS: imaging of severe acute respiratory syndrome, **180:**1247
severe acute respiratory syndrome: avoiding the spread of infection in a radiology department, **181:**25
severe acute respiratory syndrome: radiographic and CT findings, **181:**3
severe acute respiratory syndrome: spectrum of high-resolution CT findings and temporal progression of the disease, **181:**1525
six cases of acute central pulmonary embolism revealed on unenhanced multidetector CT of the chest, **180:**1661
small solitary pulmonary nodules (≤ 1 cm) detected at population-based CT screening for lung cancer: reliable high-resolution CT features of benign lesions, **180:**955
thin-section CT findings in 32 immunocompromised patients with cytomegalovirus pneumonia who do not have AIDS, **181:**1059
tracheomalacia incidentally detected on CT pulmonary angiography of patients with suspected pulmonary embolism, **181:**1505
using a dedicated lung-marker system for localization of pulmonary nodules before thoracoscopic surgery, **180:**805
value of CT in assessing probable severe acute respiratory syndrome, **181:**317
widespread ground-glass opacity of the lung in consecutive patients undergoing CT: does lobular distribution assist diagnosis?, **180:**965

Lymph nodes
normal intratumoral lymph node in a patient with lipoma mimicking liposarcoma, **181:**569
sonographically guided biopsy of supraclavicular lymph nodes: a simple alternative to lung biopsy and other more invasive procedures, **180:**1403
Lymphangiectasia
localized intestinal lymphangiectasia: CT findings, **180:**213
Lymphangioleiomyomatosis
atypical presentation of lymphangioleiomyomatosis as acute abdomen: CT diagnosis (l), **181:**284
Lymphangioma
double-needle sclerotherapy of lymphangiomas and venous angiomas in children: a simple technique to prevent complications, **180:**1399
Lymphoma
CT of renal lymphoma in children, **180:**429
imaging-guided percutaneous splenic biopsy using a 20- or 22-gauge cutting-edge core biopsy needle for the diagnosis of malignant lymphoma, **181:**1025
MR imaging of primary urethral lymphoma in a man (l), **181:**600
pyothorax-associated lymphoma: diagnosis at percutaneous core biopsy with CT guidance, **180:**969

M

Malformation, arteriovenous—*see* **Malformation, vascular**
Malformation, congenital
comprehensive time-resolved MRI of peripheral vascular malformations, **181:**729
CT and MR findings of a rare craniofacial malformation: diprosopus (l), **180:**863
Malformation, lymphatic
fetal MR imaging of lymphatic malformation in a twin gestation (l), **181:**286
Malformation, vascular
comprehensive time-resolved MRI of peripheral vascular malformations, **181:**729
contrast-enhanced MR angiography of thoracic vascular malformations in a pediatric population, **181:**861
imaging characteristics of blue rubber bleb nevus syndrome, **181:**1041
radiation therapy for a massive arteriovenous malformation of the pancreas, **181:**1627
Malpractice—*see* **Medical–legal issues**
Mammography
adenomyoepithelioma of the breast: spectrum of disease with associated imaging and pathology, **180:**799
another view of *Mammography and Beyond* (l), **180:**860
automated assessment of the composition of breast tissue revealed on tissue-thickness-corrected mammography, **180:**257
biopsy or follow-up mammography? (l), **181:**1716
breast cancer, mammography, and malpractice litigation: the controversies continue, **180:**1229
breast imaging and the symptomatic patient: enough with the "diagnostic" mammography (l), **181:**1423
computer-aided detection (CAD) in screening mammography: sensitivity of commercial CAD systems for detecting architectural distortion, **181:**1083
dynamic multidetector CT of breast tumors: diagnostic features and comparison with conventional techniques, **181:**679
efficacy of computerized infrared imaging (l) **181:**596
efficacy of computerized infrared imaging analysis to evaluate mammographically suspicious lesions, **180:**263
filarial "dance" in breast mass (l), **181:**1157
improvement in sensitivity of screening mammography with computer-aided detection: a multiinstitutional trial, **181:**687
increase in cancer detection and recall rates with independent double interpretation of screening mammography, **180:**1461
intracystic papillary carcinoma of the breast, **181:**186
mammographic predictors of the presence and size of invasive carcinomas associated with malignant microcalcification lesions without a mass, **181:**1679
mammographic–pathologic correlation of apocrine metaplasia diagnosed using vacuum-assisted stereotactic core-needle biopsy: our 4-year experience, **180:**795
mammography and sonography in young symptomatic women (l), **181:**1424
mammography and subsequent whole-breast sonography of nonpalpable breast cancers: the importance of radiologic breast density, **180:**1675
metallic marker placement after stereotactic core biopsy of breast calcifications: comparison of two clips and deployment techniques, **181:**1685
most recent breast cancer screening controversy about whether mammographic screening benefits women at any age: nonsense and nonscience, **180:**21
mucocele-like tumors of the breast: mammographic and sonographic appearances, **180:**949
older is better (l), **181:**593
optimal interval for comparison mammograms (l), **181:**594
optimal reference mammography: a comparison of mammograms obtained 1 and 2 years before the present examination, **180:**343
phyllodes tumor of the breast, **180:**332
prescreening mammography by technologists: a preliminary assessment, **180:**253
prior mammograms: how old is old? (l), **181:**594
Rosai-Dorfman disease presenting as a suspicious breast mass (l), **180:**1740
screening mammography, sonography of dense fibrocystic breast tissue (q), **181:**1715
screening mammography: target of opportunity for the media (e), **180:**1
steatocystoma multiplex: mammographic and sonographic manifestations, **180:**271
stereotactic core needle biopsy of nonpalpable breast lesions using a conventional mammography unit with an add-on device, **181:**527
stereotactic histologic biopsy with patients prone: technical feasibility in 98% of mammographically detected lesions, **180:**785
Sydney Breast Imaging Accuracy Study: comparative sensitivity and specificity of mammography and sonography in young women with symptoms, **180:**935
what is wrong with this picture? screening mammography (l), **181:**1429
Markers
using a dedicated lung-marker system for localization of pulmonary nodules before thoracoscopic surgery, **180:**805
Marking clips
marking the cavity site after stereotactic core needle breast biopsy, **180:**355
metallic marker placement after stereotactic core biopsy of breast calcifications: comparison of two clips and deployment techniques, **181:**1685

Marking devices
accuracy of a collagen-plug biopsy site marking device deployed after stereotactic core needle breast biopsy, **181:**1295
Marrow
focal nodular hyperplasia of the hematopoietic marrow simulating vertebral metastasis on FDG position emission tomography, **180:**669
Maximum intensity projection
detection and characterization of intracranial aneurysms with MR angiography: comparison of volume-rendering and maximum-intensity-projection algorithms, **180:**55
Measurements
CT of primary hyperaldosteronism (Conn's syndrome): the value of measuring the adrenal gland, **181:**843
elastographic measurement of the area and volume of thermal lesions resulting from radiofrequency ablation: pathologic correlation, **181:**701
estimating splenic volume: sonographic measurements correlated with helical CT determination, **181:**1615
fetal central nervous system biometry on MR imaging, **180:**1155
interobserver reproducibility of volumetric MR imaging measurements of plexiform neurofibromas, **180:**419
measuring single-kidney glomerular filtration rate on single-detector helical CT using a two-point Patlak plot technique in patients with increased interstitial space, **181:**147
Mechanical complications
experience at a single institution with endovascular treatment of mechanical complications caused by implanted central venous access devices in pediatric and adult patients, **180:**527
Mediastinum
mediastinal and pericardial hydatid cysts: an unusual cause of circulatory collapse (l), **181:**285
Medical imaging
essential physics of medical imaging, 2nd ed. (b), **180:**596
Medical–legal issues
bearing false witness, **180:**1515
biopsy or follow-up mammography? (l), **181:**1716
breast cancer, mammography, and malpractice litigation: the controversies continue, **180:**1229
correction of interpretive errors (q), **180:**1477
CT versus radiography for initial evaluation of cervical spine trauma: what is the standard of care?, **180:**911
disciplinary action by North Carolina Medical Board reversed (l), **181:**1716
duty to directly communicate radiologic abnormalities: has the pendulum swung too far?, **181:**375
failure to diagnose lung cancer: anatomy of a malpractice trial, **180:**37
Medicare fraud and abuse, **180:**591
miasmatic expert witness, **181:**29
performance improvement and peer-review activities: are they immune from legal discovery?, **181:**649
potential legal ramifications of whole-body CT screening: taking a peek into Pandora's box, **180:**317
radiologic malpractice litigation: a view of the past, a gaze at the present, a glimpse of the future, **181:**1481
radiologists on trial: whose fault is it? (l), **181:**282
review of the issues surrounding medical malpractice tort reform (pb), **181**(3)**:**A5
should whole-body CT screening be performed with contrast media?, **180:**323
standards, guidelines, and roses, **181:**945
wrongful life, **181:**1181
Medicare
Medicare fraud and abuse, **180:**591
Medicare part A: trust funds, Medicare reform and the presidential elections of 2004, 2008, 2012… (pb), **181**(5)**:**A10
Medicare part B: politics, policy, and fiscal reality—and why it affects every radiologist (pb), **181**(6)**:**A10
who, what, and why of Medicare (pb), **181**(1)**:**A7
Medicine in American art
first kidney transplantation (mma), **181:**190
Memorials
Fleming, Richard J., 1931–2003 (m), **181:**88
Meschan, Isadore, 1914–2003 (m), **181:**1189
Millet, David John, 1944–2002 (m), **181:**1004
Pfister, Richard Charles, 1933–2003 (m), **181:**1378
Meniscus
meniscal tear configurations: categorization with MR imaging, **180:**93
prevalence and size of meniscal cysts, ganglionic cysts, synovial cysts of the popliteal space, fluid-filled bursae, and other fluid collections in asymptomatic knees on MR imaging, **180:**1431
Meschan, Isadore
Isadore Meschan, 1914–2003 (m), **181:**1189
Mesentery
usefulness of sonographic guidance during percutaneous biopsy of mesenteric masses, **180:**1563
Mesocolon
CT diagnosis of volvulus of the descending colon with persistent mesocolon, **180:**1003
Metaiodobenzylguanidine
integrated imaging using MRI and ^{123}I metaiodobenzylguanidine scintigraphy to improve sensitivity and specificity in the diagnosis of pediatric neuroblastoma, **181:**1115
Metaplasia
mammographic–pathologic correlation of apocrine metaplasia diagnosed using vacuum-assisted stereotactic core-needle biopsy: our 4-year experience, **180:**795
Metastasis
combined treatment of a spinal metastasis with radiofrequency heat ablation and vertebroplasty, **180:**1075
comparing Levovist-enhanced pulse inversion harmonic imaging and ferumoxides-enhanced MR imaging of hepatic metastases, **180:**1339
CT and MRI features of recurrent tumors and second primary neoplasms in patients with retinoblastoma, **181:**879
cystlike hepatic metastases from gastrointestinal stromal tumors could be seen before any treatment (l), **181:**282
diagnosis and treatment of intrahepatic biloma complicating radiofrequency ablation of hepatic metastases, **181:**475
fat sparing of surrounding liver from metastasis in patients with fatty liver: MR imaging with histopathologic correlation, **180:**1347
focal nodular hyperplasia of the hematopoietic marrow simulating vertebral metastasis on FDG position emission tomography, **180:**669
imaging-guided percutaneous radiofrequency ablation of pulmonary metastatic nodules caused by hepatocellular carcinoma: preliminary experience, **181:**491
intrabiliary colonic metastasis mimicking primary biliary neoplasia, **180:**1029
metastatic angiosarcoma of the lung: spectrum of CT findings, **180:**1671
MR imaging findings and patterns of spread in secondary tumor involvement of the uterine body and cervix, **180:**765
MR imaging of hepatic metastases caused by neuroendocrine tumors: comparing four techniques, **180:**121
multidetector CT arteriography with volumetric three-dimensional rendering to evaluate patients with metastatic colorectal disease for placement of a floxuridine infusion pump, **181:**455
percutaneous radiofrequency ablation of hepatic metastases for symptomatic relief of neuroendocrine syndromes, **181:**1005
percutaneous saline-enhanced radiofrequency ablation of unresectable hepatic tumors: initial experience in 26 patients, **180:**1537
permanent transarterial embolization of neuroendocrine metastases of the liver using cyanoacrylate and Lipiodol: assessment of mid- and long-term results, **180:**1379
primary extrapulmonary small cell carcinoma involving the stomach or duodenum or both: findings on CT and barium studies, **180:**1325
prognostic factors for percutaneous microwave coagulation therapy of hepatic metastases, **181:**1319
radiofrequency ablation of hepatic tumors adjacent to the gallbladder: feasibility and safety, **180:**697
sonographically guided biopsy of supraclavicular lymph nodes: a simple alternative to lung biopsy and other more invasive procedures, **180:**1403
sonography of delayed thyroid metastasis from renal cell carcinoma with jugular vein extension, **181:**272
spectrum of MRI appearances of untreated metastases of the liver, **181:**809
urachal mucinous cystadenocarcinoma with a cystic ovarian metastasis (l), **180:**1183
Microcalcification
mammographic predictors of the presence and size of invasive carcinomas associated with malignant microcalcification lesions without a mass, **181:**1679
retrieval of lost microcalcifications during stereotactic vacuum-assisted core biopsy, **180:**275
sonographic detection and sonographically guided biopsy of breast microcalcifications, **180:**941
Microcatheters
ruptured duodenal varices successfully treated with balloon-occluded retrograde transvenous obliteration: usefulness of microcatheters, **181:**725
Microfracture—*see* **Fracture**
Microlithiasis
is there an increased incidence of contralateral testicular cancer in patients with intratesticular microlithiasis?, **180:**497
Micropuncture needle technique
usefulness of a percutaneous transhepatic coaxial micropuncture needle technique in patients with nondilated peripheral intrahepatic ducts, **181:**1017
Microwave coagulation therapy
percutaneous sonographically guided microwave coagulation therapy for hepatocellular carcinoma: results in 234 patients, **180:**1547
prognostic factors for percutaneous microwave coagulation therapy of hepatic metastases, **181:**1319
Millet, David John
David John Millet, 1944–2002 (m), **181:**1004
Mineralization
mineralization in musculoskeletal leiomyosarcoma: radiologic–pathologic correlation, **180:**109

Mondor's disease
Mondor's disease of the breast can also occur after a sonography-guided core biopsy (l), **180:**284
Monochromatic X rays
pulsed tunable monochromatic X-ray beams from a compact source: new opportunities, **181:**1197
Morphologic classification
cholangiocarcinoma: morphologic classification according to growth pattern and imaging findings, **181:**819
MR arthrography—*see* **Arthrography, MR**
MR fistulography—*see* **Fistulography, MR**
MR renography—*see* **Renography, MR**
MR safety
ACR Blue Ribbon Panel response to the *AJR* commentary by Shellock and Crues on the ACR White Paper on MR safety, **180:**31
MR spectroscopy—*see* **Spectroscopy, MR**
MR-compatible needle
MR imaging–guided breast biopsy using a coaxial technique with a 14-gauge stainless steel core biopsy needle and a titanium sheath, **181:**183
MRI
does the SENSE sequence really save time? (l), **181:**277
effects of IV pentobarbital with and without fentanyl on end-tidal carbon dioxide levels during deep sedation of pediatric patients undergoing MRI, **181:**1691
MRI, abdomen—*see also MRI of specific organ*
imaging of retained surgical sponges in the abdomen and pelvis, **180:**481; correction at **180:**1179
interobserver reproducibility of volumetric MR imaging measurements of plexiform neurofibromas, **180:**419
spectrum of abdominal imaging findings in von Hippel-Lindau disease, **181:**1049
using a phantom to compare MR techniques for determining the ratio of intraabdominal to subcutaneous adipose tissue, **180:**993
MRI, acromioclavicular joint
MRI features of the acromioclavicular joint that predict pain relief from intraarticular injection, **181:**755
MRI, adrenal gland
characterization of adrenal tumors by chemical shift fast low-angle shot MR imaging: comparison of four methods of quantitative evaluation, **180:**1649
MR imaging–guided adrenal biopsy using an open low-field-strength scanner and MR fluoroscopy, **180:**1567
MRI, airway
using volume segmentation of cine MR data to evaluate dynamic motion of the airway in pediatric patients, **181:**857
MRI, ankle
MR imaging of ankle impingement syndromes, **181:**551
MRI of an intratendinous ganglion cyst of the peroneus brevis tendon (l), **181:**890
sonography and MR imaging of selected benign masses in the ankle and foot, **180:**99
MRI, aorta
pathogenesis in acute aortic syndromes: aortic aneurysm leak and rupture and traumatic aortic transection, **181:**303
pathogenesis in acute aortic syndromes: aortic dissection, intramural hematoma, and penetrating atherosclerotic aortic ulcer, **181:**309
MRI, arm
MRI features of intersection syndrome of the forearm, **181:**1245
MRI, artery—*see also* **Angiography, MR; Arteriography, MR; MRI, vasculature**
clinical evaluation and MR imaging features of popliteal artery entrapment and cystic adventitial disease, **180:**627
imaging characteristics of cystic adventitial disease of the peripheral arteries: presentation as soft-tissue masses, **180:**621
moving-table MR angiography of the peripheral runoff vessels: comparison of body coil and dedicated phased array coil systems, **180:**1365
MR angiography of anomalous branches of the internal carotid artery, **181:**1409
three-dimensional coronary MR angiography performed with subject-specific cardiac acquisition windows and motion-adapted respiratory gating, **180:**505
MRI, bladder—*see* **MRI, urinary bladder**
MRI, bone
contrast-enhanced MRI of an early preosseous lesion of fibrodysplasia ossificans progressiva in a 21-month-old boy, **181:**1145
mimics on radiography of giant cell tumor of bone, **181:**1583
MRI of trapped periosteum in a proximal tibial physeal injury of a pediatric patient, **181:**1397
osseous change adjacent to soft-tissue hemangiomas of the extremities: correlation with lesion size and proximity to bone, **180:**1695
osseous involvement in calcific tendinitis: a retrospective review of 50 cases, **181:**965
partial Hawkins sign in fractures of the talus: a report of three cases, **181:**1559
subchondral fractures in osteonecrosis of the femoral head: comparison of radiography, CT, and MR imaging, **180:**363
MRI, brain—*see also* **MRI, central nervous system**
cerebral fractional anisotropy score in trauma patients: a new indicator of white matter injury after trauma, **181:**1401
defining thresholds for changes in size of simulated T2-hyperintense brain lesions on the basis of qualitative comparisons, **180:**65
delayed cerebral radiation necrosis, **180:**70
detection and characterization of intracranial aneurysms with MR angiography: comparison of volume-rendering and maximum-intensity-projection algorithms, **180:**55
detection of hemosiderin deposition by T2*-weighted MRI after subarachnoid hemorrhage (a), **181:**1724
diffusion-tensor MR imaging of normal brain maturation: a guide to structural development and myelination, **180:**851
diffusion-weighted MR imaging of pyogenic ventriculitis, **180:**71
diffusion-weighted MRI of cerebral *Toxoplasma* abscess, **181:**1711
effect of hydrophilic components of the extracellular matrix on quantifiable diffusion-weighted imaging of human gliomas: preliminary results of correlating apparent diffusion coefficient values and hyaluronan expression level, **181:**235
evidence for cortical functional changes in patients with migraine and white matter abnormalities on conventional and diffusion tensor magnetic resonance imaging (a), **181:**602
examining the lacunar hypothesis with diffusion and perfusion magnetic resonance imaging (a), **180:**286
hypointensity on diffusion-weighted MRI of the brain related to T2 shortening and susceptibility effects, **181:**1705
intrasellar hemangioblastoma: characteristic prominent vessels on MR imaging (l), **180:**1480
neuroimaging features of heroin inhalation toxicity: "chasing the dragon," **180:**847
serial MR imaging of volumes of hyperintense white matter lesions in elderly patients: correlation with vascular risk factors, **181:**571
stroke MRI in intracerebral hemorrhage: is there a perihemorrhagic penumbra? (a), **181:**1723
surgical bed after BCNU polymer wafer placement for recurrent glioma: serial assessment on CT and MR imaging, **180:**1469
MRI, breast
accuracy of MRI in the detection of residual breast cancer after neoadjuvant chemotherapy, **181:**1275
breast MRI in practice (b), **181:**138
characterization of breast lesions with proton MR spectroscopy (c), **181:**1273
characterization of lesions of the breast with proton MR spectroscopy: comparison of carcinomas, benign lesions, phyllodes tumors, **181:**1267
ductal enhancement on MR imaging of the breast, **181:**519
dynamic MRI of fibromatosis of the breast (l), **181:**1718
evaluation of gadobenate dimeglumine for contrast-enhanced MRI of the breast (c), **181:**677
fast MRI-guided vacuum-assisted breast biopsy: initial experience, **181:**1283
gadobenate dimeglumine–enhanced MRI of the breast: analysis of dose response and comparison with gadopentetate dimeglumine, **181:**663
MR imaging findings in the contralateral breast of women with recently diagnosed breast cancer, **180:**333
MR imaging of the ipsilateral breast in women with percutaneously proven breast cancer, **180:**901
MR imaging–guided breast biopsy using a coaxial technique with a 14-gauge stainless steel core biopsy needle and a titanium sheath, **181:**183
MRI of occult breast carcinoma in a high-risk population, **181:**619
outcome analysis and rational management of enhancing lesions incidentally detected on contrast-enhanced MRI of the breast, **181:**655
MRI, cartilage
using fat-saturated proton density–weighted MR imaging to evaluate articular cartilage (l), **181:**280
MRI, central nervous system—*see also* **MRI, brain; MRI, spine**
fetal central nervous system biometry on MR imaging, **180:**1155
leptomeningeal enhancement in a patient with proven West Nile virus infection, **181:**591
magnetic resonance imaging of CNS disease: a teaching file, 2nd ed. (b), **180:**846
MRI, cervix
diagnosis, staging, and surveillance of cervical carcinoma, **180:**1621
MR imaging findings and patterns of spread in secondary tumor involvement of the uterine body and cervix, **180:**765
MRI, chest—*see also* **MRI, heart; MRI, lung**
MR imaging of hepatic pulmonary fusion in neonates, **180:**438
MRI, duodenum—*see* **MRI, small bowel**
MRI, extremities—*see also MRI of specific body part*
MRI of the extremities: an anatomic atlas, 2nd ed. (b), **180:**1134
MRI, fetus
fetal MR imaging of lymphatic malformation in a twin gestation (l), **181:**286

prenatal MRI of heteropagus twins, **181:**1676
prenatal sonography and MR imaging of pulmonary sequestration, **180:**433

MRI, foot
sonography and MR imaging of selected benign masses in the ankle and foot, **180:**99

MRI, forearm—*see* **MRI, arm**

MRI, gastrointestinal system—*see also MRI of specific organ*
anorectal gastrointestinal stromal tumors: CT and MR imaging features with clinical and pathologic correlation, **180:**1607

MRI, hand
rice-body formation in atypical mycobacterial tenosynovitis and bursitis: findings on sonography and MR imaging, **180:**1455

MRI, head and neck
CT and MR findings of a rare craniofacial malformation: diprosopus (I), **180:**863
CT and MRI features of recurrent tumors and second primary neoplasms in patients with retinoblastoma, **181:**879
diffusion-weighted MR imaging of cholesteatoma in pediatric and adult patients who have undergone middle ear surgery, **181:**261
extension of pancreatic pseudocysts into the neck: CT and MR imaging findings, **180:**843
imaging characteristics of spindle cell lipoma, **181:**1251
MR imaging of diverse manifestations of nasopharyngeal carcinomas, **180:**1715
transsphenoidal (large craniopharyngeal) canal associated with a normally functioning pituitary gland and nasopharyngeal extension, hyperprolactinemia, and hypothalamic hamartoma, **180:**76
using MR imaging to predict invasion of the recurrent laryngeal nerve by thyroid carcinoma, **180:**837

MRI, heart—*see also* **MRI, chest**
fetal cardiographic monitoring during 1.5-T MR imaging, **180:**1159
late myocardial enhancement in hypertrophic cardiomyopathy with contrast-enhanced MR imaging, **180:**981
MR evaluation of arrhythmogenic right ventricular cardiomyopathy in pediatric patients, **180:**1135
unique presentation of cardiac sarcoidosis (I), **180:**1738

MRI, joint—*see also MRI of specific joint*
hypointense synovial lesions on T2-weighted images: differential diagnosis with pathologic correlation, **181:**761

MRI, kidney
imaging-guided radiofrequency ablation of solid renal tumors, **180:**1509
MR renography using a dynamic gradient-echo sequence and low-dose gadopentetate dimeglumine as an alternative to radionuclide renography, **181:**441
radiologic features of Castleman's disease occupying the renal sinus, **181:**1037
renal mucormycosis in an AIDS patient: imaging features and pathologic correlation, **180:**12*16*

MRI, knee
accuracy of MR imaging of the knee in adolescents, **180:**17
avulsion fracture of the head of the fibula (the "arcuate" sign): MR imaging findings predictive of injuries to the posterolateral ligaments and posterior cruciate ligament, **180:**381
juxtacortical glomus tumor of the distal femur adjacent to the popliteal fossa, **181:**1590
localized nodular synovitis of the knee: MR imaging appearance and clinical correlates in 21 patients, **181:**539
meniscal tear configurations: categorization with MR imaging, **180:**93
MR imaging features of osteochondritis dissecans of the femoral sulcus, **180:**641
MR imaging of calcification of the lateral collateral ligament of the knee: a rare abnormality and a cause of lateral knee pain, **181:**199
MR imaging of infrapatellar plica injury, **180:**1443
MR imaging of the anatomy of and injuries to the lateral and posterolateral aspects of the knee, **180:**647
MR imaging, MR arthrography, and specimen correlation of the posterolateral corner of the knee: an anatomic study, **180:**1095
patients with suspected meniscal tears: prevalence of abnormalities seen on MRI of 100 symptomatic and 100 contralateral asymptomatic knees, **181:**635
prevalence and size of meniscal cysts, ganglionic cysts, synovial cysts of the popliteal space, fluid-filled bursae, and other fluid collections in asymptomatic knees on MR imaging, **180:**1431
rapid imaging of articular cartilage with steady-state free precession and multipoint fat–water separation, **180:**357

MRI, larynx
using MR imaging to predict invasion of the recurrent laryngeal nerve by thyroid carcinoma, **180:**837

MRI, ligament
MR arthrography of anterior cruciate ligament reconstruction grafts, **181:**1217

MRI, liver
adverse events during radiofrequency treatment of 582 hepatic tumors, **181:**695
comparing Levovist-enhanced pulse inversion harmonic imaging and ferumoxides-enhanced MR imaging of hepatic metastases, **180:**1339
detection of hepatocellular carcinoma: comparison of dynamic MR imaging with dynamic double arterial phase helical CT, **180:**455
developing a prediction rule to assess hepatic malignancy in patients with cirrhosis, **180:**893
dynamic subtraction MR imaging of the liver: advantages and pitfalls, **180:**1351
effectiveness of MR imaging in characterizing small hepatic lesions: routine versus expert interpretation, **180:**673
esophageal varices: diagnosis with gadolinium-enhanced MR imaging of the liver for patients with chronic liver damage, **180:**461
fat sparing of surrounding liver from metastasis in patients with fatty liver: MR imaging with histopathologic correlation, **180:**1347
hepatic epithelioid hemangioendothelioma: sonographic, CT, and MR imaging appearances, **180:**1359
hepatic hemangioma: atypical appearances on CT, MR imaging, and sonography, **180:**135
hepatocellular carcinoma in cirrhotic livers: double-contrast thin-section MR imaging with pathologic correlation of explanted tissue, **180:**577
hepatocellular carcinoma: imaging and imaging-guided intervention, **180:**1015
imaging in the diagnosis, staging, treatment, and surveillance of hepatocellular carcinoma, **180:**441
interpretation of CT and MRI after radiofrequency ablation of hepatic malignancies, **181:**1635
MR imaging of hepatic metastases caused by neuroendocrine tumors: comparing four techniques, **180:**121
nondysplastic nodules that are hyperintense on T1-weighted gradient-echo MR imaging: frequency in cirrhotic patients undergoing transplantation, **180:**1023
role of diffusion-weighted imaging in estimating tumor necrosis after chemoembolization of hepatocellular carcinoma, **181:**708
spectrum of MRI appearances of untreated metastases of the liver, **181:**809
using superparamagnetic iron oxide–enhanced MRI to differentiate metastatic hepatic tumors and nonsolid benign lesions, **181:**1335

MRI, lung—*see also* **MRI, chest**
prenatal sonography and MR imaging of pulmonary sequestration, **180:**433

MRI, muscle
fast breath-hold T2-weighted MR imaging reduces interobserver variability in the diagnosis of adenomyosis, **180:**1291
juxtacortical glomus tumor of the distal femur adjacent to the popliteal fossa, **181:**1590
MRI features of chronic injuries of the superior peroneal retinaculum, **181:**1551
MRI of failed total hip replacement caused by abductor muscle avulsion, **181:**1547
side strain: a tear of internal oblique musculature, **181:**1511

MRI, nervous system
integrated imaging using MRI and ^{123}I metaiodobenzylguanidine scintigraphy to improve sensitivity and specificity in the diagnosis of pediatric neuroblastoma, **181:**1115
sonography and MR imaging of posterior interosseous nerve syndrome with surgical correlation, **181:**219

MRI, ovary
imaging of ovarian fibromatosis, **180:**1288

MRI, pancreas
macrocystic serous adenoma of the pancreas: radiologic–pathologic correlation, **181:**119
MR imaging features of solid pseudopapillary tumor of the pancreas in adult and pediatric patients, **181:**395
multifocal involvement of the pancreas in multiple myeloma: sonographic, CT, and MR imaging findings (I), **180:**545

MRI, parotid gland
recurrent pleomorphic adenoma of the parotid gland: value of multiple lesions as a diagnostic indicator, **180:**1171

MRI, pelvis—*see also MRI of specific organ*
characterization of adnexal mass lesions on MR imaging, **180:**1297
comparing sonography with MR imaging of apophyseal injuries of the pelvis in four boys, **181:**223
digital subtraction MR fistulography: new diagnostic tool for the detection of fistula in ano, **181:**1611
imaging of retained surgical sponges in the abdomen and pelvis, **180:**481; correction at **180:**1179
magnetic resonance imaging of anatomic and dynamic defects of the pelvic floor in defecatory disorders (a), **181:**1159
MR imaging of retained products of conception, **181:**435

MRI, pituitary gland
MR imaging features of thyrotropin-secreting pituitary adenomas at initial presentation, **181:**577

MRI, rectum
comparison of transrectal sonography and double-contrast MR imaging when staging rectal cancer, **181:**421
MR imaging of linitis plastica of the rectum, **181:**428

MRI, shoulder
association of biceps tendon tears with rotator cuff abnormalities: degree of correlation with tears

of the anterior and superior portions of the rotator cuff, **180:**633
comparison of high-field-strength versus low-field-strength MRI of the shoulder, **181:**1211
MR arthrography of the posterior labrocapsular complex: relationship with glenohumeral joint alignment and clinical posterior instability, **180:**369
MR imaging appearance and classification of acromioclavicular joint injury, **180:**1103
MR imaging of complications of loose surgical tacks in the shoulder, **180:**377
MR imaging of glenohumeral instability, **181:**203
superior labral anteroposterior tear: classification and diagnosis on MRI and MR arthrography, **181:**1449
usefulness of the simultaneous acquisition of spatial harmonics technique during MRI of the shoulder, **181:**961

MRI, sinus
cavernous sinus syndrome: clinical features and differential diagnosis with MR imaging, **181:**583

MRI, small bowel
duodenal diverticula mimicking cystic neoplasms of the pancreas: CT and MR imaging findings in seven patients, **180:**195
MR imaging of the small bowel using polyethylene glycol solution as an oral contrast agent in adults and children with celiac disease: preliminary observations, **180:**191

MRI, soft tissue
differential diagnosis of benign peripheral lipoma from well-differentiated liposarcoma on MR imaging: is comparison of margins and internal characteristics useful?, **180:**1689
encapsulated versus nonencapsulated superficial fatty masses: a proposed MR imaging classification, **180:**1419
imaging features of fat necrosis, **181:**955
normal intratumoral lymph node in a patient with lipoma mimicking liposarcoma, **181:**569
osseous change adjacent to soft-tissue hemangiomas of the extremities: correlation with lesion size and proximity to bone, **180:**1695

MRI, spine—*see also* MRI, central nervous system
focal nodular hyperplasia of the hematopoietic marrow simulating vertebral metastasis on FDG position emission tomography, **180:**669
intervertebral disk hydatid cysts: MR imaging findings (l), **180:**1739
MR imaging of spinal tumors in children with neurofibromatosis 1, **180:**413
MR imaging of the lumbar spine: relation of posterior soft-tissue edema-like signal and body weight, **180:**81
terminal spine of agave plant extracted from patient's spinal cord (l), **181:**1155

MRI, spleen
MR features of abdominal splenosis, **180:**493

MRI, stomach
time-resolved three-dimensional MR imaging of gastric emptying modified by IV administration of erythromycin, **180:**1305

MRI, tendon
giant cell tumor of the peroneus tendon sheath, **180:**1442
MR imaging of fibroma of the tendon sheath, **180:**1449
usefulness of the simultaneous acquisition of spatial harmonics technique during MRI of the shoulder, **181:**961

MRI, testicle
testicular Leydig's cell hyperplasia: MR imaging and sonographic findings, **180:**501

MRI, thymus
characterization of the normal and hyperplastic thymus on chemical-shift MR imaging, **180:**1265

MRI, tibia
MRI of trapped periosteum in a proximal tibial physeal injury of a pediatric patient, **181:**1397

MRI, umbilical cord
MR imaging of umbilical cord urachal (allantoic) cyst in utero (l), **180:**1181

MRI, urethra
MR imaging of primary urethral lymphoma in a man (l), **181:**600

MRI, urinary bladder
carcinosarcoma of the urinary bladder: dynamic contrast-enhanced MR imaging with clinical and pathologic correlation, **181:**139
imaging in the diagnosis, staging, and follow-up of cancer of the urinary bladder, **180:**1045
MR imaging features of non–transitional cell carcinoma of the urinary bladder with pathologic correlation, **180:**779
MR imaging features of transitional cell carcinoma of the urinary bladder, **180:**771
pitfall in interpretation of MR imaging of the bladder (l), **180:**1178

MRI, urinary tract
urethra and its supporting structures in women with stress urinary incontinence: MR imaging using an endovaginal coil, **180:**1037

MRI, uterus
adenomyosis: MRI of the uterus treated with uterine artery embolization, **181:**851
CT and MRI of uterine sarcomas and their mimickers, **181:**1369
fast breath-hold T2-weighted MR imaging reduces interobserver variability in the diagnosis of adenomyosis, **180:**1291
MR imaging findings and patterns of spread in secondary tumor involvement of the uterine body and cervix, **180:**765
sonography and MRI of tamoxifen-associated müllerian adenosarcoma of the uterus, **181:**1673

MRI, vasculature—*see also* MRI, artery; MRI, vein
comprehensive time-resolved MRI of peripheral vascular malformations, **181:**729
MR imaging–guided vascular procedures using CO_2 as a contrast agent, **181:**485

MRI, vein—*see also* Angiography, MR; MRI, vasculature; Venography, MR
imaging characteristics of blue rubber bleb nevus syndrome, **181:**1041
MR venography using an intravascular contrast agent: results from a multicenter phase 2 study of dosage, **180:**227

MRI, whole-body
CT and MR imaging of the whole body, vol. 1, 4th ed. (b), **181:**1326
current concepts in whole-body imaging using turbo short tau inversion recovery MR imaging, **180:**247
whole-body MR imaging: the future "x ray"? (l), **180:**860

MRI, wrist
MR imaging of ulnocarpal impaction after fracture of the distal radius, **181:**195
rice-body formation in atypical mycobacterial tenosynovitis and bursitis: findings on sonography and MR imaging, **180:**1455

Mucocele-like tumors
mucocele-like tumors of the breast: mammographic and sonographic appearances, **180:**949

Mucormycosis
renal mucormycosis in an AIDS patient: imaging features and pathologic correlation, **180:**1278

Mulder sign
dynamic sonography of the forefoot: the sonographic Mulder sign, **180:**1121

Multidetector CT
acceptance by patients of multidetector CT colonography compared with barium enema examinations, flexible sigmoidoscopy, and colonoscopy, **181:**913
anatomy of pericardial recesses on multidetector CT: implications for oncologic imaging, **181:**1109
anomalous pancreaticobiliary junction shown on multidetector CT, **180:**173
can low-dose unenhanced multidetector CT be used for routine evaluation of suspected renal colic? (c), **180:**313
comparison between low-dose and standard-dose multidetector CT in patients with suspected chronic sinusitis, **181:**939
comparison of multidetector CT and barium studies of the small bowel: inflammatory bowel disease in children, **180:**1211
coronary artery calcium scoring using ECG-gated multidetector CT: effect of individually optimized image-reconstruction windows on image quality and measurement reproducibility, **181:**1093
detection of coronary calcifications: feasibility of dose reduction with a body weight–adapted examination protocol, **181:**533
dose reduction in multidetector CT using attenuation-based online tube current modulation, **181:**331
dynamic multidetector CT of breast tumors: diagnostic features and comparison with conventional techniques, **181:**679
evaluation of complications after sternotomy using single- and multidetector CT with three-dimensional volume rendering, **181:**1065
Fitz-Hugh–Curtis syndrome: multidetector CT findings of transient hepatic attenuation difference and gallbladder wall thickening, **180:**1605
four-channel multidetector CT in facial fractures: do we need 2 × 0.5 mm collimation?, **180:**1707
high-resolution multidetector CT in the preoperative evaluation of patients with renal cell carcinoma, **180:**1271
in-plane bismuth breast shields for pediatric CT: effects on radiation dose and image quality using experimental and clinical data, **180:**407
low-dose unenhanced multidetector CT of patients with suspected renal colic, **180:**305
morphologic assessment of patent ductus arteriosus in adults using retrospectively ECG-gated multidetector CT, **181:**749
multidetector CT angiography for preoperative evaluation of living laparoscopic kidney donors, **180:**1633
multidetector CT angiography of peripheral vascular disease: a prospective comparison with intraarterial digital subtraction angiography, **180:**719
multidetector CT angiography of the aortoiliac system and lower extremities: a prospective comparison with digital subtraction angiography, **180:**1085
multidetector CT appearance of a novel contraceptive device: the vaginal ring, **180:**1659
multidetector CT arteriography with volumetric three-dimensional rendering to evaluate patients with metastatic colorectal disease for placement of a floxuridine infusion pump, **181:**455
multidetector CT evaluation of congenital heart disease in pediatric and adult patients, **180:**973
multidetector CT of bronchiectasis: effect of radiation dose on image quality, **181:**501
multidetector CT of high-risk patients with occult gastrointestinal stromal tumors, **180:**185

multidetector CT of the liver and hepatic neoplasms: effect of multiphasic imaging on tumor conspicuity and vascular enhancement, **180:**1217; correction at **181:**283
multiple myeloma seen only on multidetector CT (l), **180:**281
optimization of multidetector CT venography performed with elastic stockings on patients' lower extremities: a preliminary study of nonthrombosed veins, **180:**1093
six cases of acute central pulmonary embolism revealed on unenhanced multidetector CT of the chest, **180:**1661
spiral and multislice computed tomography of the body (b), **181:**1558
value of bone window settings on CT for revealing appendicoliths in patients with appendicitis, **180:**201
volume-rendered multidetector CT angiography: noninvasive follow-up of patients treated with renal artery stents, **180:**233
wall thickening of the gastric antrum as a normal finding: multidetector CT evaluation with cadaveric comparison, **181:**973
whole-body three-dimensional multidetector CT of 13 Egyptian human mummies, **180:**597

Multiphasic imaging
multidetector CT of the liver and hepatic neoplasms: effect of multiphasic imaging on tumor conspicuity and vascular enhancement, **180:**1217; correction at **181:**283

Mummies
radiologic evaluation of the Llullaillaco mummies, **181:**1473
whole-body three-dimensional multidetector CT of 13 Egyptian human mummies, **180:**597

Muscle
diabetic muscle infarction, **181:**1216
gastrointestinal and genitourinary smooth-muscle tumors, **181:**1349
hemangioma of the triceps muscle, **181:**544
juxtacortical glomus tumor of the distal femur adjacent to the popliteal fossa, **181:**1590
MRI features of chronic injuries of the superior peroneal retinaculum, **181:**1551
MRI of failed total hip replacement caused by abductor muscle avulsion, **181:**1547
side strain: a tear of internal oblique musculature, **181:**1511
sonography of muscle hernias, **180:**395
using dynamic sonography to diagnose extensor digitorum brevis manus, **181:**1224

Muscular dystrophy
gastric wall weakening resulting in separate perforations in a patient with Duchenne's muscular dystrophy, **181:**807

Musculoskeletal system—*see also* **Bone**
essentials of musculoskeletal imaging (b), **181:**694
mineralization in musculoskeletal leiomyosarcoma: radiologic–pathologic correlation, **180:**109
musculoskeletal imaging: the requisites, 2nd ed. (b), **181:**550
spiral and multislice computed tomography of the body (b), **181:**1558

Myasthenia gravis
CT-guided percutaneous ethanol injection of the thymus for treatment of myasthenia gravis, **181:**721

Mycetoma
new radiographic classification of bone involvement in pedal mycetoma, **180:**665

Myelination
diffusion-tensor MR imaging of normal brain maturation: a guide to structural development and myelination, **180:**851

Myeloma
multifocal involvement of the pancreas in multiple myeloma: sonographic, CT, and MR imaging findings (l), **180:**545
multiple myeloma seen only on multidetector CT (l), **180:**281
radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507

Myomectomy
abdominal myomectomy versus uterine fibroid embolization in the treatment of symptomatic uterine leiomyomas, **180:**1571

Myxoma
forearm intramuscular myxoma, **181:**960

N

Nasopharynx—*see* **Head and neck**

National Conference on Dose Reduction in CT
National Conference on Dose Reduction in CT, with an emphasis on pediatric patients, **181:**321

Neck—*see* **Head and neck**

Necrosis
CT of papillary renal cell carcinomas with cholesterol necrosis mimicking angiomyolipomas, **181:**143
delayed cerebral radiation necrosis, **180:**70
imaging features of fat necrosis, **181:**955
intrahepatic biloma formation (bile duct necrosis) after transcatheter arterial chemoembolization, **181:**79
MR imaging of bone marrow edema and joint effusion in patients with osteonecrosis of the femoral head: relationship to pain, **181:**545
partial Hawkins sign in fractures of the talus: a report of three cases, **181:**1559
power rolloff during interactive radiofrequency ablation can enhance necrosis when treating hepatocellular carcinoma, **180:**151

Needle placement
radicular pain avoidance during needle placement in lumbar diskography, **181:**1149

Needles
imaging-guided percutaneous splenic biopsy using a 20- or 22-gauge cutting-edge core biopsy needle for the diagnosis of malignant lymphoma, **181:**1025
transjugular biopsy of the liver in pediatric and adult patients using an 18-gauge automated core biopsy needle: a retrospective review of 410 consecutive procedures, **180:**167
usefulness of a percutaneous transhepatic coaxial micropuncture needle technique in patients with nondilated peripheral intrahepatic ducts, **181:**1017

Nembutal
comparison of oral pentobarbital sodium (Nembutal) and oral chloral hydrate for sedation of infants during radiologic imaging: preliminary results, **180:**1125

NeoMend
feasibility study of NeoMend, a percutaneous arterial closure device that uses a nonthrombogenic bioadhesive, **180:**533

Neonatal imaging—*see also* **Fetal Imaging, Pediatric radiology**
cerebrospinal fluid leakage after lumbar puncture in neonates: incidence and sonographic appearance, **181:**231
CT findings and temporal course of persistent pulmonary interstitial emphysema in neonates: a multiinstitutional study, **180:**1129
"ex vacuo" pneumothorax (l), **181:**885
MR imaging of hepatic pulmonary fusion in neonates, **180:**438
neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis, **180:**1147
ruptured choledochal cyst: CT findings in a 6-month-old female infant (l), **181:**1156
testicular torsion in neonates and infants: sonographic features in 30 patients, **180:**1143

Nephrectomy
radiofrequency ablation of isolated local recurrence of renal cell carcinoma after radical nephrectomy, **181:**93

Nephropathy
contrast agent–induced nephropathy: a simple way to identify patients with preexisting renal insufficiency, **181:**451

Nerve
chronic perineal pain caused by pudendal nerve entrapment: anatomy and CT-guided perineural injection technique, **181:**561
posttraumatic cerebrospinal fluid rhinorrhea caused by injury of the optic nerve sheath (l), **180:**865
sonography and MR imaging of posterior interosseous nerve syndrome with surgical correlation, **181:**219
using MR imaging to predict invasion of the recurrent laryngeal nerve by thyroid carcinoma, **180:**837

Nervous system
integrated imaging using MRI and ^{123}I metaiodobenzylguanidine scintigraphy to improve sensitivity and specificity in the diagnosis of pediatric neuroblastoma, **181:**1115

Neuroblastoma
integrated imaging using MRI and ^{123}I metaiodobenzylguanidine scintigraphy to improve sensitivity and specificity in the diagnosis of pediatric neuroblastoma, **181:**1115

Neuroendocrine syndromes
percutaneous radiofrequency ablation of hepatic metastases for symptomatic relief of neuroendocrine syndromes, **181:**1005

Neuroendocrine tumor
MR imaging of hepatic metastases caused by neuroendocrine tumors: comparing four techniques, **180:**121

Neurofibroma
interobserver reproducibility of volumetric MR imaging measurements of plexiform neurofibromas, **180:**419

Neurofibromatosis
MR imaging of spinal tumors in children with neurofibromatosis 1, **180:**413

Neuroimaging
neuroimaging features of heroin inhalation toxicity: "chasing the dragon," **180:**847
perfusion CT with iodinated contrast material, **180:**3

Neuroradiology
leptomeningeal enhancement in a patient with proven West Nile virus infection, **181:**591

Nuclear medicine
extraskeletal osteosarcoma of the pleura, **180:**972
gallium uptake in complicated pancreatitis (l), **180:**1177

O

Obesity
MR imaging of the lumbar spine: relation of posterior soft-tissue edema-like signal and body weight, **180:**81

Obstetrics—*see* **Pregnancy**

Obstruction
Bouveret's syndrome: appearance on CT and upper gastrointestinal radiography before and after stone obturation, **181:**828

contrast enema before bypass surgery for small-bowel obstruction in the oncologic patient: is it necessary?, **181:**1361
CT, MR cholangiopancreatography, and endoscopy findings in Bouveret's syndrome, **180:**1033
doll's head "bezoar": complete craniocervical dislocation causing bowel obstruction, **180:**986
hilar biliary obstruction: preliminary results with Levovist-enhanced sonography, **180:**687

Occlusion—*see also* **Balloon occlusion**
catheter-directed thrombolytic therapy in peripheral artery occlusions: combining reteplase and abciximab, **180:**1385
cerebral hemodynamics and metabolism in patients with symptomatic occlusion of the internal carotid artery (a), **181:**602
traumatic sternomanubrial dislocation with associated bilateral internal mammary artery occlusion, **180:**810

Oncologic imaging—*see also* **Imaging in Oncology series**
anatomy of pericardial recesses on multidetector CT: implications for oncologic imaging, **181:**1109
oncologic imaging, 2nd ed. (b), **180:**1546

Orthopedic implants
radiology of the PROSTALAC (prosthesis with antibiotic-loaded acrylic cement) orthopedic implant, **180:**1701

Osteochondritis dissecans
MR imaging features of osteochondritis dissecans of the femoral sulcus, **180:**641

Osteonecrosis
MR imaging of bone marrow edema and joint effusion in patients with osteonecrosis of the femoral head: relationship to pain, **181:**545
subchondral fractures in osteonecrosis of the femoral head: comparison of radiography, CT, and MR imaging, **180:**363

Osteophytes—*see* **Collar osteophytes**

Osteoporosis
comparison of imaging-guided and non–imaging-guided quantitative sonography of the calcaneus with dual x-ray absorptiometry of the spine and femur, **180:**1111

Osteosarcoma
extraskeletal osteosarcoma of the pleura, **180:**972

Ovary
characterization of adnexal mass lesions on MR imaging, **180:**1297
imaging of ovarian fibromatosis, **180:**1288
"ovarian vascular pedicle" sign revealing organ of origin of a pelvic mass lesion on helical CT, **181:**131
sonography of delayed effects of uterine artery embolization on ovarian arterial perfusion and function, **181:**89
urachal mucinous cystadenocarcinoma with a cystic ovarian metastasis (l), **180:**1183

Overlap phenomenon
overlap phenomenon: a potential pitfall in the radiographic detection of lower esophageal rings, **180:**745

P

Paclitaxel
novel intraarterial chemotherapy using paclitaxel in albumin nanoparticles to treat advanced squamous cell carcinoma of the tongue: preliminary findings, **181:**253

PACS
capturing PACS images (l), **180:**285
Web-based image review and data acquisition for multiinstitutional research, **180:**1243

Pain
chronic perineal pain caused by pudendal nerve entrapment: anatomy and CT-guided perineural injection technique, **181:**561
efficacy of epidural injections of Kenalog and Celestone in the treatment of lower back pain, **181:**1255
imaging of the painful hip arthroplasty, **180:**115
MR imaging of bone marrow edema and joint effusion in patients with osteonecrosis of the femoral head: relationship to pain, **181:**545
MR imaging of calcification of the lateral collateral ligament of the knee: a rare abnormality and a cause of lateral knee pain, **181:**199
MRI features of the acromioclavicular joint that predict pain relief from intraarticular injection, **181:**755
radicular pain avoidance during needle placement in lumbar diskography, **181:**1149
subcutaneous endometrioma as an unexpected cause of chronic abdominal pain (l), **181:**1157

Pancreas
autoimmune pancreatitis associated with idiopathic retroperitoneal fibrosis, **181:**993
correlation of positron emission tomography and CT in evaluating pancreatic tumors: technical and clinical implications, **181:**387
CT and pathologic assessment of prospective nodal staging in patients with ductal adenocarcinoma of the head of the pancreas, **180:**475
CT, endoscopic sonography, and a combined protocol for preoperative evaluation of pancreatic insulinomas, **181:**987
diagnosis, staging, and surveillance of pancreatic cancer, **180:**1311
duodenal diverticula mimicking cystic neoplasms of the pancreas: CT and MR imaging findings in seven patients, **180:**195
extension of pancreatic pseudocysts into the neck: CT and MR imaging findings, **180:**843
hydatid cyst of the pancreas as a cause of pancreatic cystic lesions (l), **181:**885
macrocystic serous adenoma of the pancreas: radiologic–pathologic correlation, **181:**119
MR imaging features of solid pseudopapillary tumor of the pancreas in adult and pediatric patients, **181:**395
multifocal involvement of the pancreas in multiple myeloma: sonographic, CT, and MR imaging findings (l), **180:**545
preoperative detection of pancreatic insulinomas on multiphasic helical CT, **181:**775
radiation therapy for a massive arteriovenous malformation of the pancreas, **181:**1627
spectrum of abdominal imaging findings in von Hippel-Lindau disease, **181:**1049

Pancreaticobiliary junction
anomalous pancreaticobiliary junction shown on multidetector CT, **180:**173

Pancreatitis
autoimmune pancreatitis associated with idiopathic retroperitoneal fibrosis, **181:**993
gallium uptake in complicated pancreatitis (l), **180:**1177

Paper print quality
using receiver operating characteristic methodology to evaluate the diagnostic quality of radiography on paper prints versus film, **181:**1487

Paracoccidiodomycosis
unique adrenal gland imaging features in Addison's disease caused by paracoccidioidomycosis (l), **181:**1433

Paralysis
using CT to localize side and level of vocal cord paralysis, **180:**1165

Parathyroid gland
angiographic ablation of an ectopic mediastinal hyperplastic parathyroid gland using a left internal mammary artery coronary bypass, **181:**95

Parotid gland
recurrent pleomorphic adenoma of the parotid gland: value of multiple lesions as a diagnostic indicator, **180:**1171

Patlak plot technique
measuring single-kidney glomerular filtration rate on single-detector helical CT using a two-point Patlak plot technique in patients with increased interstitial space, **181:**147

Pediatric radiology—*see also* **Fetal imaging, Neonatal imaging**
accuracy of MR imaging of the knee in adolescents, **180:**17
combined sonographic and fluoroscopic guidance during transjugular hepatic biopsies performed in children: a retrospective study of 74 biopsies, **180:**1393
comparing sonography with MR imaging of apophyseal injuries of the pelvis in four boys, **181:**223
comparison of multidetector CT and barium studies of the small bowel: inflammatory bowel disease in children, **180:**1211
comparison of oral pentobarbital sodium (Nembutal) and oral chloral hydrate for sedation of infants during radiologic imaging: preliminary results, **180:**1125
contrast-enhanced MR angiography of thoracic vascular malformations in a pediatric population, **181:**861
contrast-enhanced MRI of an early preosseous lesion of fibrodysplasia ossificans progressiva in a 21-month-old boy, **181:**1145
correlation of contrast-enhanced power Doppler sonography and conventional angiography of abduction-induced hip ischemia in piglets, **180:**173
CT and MRI features of recurrent tumors and second primary neoplasms in patients with retinoblastoma, **181:**879
CT of posttransplantation lymphoproliferative disorder in pediatric recipients of lung allograft, **181:**1125
CT of renal lymphoma in children, **180:**429
CT of the pediatric esophagus, **181:**1391
diffusion-weighted MR imaging of cholesteatoma in pediatric and adult patients who have undergone middle ear surgery, **181:**261
double-needle sclerotherapy of lymphangiomas and venous angiomas in children: a simple technique to prevent complications, **180:**1399
effects of IV pentobarbital with and without fentanyl on end-tidal carbon dioxide levels during deep sedation of pediatric patients undergoing MRI, **181:**1691
experience at a single institution with endovascular treatment of mechanical complications caused by implanted central venous access devices in pediatric and adult patients, **180:**527
extracranial aneurysms in children: practical classification and correlative imaging, **181:**867
helical CT of the body: a survey of techniques used for pediatric patients, **180:**401
imaging characteristics of gastric lipomas in 16 adult and pediatric patients, **181:**981
imaging features of pseudoaneurysms of the hand in children and adults, **180:**659
in-plane bismuth breast shields for pediatric CT: effects on radiation dose and image quality using experimental and clinical data, **180:**407
integrated imaging using MRI and ^{123}I metaiodobenzylguanidine scintigraphy to improve sensitivity and specificity in the diagnosis of pediatric neuroblastoma, **181:**1115

int observer reproducibility of volumetric MR imaging measurements of plexiform neurofibromas, **180:**419
is administration of enteric contrast material safe before abdominal CT in children who require sedation? experience with chloral hydrate and pentobarbital, **180:**13
MR evaluation of arrhythmogenic right ventricular cardiomyopathy in pediatric patients, **180:**1135
MR imaging features of solid pseudopapillary tumor of the pancreas in adult and pediatric patients, **181:**395
MR imaging of spinal tumors in children with neurofibromatosis 1, **180:**413
MR imaging of the small bowel using polyethylene glycol solution as an oral contrast agent in adults and children with celiac disease: preliminary observations, **180:**191
MRI of trapped periosteum in a proximal tibial physeal injury of a pediatric patient, **181:**1397
multidetector CT evaluation of congenital heart disease in pediatric and adult patients, **180:**973
National Conference on Dose Reduction in CT, with an emphasis on pediatric patients, **181:**321
pediatric sonography, 3rd ed. (b), **181:**1386
rupture of a ureteropelvic junction–obstructed kidney in a 15-year-old football player, **180:**504
sonographic diagnosis of biliary atresia in pediatric patients using the "triangular cord" sign versus gallbladder length and contraction, **181:**1387
sonographic findings of Meckel's diverticulitis in children, **180:**425
spectrum of imaging findings after pediatric liver transplantation: part 1, posttransplantation anatomy, **181:**1133
spectrum of imaging findings after pediatric liver transplantation: part 2, posttransplantation complications, **181:**1139
testicular torsion in neonates and infants: sonographic features in 30 patients, **180:**1143
transjugular biopsy of the liver in pediatric and adult patients using an 18-gauge automated core biopsy needle: a retrospective review of 410 consecutive procedures, **180:**167
using volume segmentation of cine MR data to evaluate dynamic motion of the airway in pediatric patients, **181:**857

Peer review
fallacy of double-blinded peer review (l), **181:**1422
performance improvement and peer-review activities: are they immune from legal discovery?, **181:**649

Pelvic inflammatory disease
Fitz-Hugh–Curtis syndrome: multidetector CT findings of transient hepatic attenuation difference and gallbladder wall thickening, **180:**1605

Pelvis—*see also specific organ*
bilateral arcuate-line hernia (l), **180:**864
characterization of adnexal mass lesions on MR imaging, **180:**1297
chronic perineal pain caused by pudendal nerve entrapment: anatomy and CT-guided perineural injection technique, **181:**561
comparing sonography with MR imaging of apophyseal injuries of the pelvis in four boys, **181:**223
comparison of conventional sonography, real-time compound sonography, tissue harmonic sonography, and tissue harmonic compound sonography of abdominal and pelvic lesions, **181:**1341
imaging of retained surgical sponges in the abdomen and pelvis, **180:**481; correction at **180:**1179
magnetic resonance imaging of anatomic and dynamic defects of the pelvic floor in defecatory disorders (a), **181:**1159
MR imaging of retained products of conception, **181:**435
sonographically guided transgluteal drainage of pelvic abscesses, **181:**498

Pentobarbital
comparison of oral pentobarbital sodium (Nembutal) and oral chloral hydrate for sedation of infants during radiologic imaging: preliminary results, **180:**1125
effects of IV pentobarbital with and without fentanyl on end-tidal carbon dioxide levels during deep sedation of pediatric patients undergoing MRI, **181:**1691
is administration of enteric contrast material safe before abdominal CT in children who require sedation? experience with chloral hydrate and pentobarbital, **180:**13

Percutaneous ablation therapy—*see* **Ablation, percutaneous**

Perforation
diaphragmatic perforation and hernia after hepatic radiofrequency ablation, **180:**1561
imaging of traumatic bladder perforation that spontaneously sealed after omental herniation, **181:**1379

Performance
performance improvement and peer-review activities: are they immune from legal discovery?, **181:**649

Perfusion CT
perfusion CT with iodinated contrast material, **180:**3

Perfusion failure
early posttransplantation renal allograft perfusion failure due to dissection: diagnosis and interventional treatment, **180:**759

Perfusion-weighted MRI
comparison of admission perfusion computed tomography and qualitative diffusion- and perfusion-weighted magnetic resonance imaging in acute stroke patients (a), **180:**286
examining the lacunar hypothesis with diffusion and perfusion magnetic resonance imaging (a), **180:**286
reliability of assessing percentage of diffusion–perfusion mismatch (a), **181:**1724

Pericardium
mediastinal and pericardial hydatid cysts: an unusual cause of circulatory collapse (l), **181:**285

Periosteum
MRI of trapped periosteum in a proximal tibial physeal injury of a pediatric patient, **181:**1397

Peripheral vascular disease
multidetector CT angiography of peripheral vascular disease: a prospective comparison with intraarterial digital subtraction angiography, **180:**719

PET—*see* **Positron emission tomography**

Pfister, Richard Charles
Richard Charles Pfister, 1933–2003 (m), **181:**1378

Pharynx
hypopharyngeal amyloidoma (l), **181:**1720

Pheochromocytoma
low-density pheochromocytoma on CT: a mimicker of adrenal adenoma, **181:**1663

Phosphor-based computed radiography
dose reduction in patients undergoing chest imaging: digital amorphous silicon flat-panel detector radiography versus conventional film-screen radiography and phosphor-based computed radiography, **181:**923

Photoshop for Radiologists series
color correction and automating repetitive tasks, **181:**383
improving image contrast, **180:**329
removal of dust and scratches from electronic image files, **180:**1533
sharpening the image, **181:**43

Phyllodes tumor
characterization of breast lesions with proton MR spectroscopy (c), **181:**1273
characterization of lesions of the breast with proton MR spectroscopy: comparison of carcinomas, benign lesions, phyllodes tumors, **181:**1267
phyllodes tumor of the breast, **180:**332

Physics
essential physics of medical imaging, 2nd ed. (b), **180:**596
medical imaging physics, 4th ed. (b), **180:**1124

Picture archiving and communication systems—*see* **PACS**

Pituitary gland
MR imaging features of thyrotropin-secreting pituitary adenomas at initial presentation, **181:**577
transsphenoidal (large craniopharyngeal) canal associated with a normally functioning pituitary gland and nasopharyngeal extension, hyperprolactinemia, and hypothalamic hamartoma, **180:**76

Placenta percreta
placenta percreta versus ectopic pregnancy (l), **180:**284

Plague
radiologic manifestations of potential bioterrorist agents of infection, **180:**565

Plasmacytoma
CT findings of perirenal plasmacytoma (l), **181:**888
MR imaging features of non–transitional cell carcinoma of the urinary bladder with pathologic correlation, **180:**779

Pleura
extraskeletal osteosarcoma of the pleura, **180:**972

Pneumatosis intestinalis
pneumatosis intestinalis in patients with ischemia: correlation of CT findings with viability of the bowel, **180:**733

Pneumonia
radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507
reversed halo sign on high-resolution CT of cryptogenic organizing pneumonia: diagnostic implications, **180:**1251
thin-section CT findings in 32 immunocompromised patients with cytomegalovirus pneumonia who do not have AIDS, **181:**1059
videofluoroscopic studies of swallowing dysfunction and the relative risk of pneumonia, **180:**1613

Pneumothorax
"ex vacuo" pneumothorax (l), **181:**885

Poetry
mammogram sonnet, **180:**816

Polyarteritis nodosa
regression of abdominal visceral aneurysms in polyarteritis nodosa: CT findings, **180:**1617

Polycystic liver disease
serial needle aspiration in polycystic liver disease (l), **181:**1717

Polydactyly
unusual case of polydactyly of the foot (l), **181:**1721

Polyethylene glycol
MR imaging of the small bowel using polyethylene glycol solution as an oral contrast agent in adults and children with celiac disease: preliminary observations, **180:**191

Polyethylene liners
sonography of the polyethylene liners used in total knee arthroplasty, **180:**1437

Polymer wafers
surgical bed after BCNU polymer wafer placement for recurrent glioma: serial assessment on CT and MR imaging, **180:**1469

Polymethylmethacrylate
acute bronchospasm due to exposure to polymethylmethacrylate vapors during percutaneous vertebroplasty (l), **180:**543
Polyposis—*see* Familiar adenomatous polyposis
Polyps
CT colonography of colorectal polyps: a metaanalysis, **181:**1593
double reading of barium enemas: is it necessary?, **181:**1607
Popliteal artery entrapment syndrome
popliteal artery entrapment syndrome: role of imaging in the diagnosis, **181:**1259
Positron emission tomography
correlation of positron emission tomography and CT in evaluating pancreatic tumors: technical and clinical implications, **181:**387
cost of positron emission tomography in six United States Veterans Affairs hospitals and two academic medical centers, **181:**359
focal nodular hyperplasia of the hematopoietic marrow simulating vertebral metastasis on FDG position emission tomography, **180:**669
principles and practice of positron emission tomography (b), **180:**1238
sacral fractures: a potential pitfall of FDG positron emission tomography, **181:**1239
thymic enlargement and FDG uptake in three patients: CT and FDG positron emission tomography correlated with pathology, **180:**519
Posttransplantation lymphoproliferative disorder
CT of posttransplantation lymphoproliferative disorder in pediatric recipients of lung allograft, **181:**1125
Pouch
radiology of ileal pouch–anal anastomosis surgery, **180:**999
Power Doppler sonography—*see also* Color Doppler sonography, Doppler sonography
correlation of contrast-enhanced power Doppler sonography and conventional angiography of abduction-induced hip ischemia in piglets, **180:**1731
PowerPoint
on improvement of scientific presentations: using PowerPoint, **181:**47
Practice of radiology—*see* Radiology, practice of
Pregnancy
CT of a ruptured pyomyoma, **181:**1375
MR imaging of retained products of conception, **181:**435
MR imaging of umbilical cord urachal (allantoic) cyst in utero (l), **180:**1181
new pregnancy policy for a new era, **181:**335
placenta percreta versus ectopic pregnancy (l), **180:**284
pulmonary embolus in pregnant patients: a survey of practices and policies for CT pulmonary angiography, **181:**1495
wrongful life, **181:**1181
Presentations
on improvement of scientific presentations: using PowerPoint, **181:**47
Probability theory
introduction to probability theory and sampling distributions, **180:**917
Products of conception
MR imaging of retained products of conception, **181:**435
Prolapse
prolapse of the common bile duct with small ampullary villous adenocarcinoma into third part of the duodenum (l), **181:**599
PROSTALAC—*see* Prostheses
Prostate gland
midline prostatic cysts in healthy men: incidence and transabdominal sonographic findings, **181:**1669
Prostheses
radiology of the PROSTALAC (prosthesis with antibiotic-loaded acrylic cement) orthopedic implant, **180:**1701
Pseudoaneurysm
iatrogenic femoral pseudoaneurysms that are unresponsive to percutaneous thrombin injection: potential causes, **181:**1301
imaging features of pseudoaneurysms of the hand in children and adults, **180:**659
large iatrogenic pseudoaneurysm of the posterior tibial artery treated with sonographically guided thrombin injection (l), **180:**1479
using a covered stent (Wallgraft) to treat pseudoaneurysms of dialysis grafts and fistulas, **180:**1067
Pseudocyst
extension of pancreatic pseudocysts into the neck: CT and MR imaging findings, **180:**843
Pseudolesion
pseudolesion of the bile duct caused by flow effect: a diagnostic pitfall of MR cholangiopancreatography, **180:**467
Pseudopapillary tumor
MR imaging features of solid pseudopapillary tumor of the pancreas in adult and pediatric patients, **181:**395
Pseudotumor
inflammatory pseudotumor of the liver: demographics, diagnosis, and the case for nonoperative management (a), **181:**603
Publishing
AJR data: manuscripts submitted by corresponding authors residing outside the United States in 2002 and 2001, **181:**906
fallacy of double-blinded peer review (l), **181:**1422
images, the coin of the radiologists' realm: illustrating scientific articles (e), **181:**301
internationalization of the *American Journal of Roentgenology*: 1980–2002, **181:**907
preparation of digital images for presentation and publication, **180:**1523
Thanksgiving and the joys of participation (e), **181:**1173
visualizing radiologic data, **180:**607
Pulmonary sequestration
prenatal sonography and MR imaging of pulmonary sequestration, **180:**433
Pump implantation
multidetector CT arteriography with volumetric three-dimensional rendering to evaluate patients with metastatic colorectal disease for placement of a floxuridine infusion pump, **181:**455
Pyomyoma
CT of a ruptured pyomyoma, **181:**1375
Pyothorax-associated lymphoma
pyothorax-associated lymphoma: diagnosis at percutaneous core biopsy with CT guidance, **180:**969

Q

Quality
using receiver operating characteristic methodology to evaluate the diagnostic quality of radiography on paper prints versus film, **181:**1487
Quantitative sonography
comparison of imaging-guided and non–imaging-guided quantitative sonography of the calcaneus with dual x-ray absorptiometry of the spine and femur, **180:**1111

R

Radiation dose
can low-dose unenhanced multidetector CT be used for routine evaluation of suspected renal colic? (c), **180:**313
comparison between low-dose and standard-dose multidetector CT in patients with suspected chronic sinusitis, **181:**939
detection of coronary calcifications: feasibility of dose reduction with a body weight–adapted examination protocol, **181:**533
dose reduction in multidetector CT using attenuation-based online tube current modulation, **181:**331
dose reduction in patients undergoing chest imaging: digital amorphous silicon flat-panel detector radiography versus conventional film-screen radiography and phosphor-based computed radiography, **181:**923
in-plane bismuth breast shields for pediatric CT: effects on radiation dose and image quality using experimental and clinical data, **180:**407
low-dose CT: how are we doing? (e), **180:**303
low-dose unenhanced multidetector CT of patients with suspected renal colic, **180:**305
multidetector CT of bronchiectasis: effect of radiation dose on image quality, **181:**501
National Conference on Dose Reduction in CT, with an emphasis on pediatric patients, **181:**321
radiation risk of screening CT (l), **180:**540
reducing the radiation dose during excretory urography: flat-panel silicon x-ray detector versus computed radiography, **181:**931
what is the optimum position of arms for acquiring scout images for whole-body CT with automatic tube current modulation? (l), **181:**596
Radiation exposure
low-level radiation risk (l), **181:**278
new pregnancy policy for a new era, **181:**335
Radiation injury
delayed cerebral radiation necrosis, **180:**70
Radiation therapy
radiation therapy for a massive arteriovenous malformation of the pancreas, **181:**1627
Radiofrequency ablation—*see* Ablation, radiofrequency
Radiography
using receiver operating characteristic methodology to evaluate the diagnostic quality of radiography on paper prints versus film, **181:**1487
Radiography, abdomen
bilateral arcuate-line hernia (l), **180:**864
doll's head "bezoar": complete craniocervical dislocation causing bowel obstruction, **180:**986
imaging of retained surgical sponges in the abdomen and pelvis, **180:**481; correction at **180:**1179
neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis, **180:**1147
Radiography, bone
amyloidoma of the clavicle, **181:**771
collar osteophytes: a cause of false-positive findings in bone scans for hip fractures, **181:**191
mimics on radiography of giant cell tumor of bone, **181:**1583
new radiographic classification of bone involvement in pedal mycetoma, **180:**665
osseous change adjacent to soft-tissue hemangiomas of the extremities: correlation with lesion size and proximity to bone, **180:**1695
osseous involvement in calcific tendinitis: a retrospective review of 50 cases, **181:**965
solid variant of aneurysmal bone cysts in long tubular bones: giant cell reparative granuloma, **180:**1681
subchondral fractures in osteonecrosis of the femoral head: comparison of radiography, CT, and MR imaging, **180:**363

Radiography, brain
extensive occipital bone pneumatization presenting as an occipital mass (l), **181:**891
posterior fossa subarachnoid hemorrhage due to an atlantooccipital dislocation, **180:**1476
Radiography, chest—*see also* Radiography, lung
comparing image quality of flat-panel chest radiography with storage phosphor radiography and film-screen radiography, **181:**171
dose reduction in patients undergoing chest imaging: digital amorphous silicon flat-panel detector radiography versus conventional film-screen radiography and phosphor-based computed radiography, **181:**923
dual-energy chest radiography with a flat-panel digital detector: revealing calcified chest abnormalities, **181:**1519
impact of ambient light and window settings on the detectability of catheters on soft-copy display of chest radiographs at bedside, **181:**1415
inhalational anthrax: radiologic and pathologic findings in two cases, **181:**1071
invasive thymoma, **181:**1504
neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis, **180:**1147
traumatic sternomanubrial dislocation with associated bilateral internal mammary artery occlusion, **180:**810
Radiography, esophagus
usefulness of barium studies for differentiating benign and malignant strictures of the esophagus, **180:**737
Radiography, foot
"absent middle facet": a sign on unenhanced radiography of subtalar joint coalition, **181:**1565
unusual case of polydactyly of the foot (l), **181:**1721
Radiography, gastrointestinal system—*see also radiography of specific organ*
Bouveret's syndrome: appearance on CT and upper gastrointestinal radiography before and after stone obturation, **181:**828
gastric wall weakening resulting in separate perforations in a patient with Duchenne's muscular dystrophy, **181:**807
imaging characteristics of gastric lipomas in 16 adult and pediatric patients, **181:**981
Radiography, head and neck
fluoroscopic diagnosis of a second branchial cleft fistula (l), **181:**285
Radiography, hip, knee
radiology of the PROSTALAC (prosthesis with antibiotic-loaded acrylic cement) orthopedic implant, **180:**1701
Radiography, jejunum—*see* Radiography, small bowel
Radiography, lung—*see also* Radiography, chest
CT and radiography of bacterial respiratory infections in AIDS patients, **180:**1203
imaging of severe acute respiratory syndrome in Hong Kong, **181:**11
radiographic and CT findings of nontuberculous mycobacterial pulmonary infection caused by *Mycobacterium abscessus*, **181:**513
radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507
radiography, Doppler sonography, and MR angiography of malignant pulmonary hemangiopericytoma, **181:**1079
radiologic manifestations of potential bioterrorist agents of infection, **180:**565
SARS: imaging of severe acute respiratory syndrome, **180:**1247
severe acute respiratory syndrome: radiographic and CT findings, **181:**3
Radiography, musculoskeletal system
mineralization in musculoskeletal leiomyosarcoma: radiologic–pathologic correlation, **180:**109
Radiography, pelvis
imaging of retained surgical sponges in the abdomen and pelvis, **180:**481; correction at **180:**1179
Radiography, small bowel
using radiography to reveal chronic jejunal ischemia as a complication of gastric bypass surgery, **181:**1365
Radiography, spine
CT versus radiography for initial evaluation of cervical spine trauma: what is the standard of care?, **180:**911
Radiography, stomach
intrathoracic stomach revisited, **181:**403
Radiography, wrist
posttraumatic cystlike defects of the scaphoid: late sign of occult microfracture and useful indicator of delayed union, **180:**655
Radiologic signs—*see* Signs, radiologic
Radiologic–pathologic correlation—*see* Correlation, radiologic–pathologic
Radiology, employment—*see* Employment
Radiology, interventional—*see* Interventional radiology
Radiology, mummies
radiologic evaluation of the Llullaillaco mummies, **181:**1473
whole-body three-dimensional multidetector CT of 13 Egyptian human mummies, **180:**597
Radiology, practice of
abdominal CT screening: inflated promises, serious concerns, **180:**27
basic characteristics of radiology practices: results from the American College of Radiology's 1999 survey, **181:**341
carpal tunnel syndrome and cubital tunnel syndrome: work-related musculoskeletal disorders in four symptomatic radiologists, **181:**37
characteristics of mixed diagnostic radiology–radiation oncology practices, **181:**643
eye of the storm: the roles of a radiology department in the outbreak of severe acute respiratory syndrome, **181:**19
findings in 2002 from a help wanted index of job advertisements: is the job-market shortage of diagnostic radiologists easing?, **181:**351
gifts of the Magi (e), **181:**1447
Medicare fraud and abuse, **180:**591
physician satisfaction with high-resolution CT services provided by radiologists: results of a nationwide survey of pulmonary subspecialists, **180:**585
radiologic malpractice litigation: a view of the past, a gaze at the present, a glimpse of the future, **181:**1481
report of the 2002 Intersociety Commission meeting: Radiology 2002—today's research is tomorrow's practice, **180:**925
seeking an academic department chairperson, **181:**951
severe acute respiratory syndrome: avoiding the spread of infection in a radiology department, **181:**25
what price, abdominal radiology?, **181:**1175
Radiology, reports—*see* Reports
Radiology, residents—*see* Residents
Recanalization
is the benefit of early recanalization sustained at 3 months? a prospective cohort study (a), **181:**602
Rectum
comparison of transrectal sonography and double-contrast MR imaging when staging rectal cancer, **181:**421
MR imaging of linitis plastica of the rectum, **181:**428
Renal colic
can low-dose unenhanced multidetector CT be used for routine evaluation of suspected renal colic? (c), **180:**313
low-dose unenhanced multidetector CT of patients with suspected renal colic, **180:**305
Renal insufficiency
contrast agent–induced nephropathy: a simple way to identify patients with preexisting renal insufficiency, **181:**451
Renography, MR
MR renography using a dynamic gradient-echo sequence and low-dose gadopentetate dimeglumine as an alternative to radionuclide renography, **181:**441
Replacement lung neoplasms
CT findings and progression of small peripheral lung neoplasms having a replacement growth pattern, **180:**817
Reports
correction of interpretive errors (q), **180:**1477
not impressed (l), **181:**1422
style guidelines for radiology reporting: a manner of speaking, **180:**327
towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative, **181:**51
Research
exploring and summarizing radiologic data, **180:**47
introduction to probability theory and sampling distributions, **180:**917
"my word, what is that?": Hounsfield and the triumph of clinical research (e), **180:**1501
report of the 2002 Intersociety Commission meeting: Radiology 2002—today's research is tomorrow's practice, **180:**925
visualizing radiologic data, **180:**607
Web-based image review and data acquisition for multiinstitutional research, **180:**1243
Resection
simultaneous colorectal and hepatic resections for colorectal cancer: postoperative and longterm outcomes (a), **180:**286
Residents
preliminary interpretations of after-hours CT and sonography by radiology residents versus final interpretations by body imaging radiologists at a level I trauma center, **181:**367
Resistive index
resistive index in renal Doppler sonography: where do we stand?, **180:**885
Retained surgical sponges
imaging of retained surgical sponges in the abdomen and pelvis, **180:**481; correction at **180:**1179
Reteplase
catheter-directed thrombolytic therapy in peripheral artery occlusions: combining reteplase and abciximab, **180:**1385
Retinaculum
MRI features of chronic injuries of the superior peroneal retinaculum, **181:**1551
Retinoblastoma
CT and MRI features of recurrent tumors and second primary neoplasms in patients with retinoblastoma, **181:**879
Rhinorrhea
posttraumatic cerebrospinal fluid rhinorrhea caused by injury of the optic nerve sheath (l), **180:**865
Rice-body formation
rice-body formation in atypical mycobacterial tenosynovitis and bursitis: findings on sonography and MR imaging, **180:**1455
Rings, esophageal
overlap phenomenon: a potential pitfall in the radiographic detection of lower esophageal rings, **180:**745

Rosai-Dorfman disease
Rosai-Dorfman disease presenting as a suspicious breast mass (l), **180:**1740
Rotator cuff
association of biceps tendon tears with rotator cuff abnormalities: degree of correlation with tears of the anterior and superior portions of the rotator cuff, **180:**633
complications of rotator cuff surgery in which bioabsorbable anchors are used, **181:**1227
Rupture
CT of blunt tracheal rupture, **180:**1670
pathogenesis in acute aortic syndromes: aortic aneurysm leak and rupture and traumatic aortic transection, **181:**303
rupture of a ureteropelvic junction–obstructed kidney in a 15-year-old football player, **180:**504
rupture of ureteropelvic junction–obstructed kidney (l), **181:**886
ruptured choledochal cyst: CT findings in a 6-month-old female infant (l), **181:**1156

S

Sacrum
sacral fractures: a potential pitfall of FDG positron emission tomography, **181:**1239
Safety
ACR Blue Ribbon Panel response to the *AJR* commentary by Shellock and Crues on the ACR White Paper on MR safety, **180:**31
radiofrequency ablation of hepatic tumors adjacent to the gallbladder: feasibility and safety, **180:**697
Saline
percutaneous saline-enhanced radiofrequency ablation of unresectable hepatic tumors: initial experience in 26 patients, **180:**1537
percutaneous sonographically guided saline-enhanced radiofrequency ablation of hepatocellular carcinoma, **181:**479
using a saline chaser to decrease contrast media in abdominal CT, **180:**929
Sampling
introduction to probability theory and sampling distributions, **180:**917
Sarcoidosis
unique presentation of cardiac sarcoidosis (l), **180:**1738
Sarcoma
CT and MRI of uterine sarcomas and their mimickers, **181:**1369
CT changes of an intracranial granulocytic sarcoma on short-term follow-up, **180:**78
SARS
eye of the storm: the roles of a radiology department in the outbreak of severe acute respiratory syndrome, **181:**19
imaging of severe acute respiratory syndrome in Hong Kong, **181:**11
SARS and the modern day pony express (the World Wide Web) (l), **180:**1736
SARS wars: confronting a new microbe (e), **181:**1
SARS: imaging of severe acute respiratory syndrome, **180:**1247
severe acute respiratory syndrome: avoiding the spread of infection in a radiology department, **181:**25
severe acute respiratory syndrome: radiographic and CT findings, **181:**3
severe acute respiratory syndrome: spectrum of high-resolution CT findings and temporal progression of the disease, **181:**1525
value of CT in assessing probable severe acute respiratory syndrome, **181:**317
Scintigraphy
integrated imaging using MRI and ^{123}I metaiodobenzylguanidine scintigraphy to improve sensitivity and specificity in the diagnosis of pediatric neuroblastoma, **181:**1115
prediction of clinical response after renal angioplasty: respective value of renal Doppler sonography and scintigraphy, **181:**1029
Sclerotherapy
double-needle sclerotherapy of lymphangiomas and venous angiomas in children: a simple technique to prevent complications, **180:**1399
late complication of a large simple cyst of the liver mimicking cystadenocarcinoma after sclerotherapy, **181:**464
Screening, colonoscopy
screening for colorectal cancer in Chinese: comparison of fecal occult blood test, flexible sigmoidoscopy, and colonoscopy (a), **181:**1159
virtual colonoscopy for colon cancer screening: further reflections on polyps and politics, **181:**795
Screening, CT
abdominal CT screening: inflated promises, serious concerns, **180:**27
counterpoint: screening CT and modern economics, **181:**1195
CT screening examinations (l), **180:**1178
CT screening for lung cancer (l), **180:**1736
extracolonic findings at CT colonography: evaluation of prevalence and cost in a screening population (a), **181:**1723
helical CT screening for hepatocellular carcinoma in patients with cirrhosis: frequency and causes of false-positive interpretation, **180:**1007
indeterminate solitary pulmonary nodules revealed at population-based CT screening of the lung: using first follow-up diagnostic CT to differentiate benign and malignant lesions, **180:**1255
potential legal ramifications of whole-body CT screening: taking a peek into Pandora's box, **180:**317
radiation risk of screening CT (l), **180:**540
should whole-body CT screening be performed with contrast media?, **180:**323
small solitary pulmonary nodules (≤ 1 cm) detected at population-based CT screening for lung cancer: reliable high-resolution CT features of benign lesions, **180:**955
three-dimensional endoluminal CT colonography (virtual colonoscopy): comparison of three commercially available systems, **181:**1599
Screening, mammography
computer-aided detection (CAD) in screening mammography: sensitivity of commercial CAD systems for detecting architectural distortion, **181:**1083
improvement in sensitivity of screening mammography with computer-aided detection: a multiinstitutional trial, **181:**687
increase in cancer detection and recall rates with independent double interpretation of screening mammography, **180:**1461
most recent breast cancer screening controversy about whether mammographic screening benefits women at any age: nonsense and nonscience, **180:**21
prescreening mammography by technologists: a preliminary assessment, **180:**253
rationale for a trial of screening breast ultrasound: American College of Radiology Imaging Network (ACRIN) 6666 (e), **180:**1225
screening breast sonography (q), **180:**1477
screening mammography, sonography of dense fibrocystic breast tissue (q), **181:**1715
screening mammography: target of opportunity for the media (e), **180:**1
Sydney Breast Imaging Accuracy Study: comparative sensitivity and specificity of mammography and sonography in young women with symptoms, **180:**935
what is wrong with this picture? screening mammography (l), **181:**1429
Screening, MRI
MRI of occult breast carcinoma in a high-risk population, **181:**619
Screening, sonography
breast sonographic screening is not ready for prime time (l), **181:**1426
using sonography to screen women with mammographically dense breasts, **181:**177
Sedation
comparison of oral pentobarbital sodium (Nembutal) and oral chloral hydrate for sedation of infants during radiologic imaging: preliminary results, **180:**1125
effects of IV pentobarbital with and without fentanyl on end-tidal carbon dioxide levels during deep sedation of pediatric patients undergoing MRI, **181:**1691
is administration of enteric contrast material safe before abdominal CT in children who require sedation? experience with chloral hydrate and pentobarbital, **180:**13
SENSE sequence
does the SENSE sequence really save time? (l), **181:**277
Severe acute respiratory syndrome—*see* **SARS**
Shields—*see* **Breast shields**
Short tau inversion recovery—*see* **STIR**
Shoulder
anterior shoulder dislocation: quantification of glenoid bone loss with CT, **180:**1423; erratum at **181:**283
association of biceps tendon tears with rotator cuff abnormalities: degree of correlation with tears of the anterior and superior portions of the rotator cuff, **180:**633
comparison of high-field-strength versus low-field-strength MRI of the shoulder, **181:**1211
fluoroscopically guided scapulothoracic injections, **181:**1232
MR arthrography of the posterior labrocapsular complex (l), **181:**595
MR arthrography of the posterior labrocapsular complex: relationship with glenohumeral joint alignment and clinical posterior instability, **180:**369
MR imaging appearance and classification of acromioclavicular joint injury, **180:**1103
MR imaging of complications of loose surgical tacks in the shoulder, **180:**377
MR imaging of glenohumeral instability, **181:**203
MRI features of the acromioclavicular joint that predict pain relief from intraarticular injection, **181:**755
sonographic evaluation of shoulder arthroplasty, **180:**1117
superior labral anteroposterior tear: classification and diagnosis on MRI and MR arthrography, **181:**1449
traumatic sternomanubrial dislocation with associated bilateral internal mammary artery occlusion, **180:**810
usefulness of the simultaneous acquisition of spatial harmonics technique during MRI of the shoulder, **181:**961
Shunts
change in the hemodynamics of the portal venous system after retrograde transvenous balloon occlusion of a gastrorenal shunt, **181:**1011

symptomatic intrahepatic portosystemic venous shunt: angiographic findings and transcatheter embolization with an alternative approach, **181:**71

Side strain
side strain: a tear of internal oblique musculature, **181:**1511

Sigmoidoscopy
acceptance by patients of multidetector CT colonography compared with barium enema examinations, flexible sigmoidoscopy, and colonoscopy, **181:**913

Signs, radiologic
"absent middle facet": a sign on unenhanced radiography of subtalar joint coalition, **181:**1565
bowel wall fat halo sign in patients without intestinal disease, **181:**781
dynamic sonography of the forefoot: the sonographic Mulder sign, **180:**1121
"ovarian vascular pedicle" sign revealing organ of origin of a pelvic mass lesion on helical CT, **181:**131
partial Hawkins sign in fractures of the talus: a report of three cases, **181:**1559
reversed halo sign on high-resolution CT of cryptogenic organizing pneumonia: diagnostic implications, **180:**1251
sonographic diagnosis of biliary atresia in pediatric patients using the "triangular cord" sign versus gallbladder length and contraction, **181:**1387

Silicon flat-panel radiography—*see* **Flat-panel radiography**

Single-wall puncture technique
single-wall puncture: a new technique for percutaneous transhepatic biliary drainage, **181:**717

Sinus
cavernous sinus syndrome: clinical features and differential diagnosis with MR imaging, **181:**583
comparing thin-section and thick-section CT of pericardial sinuses and recesses, **181:**1101
radiologic features of Castleman's disease occupying the renal sinus, **181:**1037

Sinusitis
comparison between low-dose and standard-dose multidetector CT in patients with suspected chronic sinusitis, **181:**939

SLAP lesions
superior labral anteroposterior tear: classification and diagnosis on MRI and MR arthrography, **181:**1449

Slides
preparation of digital images for presentation and publication, **180:**1523
removal of dust and scratches from electronic image files, **180:**1533
sharpening the image, **181:**43

Small bowel
comparison of multidetector CT and barium studies of the small bowel: inflammatory bowel disease in children, **180:**1211
contrast enema before bypass surgery for small-bowel obstruction in the oncologic patient: is it necessary?, **181:**1361
doll's head "bezoar": complete craniocervical dislocation causing bowel obstruction, **180:**986
duodenal diverticula mimicking cystic neoplasms of the pancreas: CT and MR imaging findings in seven patients, **180:**195
intestinal ischemia versus intramural hemorrhage: CT evaluation, **180:**177
localized intestinal lymphangiectasia: CT findings, **180:**213
MR imaging of the small bowel using polyethylene glycol solution as an oral contrast agent in adults and children with celiac disease: preliminary observations, **180:**191
pneumatosis intestinalis in patients with ischemia: correlation of CT findings with viability of the bowel, **180:**733
primary extrapulmonary small cell carcinoma involving the stomach or duodenum or both: findings on CT and barium studies, **180:**1325
prolapse of the common bile duct with small ampullary villous adenocarcinoma into third part of the duodenum (l), **181:**599
prospective trial comparing small bowel radiographs and video capsule endoscopy for suspected small bowel disease (a), **180:**1484
radiology of ileal pouch–anal anastomosis surgery, **180:**999
ruptured duodenal varices successfully treated with balloon-occluded retrograde transvenous obliteration: usefulness of microcatheters, **181:**725
sonographic findings of Meckel's diverticulitis in children, **180:**425
using radiography to reveal chronic jejunal ischemia as a complication of gastric bypass surgery, **181:**1365

Smallpox
radiologic manifestations of potential bioterrorist agents of infection, **180:**565

Smoking
bronchoarterial ratio and bronchial wall thickness on high-resolution CT of asymptomatic subjects: correlation with age and smoking, **180:**513

Smooth muscle
gastrointestinal and genitourinary smooth-muscle tumors, **181:**1349

Soft tissue
differential diagnosis of benign peripheral lipoma from well-differentiated liposarcoma on MR imaging: is comparison of margins and internal characteristics useful?, **180:**1689
encapsulated versus nonencapsulated superficial fatty masses: a proposed MR imaging classification, **180:**1419
imaging characteristics of cystic adventitial disease of the peripheral arteries: presentation as soft-tissue masses, **180:**621
imaging features of fat necrosis, **181:**955
osseous change adjacent to soft-tissue hemangiomas of the extremities: correlation with lesion size and proximity to bone, **180:**1695

Software
multiinstitutional computer database for recording nonvascular imaging-guided interventions, **181:**1491

Software reviews
contrast media: basics, reactions and management—an interactive program (s), **180:**92

Solitary pulmonary nodules
CT-guided transthoracic needle aspiration biopsy of small (≤ 20 mm) solitary pulmonary nodules, **180:**1665
indeterminate solitary pulmonary nodules revealed at population-based CT screening of the lung: using first follow-up diagnostic CT to differentiate benign and malignant lesions, **180:**1255
small solitary pulmonary nodules (≤ 1 cm) detected at population-based CT screening for lung cancer: reliable high-resolution CT features of benign lesions, **180:**955

Sonography
preliminary interpretations of after-hours CT and sonography by radiology residents versus final interpretations by body imaging radiologists at a level I trauma center, **181:**367

Sonography, abdomen—*see also sonography of specific organ*
abdominal ultrasound atlas (b), **180:**1202
bilateral arcuate-line hernia (l), **180:**864
comparison of conventional sonography, real-time compound sonography, tissue harmonic sonography, and tissue harmonic compound sonography of abdominal and pelvic lesions, **181:**1341
midline prostatic cysts in healthy men: incidence and transabdominal sonographic findings, **181:**1669

Sonography, ankle
sonography and MR imaging of selected benign masses in the ankle and foot, **180:**99
sonography of dorsal ankle and foot abnormalities, **181:**1573

Sonography, appendix
comparison of CT and sonography in the diagnosis of acute appendicitis: a blinded prospective study, **181:**1355

Sonography, artery—*see also* **Sonography, vasculature**
imaging characteristics of cystic adventitial disease of the peripheral arteries: presentation as soft-tissue masses, **180:**621
significance of and contributing factors for a high resistive index on Doppler sonography of the hepatic artery immediately after surgery: prognostic implications for liver transplant recipients, **181:**831
spectrum of Doppler waveforms in the carotid and vertebral arteries, **181:**1695

Sonography, biliary system
hilar biliary obstruction: preliminary results with Levovist-enhanced sonography, **180:**687
sonographic diagnosis of biliary atresia in pediatric patients using the "triangular cord" sign versus gallbladder length and contraction, **181:**1387

Sonography, bone
comparison of imaging-guided and non–imaging-guided quantitative sonography of the calcaneus with dual x-ray absorptiometry of the spine and femur, **180:**1111
partial Hawkins sign in fractures of the talus: a report of three cases, **181:**1559

Sonography, brain
standardization of flow velocities with respect to age and sex improves the accuracy of transcranial color Doppler sonography of middle cerebral artery spasm, **181:**245

Sonography, breast
adenomyoepithelioma of the breast: spectrum of disease with associated imaging and pathology, **180:**799
breast sonographic screening is not ready for prime time (l), **181:**1426
cancer mimicked on sonography: lipomastia in an HIV-positive man undergoing antiretroviral therapy, **181:**187
dynamic multidetector CT of breast tumors: diagnostic features and comparison with conventional techniques, **181:**679
intracystic papillary carcinoma of the breast, **181:**186
mammography and sonography in young symptomatic women (l), **181:**1424
mammography and subsequent whole-breast sonography of nonpalpable breast cancers: the importance of radiologic breast density, **180:**1675
Mondor's disease of the breast can also occur after a sonography-guided core biopsy (l), **180:**284
mucocele-like tumors of the breast: mammographic and sonographic appearances, **180:**949
phyllodes tumor of the breast, **180:**332
rationale for a trial of screening breast ultrasound: American College of Radiology Imaging Network (ACRIN) 6666 (c), **180:**1225

screening breast sonography (q), **180:**1477
screening mammography, sonography of dense fibrocystic breast tissue (q), **181:**1715
sonographic detection and sonographically guided biopsy of breast microcalcifications, **180:**941
sonographically guided needle localization after stereotactic breast biopsy, **180:**352
steatocystoma multiplex: mammographic and sonographic manifestations, **180:**271
Sydney Breast Imaging Accuracy Study: comparative sensitivity and specificity of mammography and sonography in young women with symptoms, **180:**935
treatment of breast abscesses with sonographically guided aspiration, irrigation, and instillation of antibiotics, **181:**1089
using sonography to screen women with mammographically dense breasts, **181:**177

Sonography, central nervous system
fetal central nervous system biometry on MR imaging, **180:**1155

Sonography, cervix
diagnosis, staging, and surveillance of cervical carcinoma, **180:**1621

Sonography, color Doppler—*see* Color Doppler sonography

Sonography, Doppler—*see* Doppler sonography

Sonography, elbow
sonography of the medial collateral ligament of the elbow: a study of cadavers and healthy adult male volunteers, **180:**389

Sonography, esophagus
diagnosis, staging, and follow-up of esophageal cancer, **181:**785

Sonography, fetus
prenatal sonography and MR imaging of pulmonary sequestration, **180:**433

Sonography, foot
dynamic sonography of the forefoot: the sonographic Mulder sign, **180:**1121
sonography and MR imaging of selected benign masses in the ankle and foot, **180:**99
sonography of dorsal ankle and foot abnormalities, **181:**1573

Sonography, hand
rice-body formation in atypical mycobacterial tenosynovitis and bursitis: findings on sonography and MR imaging, **180:**1455

Sonography, harmonic—*see* Harmonic sonography

Sonography, head and neck
spectrum of Doppler waveforms in the carotid and vertebral arteries, **181:**1695

Sonography, hip
correlation of contrast-enhanced power Doppler sonography and conventional angiography of abduction-induced hip ischemia in piglets, **180:**1731
limited effectiveness of sonography in revealing hip joint effusion: preliminary results in 21 adult patients with native and postoperative hips, **181:**215

Sonography, kidney
diagnostic accuracy of phase-inversion tissue harmonic imaging versus fundamental B-mode sonography in the evaluation of focal lesions of the kidney, **180:**1639
prediction of clinical response after renal angioplasty: respective value of renal Doppler sonography and scintigraphy, **181:**1029
resistive index in renal Doppler sonography: where do we stand?, **180:**885

Sonography, knee
sonography of the polyethylene liners used in total knee arthroplasty, **180:**1437

Sonography, leg
randomized prospective study comparing routine versus selective use of sonography of the complete calf in patients with suspected deep venous thrombosis, **180:**241

Sonography, ligament
value of sonography of the scapholunate ligament (l), **181:**275

Sonography, liver
carbon dioxide–enhanced sonographically guided percutaneous ethanol injection: treatment of patients with viable and recurrent hepatocellular carcinoma, **181:**1647
combined sonographic and fluoroscopic guidance during transjugular hepatic biopsies performed in children: a retrospective study of 74 biopsies, **180:**1393
comparing Levovist-enhanced pulse inversion harmonic imaging and ferumoxides-enhanced MR imaging of hepatic metastases, **180:**1339
contrast-enhanced harmonic gray-scale sonographic–histologic correlation of the therapeutic effects of transcatheter arterial chemoembolization in patients with hepatocellular carcinoma, **181:**65
growing teratoma syndrome of the liver: treatment with living related donor liver transplantation, **181:**839
hepatic epithelioid hemangioendothelioma: sonographic, CT, and MR imaging appearances, **180:**1359
hepatic hemangioma: atypical appearances on CT, MR imaging, and sonography, **180:**135
hilar biliary obstruction: preliminary results with Levovist-enhanced sonography, **180:**687
imaging in the diagnosis, staging, treatment, and surveillance of hepatocellular carcinoma, **180:**441
intrabiliary colonic metastasis mimicking primary biliary neoplasia, **180:**1029
percutaneous ablation therapy guided by contrast-enhanced sonography for patients with hepatocellular carcinoma, **180:**143
percutaneous sonographically guided microwave coagulation therapy for hepatocellular carcinoma: results in 234 patients, **180:**1547
percutaneous sonographically guided saline-enhanced radiofrequency ablation of hepatocellular carcinoma, **181:**479
radiofrequency ablation of hepatocellular carcinoma: therapeutic response using contrast-enhanced coded phase-inversion harmonic sonography, **181:**57
transcatheter arterial chemoembolization of hepatocellular carcinoma: usefulness of coded phase-inversion harmonic sonography, **180:**703

Sonography, lung
prenatal sonography and MR imaging of pulmonary sequestration, **180:**433
radiography, Doppler sonography, and MR angiography of malignant pulmonary hemangiopericytoma, **181:**1079

Sonography, lymph nodes
sonographically guided biopsy of supraclavicular lymph nodes: a simple alternative to lung biopsy and other more invasive procedures, **180:**1403

Sonography, mesentery
usefulness of sonographic guidance during percutaneous biopsy of mesenteric masses, **180:**1563

Sonography, muscle
sonography of muscle hernias, **180:**395
using dynamic sonography to diagnose extensor digitorum brevis manus, **181:**1224

Sonography, nerve
sonography and MR imaging of posterior interosseous nerve syndrome with surgical correlation, **181:**219

Sonography, ovary
sonography of delayed effects of uterine artery embolization on ovarian arterial perfusion and function, **181:**89

Sonography, pancreas
CT, endoscopic sonography, and a combined protocol for preoperative evaluation of pancreatic insulinomas, **181:**987

Sonography, pediatric
pediatric sonography, 3rd ed. (b), **181:**1386

Sonography, pelvis
comparing sonography with MR imaging of apophyseal injuries of the pelvis in four boys, **181:**223
comparison of conventional sonography, real-time compound sonography, tissue harmonic sonography, and tissue harmonic compound sonography of abdominal and pelvic lesions, **181:**1341
sonographically guided transgluteal drainage of pelvic abscesses, **181:**498

Sonography, power Doppler—*see* Power Doppler sonography

Sonography, prenatal—*see* Sonography, fetus

Sonography, rectum
comparison of transrectal sonography and double-contrast MR imaging when staging rectal cancer, **181:**421

Sonography, shoulder
sonographic evaluation of shoulder arthroplasty, **180:**1117

Sonography, small bowel
sonographic findings of Meckel's diverticulitis in children, **180:**425

Sonography, spine
cerebrospinal fluid leakage after lumbar puncture in neonates: incidence and sonographic appearance, **181:**231

Sonography, spleen
estimating splenic volume: sonographic measurements correlated with helical CT determination, **181:**1615

Sonography, testicle
is there an increased incidence of contralateral testicular cancer in patients with intratesticular microlithiasis?, **180:**497
testicular Leydig's cell hyperplasia: MR imaging and sonographic findings, **180:**501
testicular torsion in neonates and infants: sonographic features in 30 patients, **180:**1143

Sonography, thyroid gland
efficacy of sonographically guided percutaneous ethanol injection for treatment of thyroid cysts versus solid thyroid nodules, **180:**1723
sonography and sonographically guided fine-needle aspiration biopsy of the thyroid gland: indications and techniques, pearls and pitfalls, **181:**267
sonography of delayed thyroid metastasis from renal cell carcinoma with jugular vein extension, **181:**272

Sonography, urinary bladder
imaging in the diagnosis, staging, and follow-up of cancer of the urinary bladder, **180:**1045

Sonography, uterus
sonography and MRI of tamoxifen-associated müllerian adenosarcoma of the uterus, **181:**1673
sonography of delayed effects of uterine artery embolization on ovarian arterial perfusion and function, **181:**89

Sonography, vasculature—*see also* Sonography, artery; Sonography, vein
extracranial aneurysms in children: practical classification and correlative imaging, **181:**867

Sonography, vein—*see also* Sonography, vasculature
imaging characteristics of blue rubber bleb nevus syndrome, **181:**1041
sonography of the caudate vein: value in diagnosing Budd-Chiari syndrome, **181:**1641

Sonography, wrist
rice-body formation in atypical mycobacterial tenosynovitis and bursitis: findings on sonography and MR imaging, **180:**1455
Spasm
standardization of flow velocities with respect to age and sex improves the accuracy of transcranial color Doppler sonography of middle cerebral artery spasm, **181:**245
Spatial harmonics
usefulness of the simultaneous acquisition of spatial harmonics technique during MRI of the shoulder, **181:**961
Specialization
what price, abdominal radiology?, **181:**1175
Spectroscopy, MR
characterization of breast lesions with proton MR spectroscopy (c), **181:**1273
characterization of lesions of the breast with proton MR spectroscopy: comparison of carcinomas, benign lesions, phyllodes tumors, **181:**1267
Spherocytosis
partial splenic embolization for the treatment of hereditary spherocytosis, **181:**1021
Spine—*see also* **Central nervous system**
additional value of a modified method of intraosseous venography during percutaneous vertebroplasty, **180:**87
atlas of spine imaging (b), **180:**1688
cerebrospinal fluid leakage after lumbar puncture in neonates: incidence and sonographic appearance, **181:**231
combined treatment of a spinal metastasis with radiofrequency heat ablation and vertebroplasty, **180:**1075
comparison of imaging-guided and non–imaging-guided quantitative sonography of the calcaneus with dual x-ray absorptiometry of the spine and femur, **180:**1111
CT versus radiography for initial evaluation of cervical spine trauma: what is the standard of care?, **180:**911
focal nodular hyperplasia of the hematopoietic marrow simulating vertebral metastasis on FDG position emission tomography, **180:**669
image-guided spine intervention (b), **181:**526, **181:**560
intervertebral disk hydatid cysts: MR imaging findings (l), **180:**1739
magnetic resonance imaging of CNS disease: a teaching file, 2nd ed. (b), **180:**846
MR imaging of spinal tumors in children with neurofibromatosis 1, **180:**413
MR imaging of the lumbar spine: relation of posterior soft-tissue edema-like signal and body weight, **180:**81
percutaneous vertebroplasty: treatment of painful vertebral compression fractures with intraosseous vacuum phenomena, **180:**1411
"plough" fracture: shear fracture of the anterior arch of the atlas, **181:**770
quantitative assessment of diffusion abnormalities in benign and malignant vertebral compression fractures by line scan diffusion-weighted imaging, **181:**1203
radicular pain avoidance during needle placement in lumbar diskography, **181:**1149
terminal spine of agave plant extracted from patient's spinal cord (l), **181:**1155
Spiral CT—*see* **Helical CT**
Spleen
estimating splenic volume: sonographic measurements correlated with helical CT determination, **181:**1615
imaging-guided percutaneous splenic biopsy using a 20- or 22-gauge cutting-edge core biopsy needle for the diagnosis of malignant lymphoma, **181:**1025
MR features of abdominal splenosis, **180:**493
partial splenic embolization for the treatment of hereditary spherocytosis, **181:**1021
Splenoportography
CO_2 splenoportography: preliminary results, **180:**1375
Splenosis
MR features of abdominal splenosis, **180:**493
Sponges—*see* **Retained surgical sponges**
Sports medicine
MR imaging of the anatomy of and injuries to the lateral and posterolateral aspects of the knee, **180:**647
popliteal artery entrapment syndrome: role of imaging in the diagnosis, **181:**1259
side strain: a tear of internal oblique musculature, **181:**1511
Staging
CT and pathologic assessment of prospective nodal staging in patients with ductal adenocarcinoma of the head of the pancreas, **180:**475
diagnosis, staging, and surveillance of cervical carcinoma, **180:**1621
diagnosis, staging, and surveillance of pancreatic cancer, **180:**1311
imaging in the diagnosis, staging, and follow-up of cancer of the urinary bladder, **180:**1045
imaging in the diagnosis, staging, treatment, and surveillance of hepatocellular carcinoma, **180:**441
Standards
duty to directly communicate radiologic abnormalities: has the pendulum swung too far?, **181:**375
standards, guidelines, and roses, **181:**945
towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative, **181:**51
STARD—*see* **Standards**
Steady-state free precession
rapid imaging of articular cartilage with steady-state free precession and multipoint fat–water separation, **180:**357
Steatocystoma multiplex
steatocystoma multiplex: mammographic and sonographic manifestations, **180:**271
Steatosis
effects of tamoxifen on hepatic fat content and the development of hepatic steatosis in patients with breast cancer: high frequency of involvement and rapid reversal after completion of tamoxifen therapy, **180:**129
hepatic subcapsular steatosis in response to intraperitoneal insulin delivery: CT findings and prevalence, **180:**1601
Stenosis
cerebral hemodynamics in asymptomatic and symptomatic patients with high-grade carotid stenosis undergoing carotid endarterectomy (a), **181:**1723
multidetector CT angiography of peripheral vascular disease: a prospective comparison with intraarterial digital subtraction angiography, **180:**719
three-dimensional coronary MR angiography performed with subject-specific cardiac acquisition windows and motion-adapted respiratory gating, **180:**505
using a Cutting balloon to treat resistant high-grade dialysis graft stenosis, **180:**1072
Stent-grafts
elective endovascular stent-graft repair of atherosclerotic thoracic aortic aneurysms: clinical results and midterm follow-up, **180:**709
Stents
early posttransplantation renal allograft perfusion failure due to dissection: diagnosis and interventional treatment, **180:**759
using a covered stent (Wallgraft) to treat pseudoaneurysms of dialysis grafts and fistulas, **180:**1067
volume-rendered multidetector CT angiography: noninvasive follow-up of patients treated with renal artery stents, **180:**233
Stereotaxis
metallic marker placement after stereotactic core biopsy of breast calcifications: comparison of two clips and deployment techniques, **181:**1685
stereotactic core needle biopsy of nonpalpable breast lesions using a conventional mammography unit with an add-on device, **181:**527
Sternotomy
evaluation of complications after sternotomy using single- and multidetector CT with three-dimensional volume rendering, **181:**1065
STIR
current concepts in whole-body imaging using turbo short tau inversion recovery MR imaging, **180:**247
Stomach
gastric wall weakening resulting in separate perforations in a patient with Duchenne's muscular dystrophy, **181:**807
imaging characteristics of gastric lipomas in 16 adult and pediatric patients, **181:**981
intrathoracic stomach revisited, **181:**403
primary extrapulmonary small cell carcinoma involving the stomach or duodenum or both: findings on CT and barium studies, **180:**1325
time-resolved three-dimensional MR imaging of gastric emptying modified by IV administration of erythromycin, **180:**1305
wall thickening of the gastric antrum as a normal finding: multidetector CT evaluation with cadaveric comparison, **181:**973
Stool tagging
electronic cleansing and stool tagging in CT colonography: advantages and pitfalls with primary three-dimensional evaluation, **181:**799
Storage phosphor radiography
comparing image quality of flat-panel chest radiography with storage phosphor radiography and film-screen radiography, **181:**171
Stricture, esophagus
diffuse esophageal stricture caused by erythema multiforme major, **180:**749
usefulness of barium studies for differentiating benign and malignant strictures of the esophagus, **180:**737
Stroke
detection of hemosiderin deposition by T2*-weighted MRI after subarachnoid hemorrhage (a), **181:**1724
is the benefit of early recanalization sustained at 3 months? a prospective cohort study (a), **181:**602
rapid perfusion abnormality estimation in acute stroke with temporal correlation analysis (a), **181:**1724
reliability of assessing percentage of diffusion–perfusion mismatch (a), **181:**1724
stroke MRI in intracerebral hemorrhage: is there a perihemorrhagic penumbra? (a), **181:**1723
Stroma
multidetector CT of high-risk patients with occult gastrointestinal stromal tumors, **180:**185
Structural development
diffusion-tensor MR imaging of normal brain maturation: a guide to structural development and myelination, **180:**851

Style
style guidelines for radiology reporting: a manner of speaking, **180:**327
Superior labral anteroposterior lesions—*see* SLAP lesions
Superior vena cava—*see* Vena cava
Superparamagnetic iron oxide
using superparamagnetic iron oxide–enhanced MRI to differentiate metastatic hepatic tumors and nonsolid benign lesions, **181:**1335
Surface rendering
noninvasive coronary imaging using electron beam CT: surface rendering versus volume rendering, **180:**223
Surgery
bile duct of Luschka connecting with the cystohepatic duct: the importance of cholangiography during surgery, **180:**694
incidence of malignancy in complex cystic renal masses (Bosniak category III): should imaging-guided biopsy precede surgery?, **180:**755
using a dedicated lung-marker system for localization of pulmonary nodules before thoracoscopic surgery, **180:**805
videofluoroscopy of swallowing abnormalities in 22 symptomatic patients after cardiovascular surgery, **180:**987
Surgical clips
do surgical clips interfere with radiofrequency thermal ablation?, **180:**1557
Surgical tacks
MR imaging of complications of loose surgical tacks in the shoulder, **180:**377
Surveys
basic characteristics of radiology practices: results from the American College of Radiology's 1999 survey, **181:**341
characteristics of mixed diagnostic radiology–radiation oncology practices, **181:**643
physician satisfaction with high-resolution CT services provided by radiologists: results of a nationwide survey of pulmonary subspecialists, **180:**585
pulmonary embolus in pregnant patients: a survey of practices and policies for CT pulmonary angiography, **181:**1495
Swallowing abnormalities, dysfunction
videofluoroscopic studies of swallowing dysfunction and the relative risk of pneumonia, **180:**1613
videofluoroscopy of swallowing abnormalities in 22 symptomatic patients after cardiovascular surgery, **180:**987
Sydney Breast Imaging Accuracy Study
Sydney Breast Imaging Accuracy Study: comparative sensitivity and specificity of mammography and sonography in young women with symptoms, **180:**935
Synovitis
localized nodular synovitis of the knee: MR imaging appearance and clinical correlates in 21 patients, **181:**539
Synovium
hypointense synovial lesions on T2-weighted images: differential diagnosis with pathologic correlation, **181:**761
prevalence and size of meniscal cysts, ganglionic cysts, synovial cysts of the popliteal space, fluid-filled bursae, and other fluid collections in asymptomatic knees on MR imaging, **180:**1431

T

Tacks—*see* Surgical tacks
Tamoxifen
effects of tamoxifen on hepatic fat content and the development of hepatic steatosis in patients with breast cancer: high frequency of involvement and rapid reversal after completion of tamoxifen therapy, **180:**129
sonography and MRI of tamoxifen-associated müllerian adenosarcoma of the uterus, **181:**1673
Tarsal coalition
"absent middle facet": a sign on unenhanced radiography of subtalar joint coalition, **181:**1565
Tear
side strain: a tear of internal oblique musculature, **181:**1511
superior labral anteroposterior tear: classification and diagnosis on MRI and MR arthrography, **181:**1449
Tear, meniscus
meniscal tear configurations: categorization with MR imaging, **180:**93
patients with suspected meniscal tears: prevalence of abnormalities seen on MRI of 100 symptomatic and 100 contralateral asymptomatic knees, **181:**635
Tear, tendon
association of biceps tendon tears with rotator cuff abnormalities: degree of correlation with tears of the anterior and superior portions of the rotator cuff, **180:**633
usefulness of the simultaneous acquisition of spatial harmonics technique during MRI of the shoulder, **181:**961
Technologists
prescreening mammography by technologists: a preliminary assessment, **180:**253
Teleradiology
evaluation of emergency CT scans of the head: is there a community standard?, **180:**1727
Tendinitis
osseous involvement in calcific tendinitis: a retrospective review of 50 cases, **181:**965
Tendon
association of biceps tendon tears with rotator cuff abnormalities: degree of correlation with tears of the anterior and superior portions of the rotator cuff, **180:**633
giant cell tumor of the peroneus tendon sheath, **180:**1442
MR imaging of fibroma of the tendon sheath, **180:**1449
MRI features of chronic injuries of the superior peroneal retinaculum, **181:**1551
MRI of an intratendinous ganglion cyst of the peroneus brevis tendon (I), **181:**890
osseous involvement in calcific tendinitis: a retrospective review of 50 cases, **181:**965
usefulness of the simultaneous acquisition of spatial harmonics technique during MRI of the shoulder, **181:**961
Tendon sheath
communication of the ganglion with the joint and the tendon sheath (I), **180:**541
Tenosynovitis
rice-body formation in atypical mycobacterial tenosynovitis and bursitis: findings on sonography and MR imaging, **180:**1455
Teratoma
growing teratoma syndrome of the liver: treatment with living related donor liver transplantation, **181:**839
Testicle
bell-clapper deformity (I), **180:**1176
is there an increased incidence of contralateral testicular cancer in patients with intratesticular microlithiasis?, **180:**497
testicular Leydig's cell hyperplasia: MR imaging and sonographic findings, **180:**501
testicular torsion in neonates and infants: sonographic features in 30 patients, **180:**1143
Testifying
disciplinary action by North Carolina Medical Board reversed (I), **181:**1716
miasmatic expert witness, **181:**29
Therapy—*see specific type of therapy*
Thick-section CT
comparing thin-section and thick-section CT of pericardial sinuses and recesses, **181:**1101
Thin-section CT
comparing thin-section and thick-section CT of pericardial sinuses and recesses, **181:**1101
thin-section CT findings in 32 immunocompromised patients with cytomegalovirus pneumonia who do not have AIDS, **181:**1059
Thoracentesis
fluid removal limitations in thoracentesis (I), **180:**541
Thorax—*see* Chest
Thrombin
iatrogenic femoral pseudoaneurysms that are unresponsive to percutaneous thrombin injection: potential causes, **181:**1301
large iatrogenic pseudoaneurysm of the posterior tibial artery treated with sonographically guided thrombin injection (I), **180:**1479
Thrombolysis
catheter-directed thrombolytic therapy in peripheral artery occlusions: combining reteplase and abciximab, **180:**1385
pulse-spray thrombolysis of thrombosed hemodialysis grafts with tissue plasminogen activator, **180:**1063
Thrombosis
congenital anomalies of the inferior vena cava revealed on CT in patients with deep vein thrombosis, **180:**729
detection of pulmonary emboli resulting from ovarian vein thrombosis (I), **181:**1430
optimization of multidetector CT venography performed with elastic stockings on patients' lower extremities: a preliminary study of nonthrombosed veins, **180:**1093
randomized prospective study comparing routine versus selective use of sonography of the complete calf in patients with suspected deep venous thrombosis, **180:**241
treatment of acute superior mesenteric vein thrombosis with percutaneous techniques, **181:**1305
Thymoma
invasive thymoma, **181:**1504
Thymus
characterization of the normal and hyperplastic thymus on chemical-shift MR imaging, **180:**1265
CT-guided percutaneous ethanol injection of the thymus for treatment of myasthenia gravis, **181:**721
thymic enlargement and FDG uptake in three patients: CT and FDG positron emission tomography correlated with pathology, **180:**519
Thyroid gland
efficacy of sonographically guided percutaneous ethanol injection for treatment of thyroid cysts versus solid thyroid nodules, **180:**1723
sonography and sonographically guided fine-needle aspiration biopsy of the thyroid gland: indications and techniques, pearls and pitfalls, **181:**267
sonography of delayed thyroid metastasis from renal cell carcinoma with jugular vein extension, **181:**272
Thyrotropin-secreting tumors
MR imaging features of thyrotropin-secreting pituitary adenomas at initial presentation, **181:**577

Tibia—*see also* **Leg**
MRI of trapped periosteum in a proximal tibial physeal injury of a pediatric patient, **181:**1397
Tissue plasminogen activator
predictors of hemorrhagic transformation after intravenous recombinant tissue plasminogen activator: prognostic value of the initial apparent diffusion coefficient and diffusion-weighted lesion volume (a), **180:**286
pulse-spray thrombolysis of thrombosed hemodialysis grafts with tissue plasminogen activator, **180:**1063
Tongue
novel intraarterial chemotherapy using paclitaxel in albumin nanoparticles to treat advanced squamous cell carcinoma of the tongue: preliminary findings, **181:**253
Torsion
testicular torsion in neonates and infants: sonographic features in 30 patients, **180:**1143
Tort reform
review of the issues surrounding medical malpractice tort reform (pb), **181**(3):A5
Toxicity
neuroimaging features of heroin inhalation toxicity: "chasing the dragon," **180:**847
Toxoplasmosis
diffusion-weighted MRI of cerebral *Toxoplasma* abscess, **181:**1711
Trachea
CT of blunt tracheal rupture, **180:**1670
Tracheomalacia
tracheomalacia incidentally detected on CT pulmonary angiography of patients with suspected pulmonary embolism, **181:**1505
Transplantation
CT features with pathologic correlation of acute gastrointestinal graft-versus-host disease after bone marrow transplantation in adults, **181:**1621
CT of posttransplantation lymphoproliferative disorder in pediatric recipients of lung allograft, **181:**1125
early posttransplantation renal allograft perfusion failure due to dissection: diagnosis and interventional treatment, **180:**759
fibrosis in the upper lobes: a newly identified late-onset complication after lung transplantation?, **181:**1539
first kidney transplantation (mma), **181:**190
growing teratoma syndrome of the liver: treatment with living related donor liver transplantation, **181:**839
living donor liver transplantation in adults: vascular variants important in surgical planning for donors and recipients, **181:**109
multidetector CT angiography for preoperative evaluation of living laparoscopic kidney donors, **180:**1633
nondysplastic nodules that are hyperintense on T1-weighted gradient-echo MR imaging: frequency in cirrhotic patients undergoing transplantation, **180:**1023
pretransplantation evaluation of the cirrhotic liver with explantation correlation: accuracy of CT arterioportography and digital subtraction hepatic angiography in revealing hepatocellular carcinoma, **181:**99
resistive index in renal Doppler sonography: where do we stand?, **180:**885
serial ethanol ablation of multiple hepatic cysts as an alternative to liver transplantation, **180:**472
significance of and contributing factors for a high resistive index on Doppler sonography of the hepatic artery immediately after surgery: prognostic implications for liver transplant recipients, **181:**831
spectrum of imaging findings after pediatric liver transplantation: part 1, posttransplantation anatomy, **181:**1133
spectrum of imaging findings after pediatric liver transplantation: part 2, posttransplantation complications, **181:**1139
split liver transplantation and risk to the adult recipient: analysis using matched pairs (a), **180:**1484
vascular complications after living related liver transplantation: evaluation with gadolinium-enhanced three-dimensional MR angiography, **181:**467
Transsphenoidal canal
transsphenoidal (large craniopharyngeal) canal associated with a normally functioning pituitary gland and nasopharyngeal extension, hyperprolactinemia, and hypothalamic hamartoma, **180:**76
Trauma—*see also* **Emergency radiology**
cerebral fractional anisotropy score in trauma patients: a new indicator of white matter injury after trauma, **181:**1401
CT of blunt tracheal rupture, **180:**1670
CT versus radiography for initial evaluation of cervical spine trauma: what is the standard of care?, **180:**911
doll's head "bezoar": complete craniocervical dislocation causing bowel obstruction, **180:**986
imaging of traumatic bladder perforation that spontaneously sealed after omental herniation, **181:**1379
localized intestinal lymphangiectasia: CT findings, **180:**213
pathogenesis in acute aortic syndromes: aortic aneurysm leak and rupture and traumatic aortic transection, **181:**303
"plough" fracture: shear fracture of the anterior arch of the atlas, **181:**770
posterior fossa subarachnoid hemorrhage due to an atlantooccipital dislocation, **180:**1476
rupture of a ureteropelvic junction–obstructed kidney in a 15-year-old football player, **180:**504
should the routine wrist examination for trauma be a four-view study, including a semisupinated oblique view?, **181:**1235
tracheoesophageal fistula from a gunshot wound to the neck, **180:**212
traumatic sternomanubrial dislocation with associated bilateral internal mammary artery occlusion, **180:**810
Tuberculosis
esophageal tuberculosis manifesting as submucosal abscess (l), **180:**1482
Twinkling artifact
twinkling artifact on color Doppler sonography: dependence on machine parameters and underlying cause, **180:**215; erratum at **180:**542
Twins
fetal MR imaging of lymphatic malformation in a twin gestation (l), **181:**286
prenatal MRI of heteropagus twins, **181:**1676

U

Ulcer
pathogenesis in acute aortic syndromes: aortic dissection, intramural hematoma, and penetrating atherosclerotic aortic ulcer, **181:**309
Ulcerative colitis
radiology of ileal pouch–anal anastomosis surgery, **180:**999
Ultrasound—*see* **Sonography**
Umbilical cord
MR imaging of umbilical cord urachal (allantoic) cyst in utero (l), **180:**1181
Urachus
MR imaging of umbilical cord urachal (allantoic) cyst in utero (l), **180:**1181
urachal mucinous cystadenocarcinoma with a cystic ovarian metastasis (l), **180:**1183
Ureteropelvic junction
rupture of a ureteropelvic junction–obstructed kidney in a 15-year-old football player, **180:**504
rupture of ureteropelvic junction–obstructed kidney (l), **181:**886
Urethra
MR imaging of primary urethral lymphoma in a man (l), **181:**600
urethra and its supporting structures in women with stress urinary incontinence: MR imaging using an endovaginal coil, **180:**1037
Urinary bladder
carcinosarcoma of the urinary bladder: dynamic contrast-enhanced MR imaging with clinical and pathologic correlation, **181:**139
imaging in the diagnosis, staging, and follow-up of cancer of the urinary bladder, **180:**1045
imaging of traumatic bladder perforation that spontaneously sealed after omental herniation, **181:**1379
MR imaging features of non–transitional cell carcinoma of the urinary bladder with pathologic correlation, **180:**779
MR imaging features of transitional cell carcinoma of the urinary bladder, **180:**771
pitfall in interpretation of MR imaging of the bladder (l), **180:**1178
Urinary tract
urethra and its supporting structures in women with stress urinary incontinence: MR imaging using an endovaginal coil, **180:**1037
Urogenital imaging
guidelines for contrast media from the European Society of Urogenital Radiology, **181:**1463
Urography, excretory—*see* **Excretory urography**
Uterus
abdominal myomectomy versus uterine fibroid embolization in the treatment of symptomatic uterine leiomyomas, **180:**1571
adenomyosis: MRI of the uterus treated with uterine artery embolization, **181:**851
characterization of adnexal mass lesions on MR imaging, **180:**1297
CT and MRI of uterine sarcomas and their mimickers, **181:**1369
CT of a ruptured pyomyoma, **181:**1375
fast breath-hold T2-weighted MR imaging reduces interobserver variability in the diagnosis of adenomyosis, **180:**1291
MR imaging findings and patterns of spread in secondary tumor involvement of the uterine body and cervix, **180:**765
sonography and MRI of tamoxifen-associated müllerian adenosarcoma of the uterus, **181:**1673
sonography of delayed effects of uterine artery embolization on ovarian arterial perfusion and function, **181:**89

V

Vaginitis emphysematosa
multidetector CT appearance of a novel contraceptive device: the vaginal ring, **180:**1659

Variants
living donor liver transplantation in adults: vascular variants important in surgical planning for donors and recipients, **181:**109
Varices
esophageal varices: diagnosis with gadolinium-enhanced MR imaging of the liver, for patients with chronic liver damage, **180:**461
ruptured duodenal varices successfully treated with balloon-occluded retrograde transvenous obliteration: usefulness of microcatheters, **181:**725
Vasculature—*see also* **Artery, Vein**
comprehensive time-resolved MRI of peripheral vascular malformations, **181:**729
contrast-enhanced MR angiography of thoracic vascular malformations in a pediatric population, **181:**861
extracranial aneurysms in children: practical classification and correlative imaging, **181:**867
incorporating patient-centered outcomes in the analysis of cost-effectiveness: imaging strategies for renovascular hypertension, **181:**1653
living donor liver transplantation in adults: vascular variants important in surgical planning for donors and recipients, **181:**109
MR angiography of endoleak with inconclusive concomitant CT angiography, **181:**736
MR imaging–guided vascular procedures using CO_2 as a contrast agent, **181:**485
multidetector CT angiography of peripheral vascular disease: a prospective comparison with intraarterial digital subtraction angiography, **180:**719
prediction of clinical response after renal angioplasty: respective value of renal Doppler sonography and scintigraphy, **181:**1029
pulmonary embolus in pregnant patients: a survey of practices and policies for CT pulmonary angiography, **181:**1495
spiral and multislice computed tomography of the body (b), **181:**1558
vascular and interventional radiology: principles and practice (b), **180:**2
vascular complications after living related liver transplantation: evaluation with gadolinium-enhanced three-dimensional MR angiography, **181:**467
venous catheters: a practical manual (b), **181:**996
Vasculitis
giant cell arteritis, **181:**742
Vein—*see also* **Vasculature,** *specific vein*
congenital anomalies of the inferior vena cava revealed on CT in patients with deep vein thrombosis, **180:**729
double-needle sclerotherapy of lymphangiomas and venous angiomas in children: a simple technique to prevent complications, **180:**1399
embolization of the patent ductus venosus in an adult patient, **180:**716
imaging characteristics of blue rubber bleb nevus syndrome, **181:**1041
multidetector CT angiography for preoperative evaluation of living laparoscopic kidney donors, **180:**1633
randomized prospective study comparing routine versus selective use of sonography of the complete calf in patients with suspected deep venous thrombosis, **180:**241
Vein, caudate
sonography of the caudate vein: value in diagnosing Budd-Chiari syndrome, **181:**1641
Vein, hepatic
imaging and intervention in the hepatic veins, **180:**1583
Vein, jugular
sonography of delayed thyroid metastasis from renal cell carcinoma with jugular vein extension, **181:**272
Vein, mesenteric
treatment of acute superior mesenteric vein thrombosis with percutaneous techniques, **181:**1305
Vein, portal
change in the hemodynamics of the portal venous system after retrograde transvenous balloon occlusion of a gastrorenal shunt, **181:**1011
CO_2 splenoportography: preliminary results, **180:**1375
CT signs of hepatofugal portal venous flow in patients with cirrhosis, **181:**1629
portal vein gas resulting from ingestion of hydrogen peroxide (l), **181:**1719
Vein, pulmonary
dose optimization for dynamic time-resolved contrast-enhanced 3D MR angiography of pulmonary circulation, **181:**1499
Vein, umbilical
neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis, **180:**1147
Vena cava
congenital anomalies of the inferior vena cava revealed on CT in patients with deep vein thrombosis, **180:**729
dense coronary sinus: a sign of left superior vena cava on abdominopelvic CT (l), **180:**544
Venography
additional value of a modified method of intraosseous venography during percutaneous vertebroplasty, **180:**87
hepatocellular carcinoma: imaging and imaging-guided intervention, **180:**1015
neonates and umbilical venous catheters: normal appearance, anomalous positions, complications, and potential aid to diagnosis, **180:**1147
Venography, CT
optimization of multidetector CT venography performed with elastic stockings on patients' lower extremities: a preliminary study of nonthrombosed veins, **180:**1093
Venography, MR
MR venography using an intravascular contrast agent: results from a multicenter phase 2 study of dosage, **180:**227
Ventriculitis
diffusion-weighted MR imaging of pyogenic ventriculitis, **180:**71
Vertebra—*see* **Spine**
Vertebroplasty
additional value of a modified method of intraosseous venography during percutaneous vertebroplasty, **180:**87
combined treatment of a spinal metastasis with radiofrequency heat ablation and vertebroplasty, **180:**1075
percutaneous vertebroplasty: treatment of painful vertebral compression fractures with intraosseous vacuum phenomena, **180:**1411
Veterans Affairs hospitals
cost of positron emission tomography in six United States Veterans Affairs hospitals and two academic medical centers, **181:**359
Videofluoroscopy
epiglottic carcinoma as a cause of laryngeal penetration and aspiration, **180:**207
videofluoroscopic studies of swallowing dysfunction and the relative risk of pneumonia, **180:**1613
videofluoroscopy of swallowing abnormalities in 22 symptomatic patients after cardiovascular surgery, **180:**987
Virtual imaging
three-dimensional endoluminal CT colonography (virtual colonoscopy): comparison of three commercially available systems, **181:**1599
virtual colonoscopy for colon cancer screening: further reflections on polyps and politics, **181:**795
Viruses—*see also* specific infection
radiographic and high-resolution CT findings of influenza virus pneumonia in patients with hematologic malignancies, **181:**507
radiologic manifestations of potential bioterrorist agents of infection, **180:**565
Vocal cords
using CT to localize side and level of vocal cord paralysis, **180:**1165
Volume rendering
detection and characterization of intracranial aneurysms with MR angiography: comparison of volume-rendering and maximum-intensity-projection algorithms, **180:**55
noninvasive coronary imaging using electron beam CT: surface rendering versus volume rendering, **180:**223
volume-rendered multidetector CT angiography: noninvasive follow-up of patients treated with renal artery stents, **180:**233
Volvulus
CT diagnosis of volvulus of the descending colon with persistent mesocolon, **180:**1003
Von Hippel-Lindau disease
spectrum of abdominal imaging findings in von Hippel-Lindau disease, **181:**1049

W

Wafers—*see* **Polymer wafers**
Wallgraft
using a covered stent (Wallgraft) to treat pseudoaneurysms of dialysis grafts and fistulas, **180:**1067
Water instillation
paranephric water instillation: a technique to prevent bowel injury during percutaneous renal radiofrequency ablation, **181:**1315
Waveforms
spectrum of Doppler waveforms in the carotid and vertebral arteries, **181:**1695
West Nile virus infection
leptomeningeal enhancement in a patient with proven West Nile virus infection, **181:**591
White matter
cerebral fractional anisotropy score in trauma patients: a new indicator of white matter injury after trauma, **181:**1401
serial MR imaging of volumes of hyperintense white matter lesions in elderly patients: correlation with vascular risk factors, **181:**571
Whole-body imaging
CT and MR imaging of the whole body, vol. 1, 4th ed. (b), **181:**1326
current concepts in whole-body imaging using turbo short tau inversion recovery MR imaging, **180:**247
potential legal ramifications of whole-body CT screening: taking a peek into Pandora's box, **180:**317
should whole-body CT screening be performed with contrast media?, **180:**323
what is the optimum position of arms for acquiring scout images for whole-body CT with automatic tube current modulation? (l), **181:**596

whole-body MR imaging: the future "x ray"? (I), **180:**860
whole-body three-dimensional multidetector CT of 13 Egyptian human mummies, **180:**597
Window settings
value of bone window settings on CT for revealing appendicoliths in patients with appendicitis, **180:**201
World Wide Web—*see* **Internet**
Wound—*see* **Gunshot wound**
Wrist—*see also* **Joint**
carpal tunnel syndrome and cubital tunnel syndrome: work-related musculoskeletal disorders in four symptomatic radiologists, **181:**37
MR imaging of ulnocarpal impaction after fracture of the distal radius, **181:**195
posttraumatic cystlike defects of the scaphoid: late sign of occult microfracture and useful indicator of delayed union, **180:**655
should the routine wrist examination for trauma be a four-view study, including a semisupinated oblique view?, **181:**1235

X

X-ray beams
pulsed tunable monochromatic X-ray beams from a compact source: new opportunities, **181:**1197
Xanthoma disseminatum
xanthoma disseminatum: a rare cause of upper airway narrowing (I), **180:**1180